



AMA COMPUTER COLLEGE _ NAGA

ELS Building, Panganiban Drive

Naga City, Camarines Sur

CJZAVE BBQ & GRILL OFFICIAL WEBSITE

This Capstone Project Presented to the Faculty of the College of Computer

Studies

AMA COMPUTER COLLEGE – NAGA

In Partial Fulfillment of the Requirements of the Degree

Bachelor of Science in Information Technology

By;

Collantes, Ivan Berry

Enriquez, Gaebrielle Antonette Abella

Tipay, Mary Dianne Martinez

August 2023



AMA COMPUTER COLLEGE _ NAGA

ELS Building, Panganiban Drive

Naga City, Camarines Sur

APPROVAL SHEET

In partial fulfillment of the requirements for the degree **BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY**, this Capstone Project entitled **“Cjzave BBQ & GRILL Official Website”**, prepared and submitted by **Collantes, Ivan Berry, Enriquez, Gaebrielle Antonette Abella and Tipay, Mary Dianne Martinez** has been examined and recommended for acceptance and approval for Oral Examination.


BAUTISTA, GERARD NOEL ANTHONY

Adviser

Approved by the Committee of Oral Examination on August 03, 2023 with the grade of **80**.


MANGONDATO, AMER

Chairman


AGAPAN, JETHRO STEPHEN

Member


ANAPI, ANNE LORRAINE

Member

Accepted a partial fulfillment of the course requirements of the degree in Bachelor of Science in Information Technology.


AGAPAN, JETHRO STEPHEN

Academic Coordinator

Date: August 14, 2023

ACKNOWLEDGEMENT

We would like to extend our sincere gratitude and appreciation to the following individuals for letting us fulfill our dreams of becoming better individuals.

To Mr. Michael Perez our Capstone 1 adviser, for his guidance throughout our thesis documents completion.

To Ms. Katherine Joys Tulabing, Mr. Keith Leonard Lontoc and Ms. Karren De Lara, our pre-oral defense panelists who gave advices and recommendations on web-based system.

To Ms. Marjorie Cuyos Solomon, Capstone Project 1 Research Coordinator, who is actively responsive about our concerns throughout our thesis journey.

To Ms. Josie Valenzuela Tuliao, Master Teacher III at Gainza National High School, our grammarian who reviewed and edited the grammatical errors of our manuscript.

To Mr. Eric Reyes Araki, Junior High School Teacher I Major in Mathematics at Mansalaya National High School who statistically reviewed and analysed our manuscript.

To Mr. Felix Joshua Sabado and Mr. Gerard Anthony Noel Bautista, our Capstone 2 advisers, for guiding and being responsive on our requests and concerns.

To Mr. Amer Mangondato, Mr. Jethro Stephen Agapan and Ms. Anne Loraine Anapi our Final Defense panelists who nurtured us to become professional individuals and giving us recommendations.

To Mr. Jethro Stephen Agapan, AMA Computer College-Naga, College Academic Coordinator, on giving us the opportunity to made this Capstone Project 2 successful.

To Cjzave BBQ & GRILL Korean Style Buffet, especially to Mr. Allan Alano, thank you so much on allowing us to conduct our research to your restaurant. We really appreciate it.

To our families who supported us in all possible ways. To our friends who continually encouraged us and believed in our capabilities, we thank all of you.

Last but not the least, we thank God for giving us the strength and wisdom to continue and be passionate in the process of realizing this project.

The Researchers

ABSTRACT

This study aimed to develop and implement an official website for Cjzave BBQ and Grill. It employed the descriptive research design using the simple random technique and participated by 17 respondents consisting of (10) customers, (5) employees and (2) web developers.

Using the ISO 2510:2011 standard, evaluation showed that the web-based system was highly acceptable with the total weighted mean of 4.68. It functionality at 4.74 (Highly Acceptable), efficiency at 4.65 (Highly Acceptable), compatibility at 4.65 (Highly Acceptable), usability at 4.67 (Highly Acceptable), maintainability at 4.68 (Highly Acceptable), portability at 4.65 (Highly Acceptable), and reliability at 4.65 (Highly Acceptable) and security at 4.67 (Highly Acceptable). The Cjzave BBQ and Grill official website has proved to be effective in improving the restaurant's current system as it provided the customers a platform to explore, order, and inquire online about the restaurant and provided the owners better online payment, inventory, and sales management.

Although it was concluded that Cjzave BBQ & GRILL Korean Style Buffet may rely on the web-based system in this modern age as it brought positive impact on management and customer growth, the following inclusions in the website are still recommended for its better performance and efficacy: (1) a reservation form and list for dine-in customers (2) poster of possible rewards (e.g.

coupons) in the home page of the website to attract more customers (3) sales generator feature to automatically sum all records of orders daily and lastly, (4) provision of verification to improve the security of the account of the customers upon registration.

TABLE OF CONTENTS

Title Page.....	i
Approval Sheet	ii
Acknowledgement.....	iii
Abstract.....	v
List of Tables	xi
List of Figures	xii
List of Appendices	xiv
List of Abbreviation and Symbols ..	xv
Definition of Terms.....	xvi

CHAPTER I. PROJECT AND ITS BACKGROUND

Project Context	1
Purpose and Description.....	2
Objective of the Study.....	7
Significance of the Study	8
Scope and Limitations.....	9

CHAPTER II. REVIEW OF RELATED LITERATURE AND STUDY

Foreign Literature.....	10
Local Literature	15
Foreign Studies.....	20
Local Studies	25
Synthesis	30
Technical Background	31

CHAPTER III. METHODOLOGY, RESULTS AND DISCUSSIONS

Research Methodology	34
Subjects / Respondents	34
Sampling Technique Used.....	34
Research Instrument.....	35
Procedure of Data Gathering	35
System / Software Evaluation Plan	35
Theoretical Framework	37
Conceptual Framework.....	38
Software Design, Products and / or Processes.....	38

Planning	39
Define Requirements	39
Design And Prototyping	40
Software Development.....	41
Testing	42
Deployment.....	43
Operations and Maintenance	43
Software Development Life Cycle Model	44
System Architecture	46
Conceptual Design.....	47
Cost Benefit Analysis	59
Requirement Analysis	65
Hardware Requirements	66
System Flow	66
Block Diagram.....	67
Development and Testing	70
Input and Output Reports and Analysis	71

Description of Prototype.....	72
Implementation Plan	72
Implementation Results	75

CHAPTER IV. SUMMARY OF FINDINGS, CONCLUSION & RECOMMENDATIONS

Summary of Findings.....	83
Recommendations.....	85
Appendices	90

LIST OF TABLES

Table 5.1	Hardware Cost	60
Table 5.2	Software Development Cost	61
Table 5.3	System Cost.....	61
Table 5.4	Stationeries and Supplies	62
Table 5.5	Utility Expenses	62
Table 5.6	Training Cost.....	63
Table 5.7	Summary Cost	63
Table 6.0	Requirement Analysis (software)	65

LIST OF FIGURES

Figure 1.0	Theoretical Framework.....	37
Figure 2.0	Conceptual Framework.....	38
Figure 3.0	Use Case Diagram.	46
Figure 4.0	Navigation Menu Bar	47
Figure 4.1	Homepage	47
Figure 4.2	Homepage Center Part.....	49
Figure 4.3	About Us Page	50
Figure 4.4	Review Page	51
Figure 4.5	Footer	51
Figure 4.6	Menu Page	52
Figure 4.7	Order Page	52
Figure 4.8	Contact Us Page	53
Figure 4.9	Admin Panel Navigation Menu Bar	54
Figure 4.10	Dashboard	54
Figure 4.11	Products	55
Figure 4.12	Pending Orders	56
Figure 4.13	Out for Delivery.....	56

Figure 4.14	Completed Orders	57
Figure 4.15	Users	57
Figure 4.16	Messages	58
Figure 4.17	Tawk.To Account (Live Chat Support)	59
Figure 7. 0	Agile Software Development Life Cycle Model	66
Figure 8.1	Block Diagram of the System	67
Figure 8.2.	Customer Data Flow Diagram	67
Figure 8.3	Admin Data Flow Diagram.....	68
Figure 9.0	Admin Database ERD.....	69
Figure 10.0	Functionality	75
Figure 10.1	Efficiency	76
Figure 10.2	Compatibility	77
Figure 10.3	Usability	78
Figure 10.4	Maintainability	79
Figure 10.5	Portability	80
Figure 10.6	Reliability	81
Figure 10.7	Security.....	82

LIST OF APPENDICES

APPENDICES A.	Relevant Source Codes.....	90
APPENDICES B.	Evaluation Tool	222
APPENDICES C.	Summary of Results	228
APPENDICES D.	Survey Data Summary.....	231
APPENDICES E.	System Manual.....	233
APPENDICES F.	Turnitin Originality Report	265
APPENDICES G.	Certifications	268
APPENDICES H.	Curriculum Vitae	271

LIST OF ABBREVIATION AND SYMBOLS

CSS- Cascading Style Sheets

PHP - originally derived from Personal Home Page Tools, now stands for PHP:
Hypertext Preprocessor.

HTML - Hypertext Markup Language

MySQL - Structured Query Language

DEFINITION OF TERMS

Back End Development - the server side of a website; it is usually consisting of servers, frameworks, and databases. The back-end work is hidden from the users.

CSS (Cascading Style Sheet) - can manage the layout of numerous web pages simultaneously and determine how HTML elements should be displayed on screen, paper, or in other media.

Data - a factual information (such as measurements or statistics) used as a basis for reasoning, discussion, or calculation

Databases - used for storing, maintaining and accessing any sort of data. They collect information on people, places or things. That information is gathered in one place so that it can be observed and analyzed. Databases can be thought of as an organized collection of information.

Front-End Web Development - the development of the graphical user interface of a website, through the use of HTML, CSS, and JavaScript, so that users can view and interact with that website. It also refers the customers-side development, where the focus is on what users visually see first in their browser or application.

GCash - a mobile wallet issued by Filipino telco Globe Telecom. The customers can use GCash to shop online and in-store, send money, top up mobile phone credits and pay bills

HTML 4.01 (Hypertext Markup Language) - is set of codes inserted to the file that gives the content on a website, such as images, text, and videos, structure.

JavaScript - is a dynamic programming language for web development that allows programmers to add dynamic features to web sites that aren't possible with just HTML and CSS. It is capable of calculating, manipulating, and validating data and also used in software, servers, and embedded hardware controllers.

Log in- to connect to a computer system by putting in a particular set of letters or numbers.

MySQL - pronounced either "My S-Q-L" or "My Sequel," is an open source relational database management system. It is based on the structure query language (SQL), which is used for adding, removing, and modifying information in the database.

Password - is a string of characters used for authenticating a user on a computer system.

Software - Sometimes abbreviated as SW and S/W, software is a collection of instructions that enable the user to interact with a computer, its hardware, or perform tasks.

System- A system is a collection of elements or components that are organized for a common purpose

CHAPTER I

PROJECT AND ITS BACKGROUND

This chapter presents the project context which contains the rationale, the purpose and description, the objective of the study, the significance of the study which enumerates the beneficiaries of the study and the corresponding benefits each will receive; lastly, the scope and limitation wherein the researchers determined the coverage of the study.

PROJECT CONTEXT

In today's world, the place where most people go to is the internet, specifically in using search engines like Google, Yahoo, or Bing. The Internet covers so many things whether you want to look up something, discover and explore. The internet has turned our existence upside down. It has revolutionized communications to the extent that it is now our preferred medium of everyday communication (Dentzel, 2014). Website is a platform where you can order food and purchase any product online, post about your own self, and share pictures over instant messaging.

A website is a collection of publicly accessible, interlinked web pages that

share a single domain name. It can be created and maintained by an individual, group, business, or organization to serve a variety of purposes.

Websites come in a nearly endless variety, including educational sites, sports sites, news sites, business websites, social media sites, and so on. This study is under business websites, which mainly focuses on the official website of a specific restaurant, which gives you the opportunity to market your business online and allows you to show the identity of your business on the internet. There are many reasons why a business might want to be visible on the internet, including public perception of its size, sophistication, modernity, connectedness, customer service reliability, and typically to encourage inquiries from potential customers or partners. The official website for restaurants is designed to allow customers to view their menus online, read up on them, order food online, and even pay through an online gateway.

PURPOSE AND DESCRIPTION

In almost 5 years of living in the pandemic up until today, many business owners closed their businesses due to bankruptcy. People are forced to stay at home. You can only see a few people outside. Everyone is scared to catch the virus. Switching from this kind of situation gave people a hard time. Without customers, a restaurant's business status is rapidly decreasing due to lack of

profit. Bills are increasing, products prices are increasing, and almost everything has doubled its price just to cope and survive their businesses.

Online food ordering has become popular during the pandemic. You can view, order, or even pay without going to the actual store. Having this kind of system, it helped many business owners and customers.

The phenomenon of the Korean Wave is sweeping across the world with tremendous force, driven by The South Korean cultural industry exports to foreign audiences its popular entertainment, music, TV shows, and global market. As a result of this, Korean cuisine is capturing more attention in recent times. Among the various types of Korean cuisine, one that stands out and is frequently depicted in Korean dramas and movies is Korean BBQ, locally known as "gogi-gui." This term refers to the Korean culinary practice of grilling meats like beef, chicken, or pork on gas or charcoal grills, right at the dining table. These meat dishes can be prepared in numerous ways, whether marinated or not. One of the most iconic forms of Korean BBQ is Bulgogi, which involves marinating thinly sliced beef sirloins or tenderloin cuts. Another beloved dish within Korean BBQ culture is Galbi.

There are a lot of Korean Style BBQs all over the world but the Cjzave BBQ & GRILL is the first Korean Style Buffet here in Bicol. It was established on November 20, 2014, located at Zone 15 Magsaysay Avenue, Naga City. Cjzave

BBQ & GRILL Korean Style Buffet was owned by Mr. Allan Francis O. Alano. The name of the restaurant was his wife's idea. The word "Cjzave" comes from the name of their three children Cj, Zander and Xavier. The target customers of this business were teenagers who love Korean foods, senior citizens, etc. With this Korean Style Buffet they can bring Korean delicacies to each Filipino who loves to eat dishes like this and at an affordable price.

Since Cjzave BBQ & GRILL Korean Style Buffet was offering this kind of food, they have their own Facebook page that serves as an online platform to help meet the needs of the customers when it comes to food ordering, inquiries etc. However, the restaurant doesn't have an existing website where the customer can explore more. The customers can only contact them through their official Facebook page and walk-in.

The proponents proposed a system to help the restaurant widen its target audience, which can help them grow. The project is called "Cjzave BBQ & GRILL Official Website." It is a web-based system wherein the customers can explore, order, and inquire online about the restaurant. This website also features online payment, inventory, and sales management, which will be much easier for the staff. Logging in as an admin, the staff/any employee can have the access to monitor everything. As for the customers, they can visit the website without logging in, but their personal information (such as email) will be collected for them

to place an order and also for the staffs to accommodate them easily and properly.

This system will be effective to improve the restaurant's current system.

The proponents observed the restaurant and came up with the following problems:

1. What is Cjzave BBQ & GRILL current process in terms of;
 - a. Online Ordering
 - Delivery
 - b. Inventory and Sales Management
 - c. Mode of Payment
2. How does the existing procedure does affect the daily productivity at Cjzave BBQ & GRILL?
3. How could the proposed system aid and create a better process for the restaurant especially for the official website of Cjzave BBQ & GRILL?
4. What are the impacts of Official website on the costumers? How does it affect day-to-day life of the customers?

When it comes to the customer needs and follow-up of orders at the Korean Style Buffet, the situation here has following reasons behind this:

- Facebook as the only platform – they have no existing official website for their Korean Style Buffet. Even though they have their official Facebook page, it is not enough to entertain and give the needs of the customers.
- Lack of marketing techniques – the customer was unable to browse and purchase the products online.
- Conflict of additional orders – there has been instances to have a conflict on the additional orders because of the limited stocks and deliveries of the raw food within the restaurant.

OBJECTIVE OF THE STUDY

The general objective of Cjzave BBQ & GRILL Korean Style Buffet is to develop and implement an official website that would help the administration, staffs and customers to lessen the problems that they are encountering due to the existing process.

To accomplish the general objective, the researcher's goal is to:

- Developed an official website of Cjzave BBQ & GRILL that will help the restaurant to be more productive and to lessen the workloads of the employees.
- Provide an efficient way of monitoring the sales and inventory records.
- Make an official website so that the customers can purchase/order products, and pay through online payment.
- Educate the customers and be aware about the possible impacts of Cjzave BBQ and GRILL Official Website into their daily lives.

SIGNIFICANCE OF THE STUDY

This study's significance will be very beneficial to the following:

Customers - this study will help the customers to be familiarized and able to know more about Cjzave BBQ and GRILL Korean Style Buffet.

Service Crews - this study will help the crew/staffs of the restaurant to lessen their workloads. Especially when it comes to inventory of management and sales, food ordering and online payment.

Owner - this study will help the owner to manage the restaurant easily.

Researchers and Developers - this study will give the researcher more significance and will be able to help us in honing our skills in system planning and development. This will also aid to show their talents, skills, and expertise in computer programming.

Future Researchers - this study will benefit the future researcher as references and motivation to conduct more research studies and invent to help our next generation.

SCOPE AND LIMITATIONS

This research study involves the process of the system to create an Official Website of Cjzave BBQ & GRILL and replace the manual process of the restaurant that includes online ordering, products and services inquiries, online payment and uploading of payment method, inventory and sales management, and customer's records.

The proposed system is intended and limited only to Cjzave BBQ & GRILL management, employees, and customers in Naga City.

CHAPTER II

REVIEW OF RELATED LITERATURE AND STUDY

This chapter includes the ideas, finished thesis, generalization or conclusions, methodologies, and others. Those that were included in this chapter helped familiarize information that are relevant and similar to the present study.

FOREIGN LITERATURE

Andreea Dobrila (2019), if more businesses understood the advantages of having a website for a restaurant, they wouldn't think twice about choosing designs that include profitable features like online ordering, menus, online reservations, and reviews in social media.

This article talks about the different advantages of having a website for a restaurant. It says that restaurant owners need to understand the competitive advantage of restaurant websites, and how they can build sites without any technical knowledge. In making a website it is important to know first why customers need it. Websites from local restaurants aren't solely concerned with informing people. A website can also help you broaden your company's reach and develop a larger consumer base. According to this article, your website provides a common ground for all of your promotions. Your website needs to have an active presence on social media. Your Twitter, Instagram, Facebook, and other accounts

exist in different spaces, though. A person following you on Facebook may never see your Instagram posts.

T.DEEPA (2018) This online ordering system is primarily designed for usage in the food delivery industry. Hotels and restaurants will be able to expand their online food ordering businesses through this system. The customers will be able select food items from the menu in just a few minutes. Modern food industries make it possible to deliver products to customers' homes quickly and easily. The orders are then processed by restaurant workers using a graphical interface that is simple to use and easy to find so that they can be delivered to the customer's location.

Nowadays, people can order food online for delivery or takeout from a nearby restaurant or food cooperative. Numerous opportunities are emerging on the web or in mobile applications these days due to the rapid growth of internet use and associated technologies. The use of an electronic payment system makes this feasible. The customer's credit or debit card, gcash or any other transactions can be used to make the payment. Anyone can place an online order for anything they want and have it delivered to their home. The economics is the key tool to this digital cash in terms of processing consumer connection that are promoted by all internet transaction types. Rather than storing data on each food ordering transaction, you can also connect them all. The system will become an

important tool for restaurants to use to improve management. In addition, it has the potential to increase the restaurant's efficiency by shortening the amount of time it takes to complete a task, reducing the number of delivery-related human errors, and providing customers with high-quality service. It is possible to draw the conclusion that the provided system is a suitable option due to its reliability and availability.

Jack Collison (2020) The fast expansion of internet food delivery services has thrown a wrench into the typically offline restaurant industry. The crowding-out effects and market expansions caused by the staggered arrival of online food delivery services are examined empirically in this study. According to the difference-in-differences technique, 30-50 cents of every dollar spent on online meal delivery services is incremental, while the rest is diverted away from brick-and-mortar sales. These findings are statistically significant at the zip code level and are varied across different forms of expenditure, implying that the level of replacement is driven by convenience and pre-existing spending habits. Year-to-year analysis indicates that there is a growing level of cannibalization of brick-and-mortar restaurant sales. Back-of-the-envelope estimates suggest that restaurant revenues have increased but profitability has decreased. A classic illustration of how e-commerce is upending a traditional business is online food delivery. The total number of transactions and revenue for the emerging industry

have grown quickly due to the sudden popularity of new food delivery businesses. Online food delivery services is a significant revenue streams, it is also a risk of cannibalizing brick-and-mortar sales as customers who formerly purchased in-store to migrate online shopping to a large extent online shopping behavior. The purpose of this research is to assess the degrees of substitution between in-person restaurant sales and online meal delivery services in order to determine the effects of these enterprises' introduction—and subsequent hybridization—on restaurant sales.

L.Taek Chai et.al., (2019) Online food delivery (OFD) it is a new services in Malaysia that is growing according to the food and beverage sector. Online meal ordering is the new dining out. This study implies that the evolving urban consumer could be responsible for the rise of online food delivery services. Studies that address the contributing elements towards OFD services among urbanites are relatively rare, despite the significance and changing consumer behavior towards OFD services in Malaysia. As a result, the purpose of this study is to develop an integrated model that analyzes the relationships between numerous antecedents. (Users mentioned simplicity of use, time savings, and so on) with the behavioral goal of convenience, motivation, privacy, and security. Based on the results of this study, it was revealed that time saving orientation (TSO), convenience motivation (CM), and privacy and security (PS) have positive

effects on OFD service behavioral intention (BI). The findings give crucial insights for OFD service providers and scholars on what motivates urbanites to use OFD services.

Dr. Mitali Gupta (2019). The convenience of ordering food from a smartphone app or application program has alienated some market share from Asian country's trusted 'kirana' or mom-and-pop stores. This has had an impact on in-restaurant brick-and-mortar forms but the nutrition business in the Asian country is still in unorganized. Given the rate at which the organized sector is rapidly increasing, it is only a matter of time and a much larger piece of global investments before a significant impact is formed on in progress eating house enterprises that do not have their own delivery-focused style.

Online food ordering is really in demand. It allows customers to place orders more conveniently, allowing them to explore their menu options and spend more. This is a great way for restaurants to stay competitive and attract customers. The most essential thing that will always need to connect the quality of boosting online food ordering ever is to keep the customer as a frequent customer, in the sense of providing good quality and quantity of food, maintaining time, and delivering as soon as possible. This will provide you the best results for your online meal ordering system.

LOCAL LITERATURE

According to Adriatico et. al (2022) Adriatico et. al. ab (2022) Customers in the foodservice business rank not just the quality of the product, but also the quality of service they receive during their eating experience. As a result, when customers place a high value on the intellectual and motivational parts of the dining experience, they are more likely to recommend the restaurant to others. The purpose of this study was to evaluate the levels of service quality and client satisfaction at two leading fast-casual dining establishments in the Philippine province of Nueva Vizcaya. This study was conducted as a correlation study with 395 randomly selected consumers using a modified SERVQUAL instrument. To describe the levels of service quality and customer happiness, the weighted mean was employed. The fast-casual dining restaurants had satisfied the expectations of their customers, since they were deemed to provide reasonable service quality. The fast-casual eating businesses had satisfied their consumers in terms of dining experience. Consumer happiness is influenced by the physical design and appearance of the restaurants, the price of the product, and the response of the employees.

According to Lea Nerdelita L. Baylen (2020) The study aimed to determine the effectiveness of the inventory management system that resulted in a decrease in profit of the randomly selected small-sized restaurants in the four districts of

Quezon province, in order to provide suggestions and solutions to the problems that they face in their day-to-day operations. In order to collect data for this descriptive study, quantitative and qualitative methods were used. A survey was distributed to restaurant employees, and an interview was conducted with restaurant owners. In the analysis and interpretation of the collected data, weighted mean, frequency, and percentage were used.

Abasolo (2021) The operating techniques of internet meal delivery enterprises in Camarines Norte, Philippines, it is reported. It evaluated the profile of online food delivery businesses in terms of number of riders, initial capitalization, form of business organization, commonly used digital platform, and average weekly deliveries; operational strategies being implemented, and resource and process problems encountered. According to the findings, the majority of online food delivery services have 11 to 15 riders, are sole proprietorships, use a social media platform, and have 201 or more weekly deliveries. Monitoring rider performance, usage of cellular phones, desktop, tablet, and laptop for monitoring consumer wants; optimizing marketing budget through use of low-cost marketing campaigns and promotions are among the operational techniques of online food delivery enterprises. Promotion via various social media platforms; and periodic updates to customers on their purchases via chat or Short Message Service (SMS). The issues that internet meal delivery

services face are a lack of available riders during peak hours and the prospect of new entrants. According to the survey, food delivery business owners should evaluate their human resource plans and produce an operations manual to provide clear instructions and practices for implementing their operational strategies that are important to their everyday operations.

As per Christy O. Gamilla (2021) One of our favorite pastimes is dining out at our favorite restaurants. It can be a chance for us to interact with others, try new foods, and celebrate important events with family and friends. Although dine-in is temporarily closed as a precautionary step against the COVID-19 virus, they can still offer take-out or delivery so that people can order their favorite comfort cuisine and eat at home. The new coronavirus's health problem has forced millions of people to stay at home, unable to go outside for fear of contracting the virus, and this is when food delivery demand has risen to prominence. The global online meal delivery market is expected to reach \$151.5 billion in sales and 1.6 billion consumers by 2021, according to StockApps.com. Within the next three years, it is expected to reach over two billion people worldwide. Customers used online meal delivery as an alternative to purchasing in stores and restaurants. Online meal delivery is keeping the food industry alive by preventing food businesses from closing down.

According to Louella D. Desiderio (2018). The Philippine Star published an

article titled Businesses advised to use the Internet to push wares. It demonstrates that businesses should use the Internet to promote their products and services, since more consumers go online to study before making purchases. Companies should consider employing online marketing for the items and services they provide, since more and more individuals use the Internet to study goods before purchasing them. It also adds that in the Philippines, the study found that approximately 70% of buyers conduct internet research before making offline purchases. This development demonstrates the possibility for expanding the firm by going online. It is relevant to the research since it informs businesses that online advertising is extremely effective. It also demonstrates that whether small or large organizations, they may simply reap the benefits of internet marketing by reaching users at a moment when they are relevant anywhere in the local study.

Baylen, L. N. L. (2020) The study aimed to determine the effectiveness of the inventory management system that resulted in a decrease in profit of the randomly selected small-sized restaurants in the four districts of Quezon province, in order to provide suggestions and solutions to the problems that they face in their day-to-day operations. In order to collect data for this descriptive study, quantitative and qualitative methods were used. A survey was distributed to restaurant employees, and an interview was conducted with restaurant owners. In the analysis and interpretation of the collected data, weighted mean, frequency,

and percentage were used.

Andal et al., (2022) The rapid rise of internet food delivery services has had considerable impact on the traditional offline restaurant industry. Ordering food has become a simple and comfortable habit with the click of a mouse. The rise and popularity of manufacturing food through online means has become a common phenomenon due to the internet being a very effective medium for sharing ideas and information. The emergence of advanced online food ordering systems has changed restaurant dining culture and established a new global standard of convenience for individuals worldwide. The primary purpose of this research is to investigate the positive and negative effects of online food delivery services on customers. Our descriptive research design produced informative data, demonstrating that food delivery services can have a substantial impact on consumers' daily lives. This study was conducted in Lipa City, Batangas, and the findings indicate that convenience and other important aspects inspire people to buy food online on a regular basis.

As of 2021, the company employs a manual approach to manage sales and inventories, a method outlined by Roy Megapatan. This current inventory system has presented the company with several challenges related to monitoring and stock checking. KONEK.COM's management has expressed their perspective on this matter, stating that the manual method proves to be both

cumbersome and time-consuming for inventory management. This approach is prone to errors, particularly when dealing with substantial data sets, and it has been known to disrupt critical transactions.

In response to these concerns, the researchers have undertaken the task of designing a system that would provide the management with a more organized and streamlined method of inventory recording. The objective is to generate automatic reports detailing the store's current inventory or available stock. This implementation aims to eliminate the difficulties and errors associated with managing vast amounts of data manually. Additionally, this system is anticipated to reduce the workload on the management and the time required for inventory-related tasks.

FOREIGN STUDIES

Amit Shankar et.al.,(2022) The objective of this study is to conduct a comprehensive review of existing literature on the topic of online food delivery. This review encompasses the theories, contexts, methods, and analytical techniques used in online food delivery research. The findings of this review suggest that the focus of online food delivery research has shifted from website-based delivery to mobile application-based and drone-based delivery. Additionally, based on this synthesis of literature, a conceptual framework has

been developed to highlight the frequently discussed antecedents, mediators, moderators, and consequences of this domain. Furthermore, the review sheds light on research areas that have been overlooked, thereby proposing some insightful directions for future research. This review is a noteworthy addition to the hospitality literature, specifically to the food delivery literature, clarifying and expanding on the current body of knowledge in this area.

Int. J. Financial Stud. (2022) Turkey's e-commerce sector is rapidly expanding, with the country leading the world in monthly mobile purchases. The goal of this research is to look at the factors that influence the adoption of online payment methods among the customers of a Turkish bank, particularly in the context of the COVID-19 outbreak. The study extends the technology acceptance model (TAM) by examining the impact of 11 distinct factors on key outcomes such as attitude, behavioral intention, and real-world usage.

The study's findings emphasize the significance of these components in determining both attitude and behavioral intention. Elements such as relative advantage, perceived trust, perceived usefulness, personal innovativeness, perceived integrity, perceived ease of use, and health and epidemic-related considerations, as well as income level, private-sector employment, and self-employment, all have a positive correlation with the practical use of online payment systems. On the contrary, perceived risk and age are deterrents to using

online payment methods.

Abhishek Singh¹ et al. (2018) The food industry has consistently proven to be a lucrative sector, benefiting not only manufacturers and suppliers, but also end-users and distributors. The present landscape, marked by industry shifts and an increasing reliance on the internet, underscores the necessity for an online food delivery system. To address these demands, we propose the development of a real-time online food ordering system catering to customer needs.

This system aims to surmount the limitations and drawbacks of traditional queuing mechanisms prevalent in the industry. By leveraging our application, customers can seamlessly order food online from both restaurants and mess services, aligning with the evolving trends. Our solution also enhances the process of taking food orders from customers, ushering in an improved experience.

The heart of our proposed system revolves around an online food menu, affording customers the convenience of placing orders according to their preferences. Moreover, our system equips users with a user-friendly tracking mechanism, enabling them to effortlessly monitor their orders. A noteworthy feature entails the incorporation of a feedback system, allowing users to rate the food items they've experienced. This rating system also serves as a foundation for recommending restaurants and mess services to new customers, facilitating

informed choices. To ensure initial ease of use, our system adopts a pay-on-delivery payment system. Additionally, for heightened security during the ordering process, we maintain separate user accounts, each safeguarded by a unique ID and password combination.

Bee Abdul Aleem (2018) The core vision of the retail business is to achieve maximum profits by fostering customer satisfaction and loyalty through personalized services. However, the delicate nature of the retail industry makes it susceptible to losing potential customers if the store fails to maintain adequate inventory levels. Consequently, this study identifies inventory-related challenges within Rahmath Store, an established retail outlet in Taman Maju. A pivotal issue plaguing the store is the absence of a robust inventory control system, which hampers the effective management and tracking of sales and inventory levels.

To address these challenges, the paper proposes the implementation of a Sale & Inventory Management System, replacing the outdated manual processes. This project aims to introduce an advanced system with heightened flexibility and functionality tailored to the store's requirements. The primary goal of this system is to enhance the efficiency of goods management within the store.

In pursuit of these objectives, the project's scope will encompass critical aspects such as database management, automated report generation, quality control (QA) procedures, and the point-of-sale process. Moreover, the

development of this system will be grounded in an offline or window-based framework, aligning with the store's operational preferences.

W.B.A.C. Piyatissa (2020) Matara Kema, situated near the Godagama expressway interchange in Matara, is a restaurant that currently caters to a substantial daily customer influx. The restaurant's reputation has been steadily growing due to its strategic location and top-notch food quality. Despite its small scale, Matara Kema provides an extensive range of services. However, as the customer base continues to expand, managing operations manually becomes increasingly challenging. To overcome this hurdle, the restaurant is poised to transition to a computerized solution to streamline and enhance its efficiency.

The proposed system is a response to this need for operational optimization. It empowers Matara Kema to handle its flourishing customer base effectively, even with limited staff. This computerized solution aligns well with the current trend towards online platforms. Notably, the system facilitates swift navigation of online menus by customers, enabling them to place orders promptly. Similarly, the restaurant staff benefits from an organized view of incoming orders, thereby reducing potential miscommunications. The graphical interfaces embedded within the system prove to be efficient and user-friendly for both customers and restaurant staff.

Particularly advantageous for managers and owners, the system

incorporates a reporting module that presents essential insights into the business's requirements. The development of this system adheres to the MVC (Model View Controller) architecture, utilizing object-oriented methodologies to ensure a cohesive approach. The analysis and design phases involved Uniform Resource Modeling. The website itself is developed using technologies like PHP, HTML, and JavaScript. To manage the databases, MySQL has been employed. The website is hosted on Lanka hosting space and is accessible through any web browser, be it Edge, Chrome, or Firefox. Furthermore, the system is platform-agnostic, functioning seamlessly on both Windows and Linux environments.

LOCAL STUDIES

Dinero (2021), The services cape and quality of restaurants in Las Pias City of service were evaluated in this study. Particularly, it evaluated the casual dining restaurants' service quality; figured out the restaurant's services cape; tested the difference in significance when the .variables in the profile were grouped together. The descriptive method was used in this study, and availability sampling was used to collect data from 403 participants. The modified questionnaire was distributed through Google Form online. In contrast, the When the variables in the profile were grouped together, the Mann-Whitney Test was employed to assess the significant difference. The researcher ensured that the

respondents' data was kept private. The findings show that the restaurants' tangible service quality is rather strong, followed by certainty and contentment, reliability, responsiveness, empathy, and price. Respondents, on the other hand, place a high value on employee qualification and service presentation. Respondents also highly value the physical environment (internal presentation) and product/ brochures/ menus/ webpage, Interior and Exterior Ambient Conditions, physical environment (external presentation), and direct/indirect external service scape. The majority of respondents, according to the study, are female, single, college graduates, and part-time workers between the ages of 23 and 38.

As per P.J. Bassig et al.,(2018) The primary objective of this study was to design and implement a sales and inventory system tailored for GB's Burger, a restaurant chain with four locations in Santolan, Pasig City. The system was conceptualized to handle both sales calculations and inventory management for the products sold at the establishments. By automating the process, the system would track the addition and deduction of products with every transaction. Only authorized personnel, namely the owners (admin) and the store staff (users), could access the system through password authentication.

The system's development entailed the utilization of SQL and Visual Basic.Net programming languages. It comprised two distinct interfaces for the

admin and cashiers/users. The admin system featured a log-in tab, a dashboard, a menu section, real-time date and time display, and the admin's name. Selecting different buttons prompted corresponding tabs to pop up. The cashier/user system was designed as a cashiering system, with a menu table for order entries, akin to a traditional point-of-sale setup. It also displayed a tally of the total purchased products on the side. Additionally, cashiers could review their sales for the day and generate printable reports.

To gather insights about the existing manual system and obtain feedback on the proposed system, the researchers employed a survey questionnaire. This questionnaire was divided into two sections: one for the admin and users and the other for the customers. The assessment of the manual system's accuracy, efficiency, and security revealed the need for an enhanced process. Thus, the researchers embarked on creating the sales and inventory system to streamline daily transactions and optimize the restaurant's operations.

M.Cristobal et al.,(2018) Cashless transactions have become a prevalent form of financial exchange where individuals utilize methods like debit/credit cards, bank transfers, cheques, and mobile payment applications for their transactions. In this process, physical money is not physically transferred between parties. The adoption of cashless transactions is driven by the convenience and reduced risk associated with not carrying physical currency. Users often

recommend this method to others due to the positive experiences they've encountered.

However, challenges have emerged that have led some individuals to discontinue using cashless systems and even discourage others from using them. The adoption and usage of cashless transactions vary among people based on their personal experiences. This trend highlights the consumers' role in the market as they carefully select goods and services that align with their needs and satisfaction.

In this evolving landscape, consumers' behaviors are influenced by their past interactions with cashless transaction systems. This has implications on the choices they make in the marketplace, reflecting their pursuit of solutions that enhance their overall well-being.

Mellissa Esteves Guilas (2018) Inventory management control presents a notable challenge within the restaurant industry. This paper centers on the inventory management practices within selected Greenwich stores, a subsidiary of Jollibee Foods Corporation, situated in Quezon City. The focal point is the day-to-day operation of inventory management and control, a critical aspect to ensure smooth operations and accurate product output. Effective management and control of inventory are pivotal to prevent operational inefficiencies and potential losses.

A misstep in the planning of inventory activities can result in wastage and financial setbacks for the company. This study is geared towards identifying the pivotal factors that shape inventory management practices and exploring approaches that enhance efficiency and effectiveness. The research is conducted through a case study methodology, delving into the key elements that impact inventory management within the context of the food industry.

From the insights derived in the case study, the study aims to pinpoint influential factors and derive efficient inventory management practices. These findings can be practically applied not only to the Greenwich stores studied but also provide valuable guidance for other food establishments within Quezon City, facing similar challenges. This research contributes to the field by offering a valuable framework for identifying key factors and implementing efficient inventory management practices, effectively addressing common challenges experienced in real-world restaurant operations.

SYNTHESIS

The system we are developing is very similar to those used in local and overseas studies. Both local and foreign companies provide the same features as our system, such as online meal ordering, sales management, inventory management, and other features that benefit both customers and employees. Online food ordering is extremely popular (Gupta,2019). Ordering food has become a simple and comfortable habit with the click of a mouse. (Andal et.al.,2022). The system will become a significant tool for restaurants to better management by connecting each and every food ordering transaction rather of keeping data on it. (T.DEEPA,2018). If more businesses understood the advantages pf having a website for a restaurant, they wouldn't think twice about choosing designs that include profitable features like online ordering, menus, online reservations, and reviews in social media (Dobрила,2019). The same practice is being observed with the objective of making a system that will replace the manual process of a restaurant which is time-consuming.

In relation to the planned system, it will employ the system. This connected system will serve as the foundation for the proponents' development of the Cjzave BBQ & GRILL Official Website.

TECHNICAL BACKGROUND

In this part, the researchers discussed the procedures, software and technologies used in the development of the project.

The current system of Cjzave BBQ & GRILL uses the manual process in managing the inventory, sales, ordering and payments. The restaurant has a Facebook Page which is the only platform that they're using, but it is not enough to entertain the needs of the customers. To achieve the betterment of the system, the ff are used in developing an official website:

- Front End - The programming languages for front end developing that was used was HTML, CSS and JAVASCRIPT.
 - HTML was used to provide the basic structure of the site, which is enhanced and modified by other technologies like CSS and JavaScript.
 - CSS was used to control presentation, formatting, and layout.
 - JavaScript was used to control the behavior of different elements.
- Back End - The programming language for back end developing was PHP 8.1.
- Operating System - The operating system is Windows 11 Home

Single Language.

➤ System Specifications:

- Processor: Intel(R) Pentium (R) Silver N5000 CPU @ 1.10 GHz
- Processor Speed: 1.10 GHz
- Installed RAM: 4.00 GB (3.83 GB usable)
- System type: 64-bit
- Firewall system – used as a secure host restricting unauthorized users from accessing the hosts on the network.
- Local Area Network (LAN) – used to allow access of internal servers, websites, and other LANs on the same wide area network.

The following platforms were chosen by the researchers/programmers for constructing the website:

- Visual Studio Code – is used for editing and fixing coding problems in cloud and web applications. With the feature of VS Code that includes several FTP extensions, the researchers can sync code between the server and the editor without having to download additional software.
- MySQL – used as a database management system (RDBMS) with a client-server design.

- XAMPP server – is used to test its website on personal computers before it is released to the main server. This platform provides a suitable environment for testing and confirming the functioning of projects based on Apache, Perl, MySQL databases, and PHP through the host's system.
- Paymongo – used as payment gateway to process online payment (Gcash) feature of the website.
- Composer v2.5.7 – used as a dependency management which allow the researchers to declare certain library that the project uses and will install/update them for you.
- Postman – used to specify that a client is posting data on the given Endpoint. A POST request is a method that is used when we need to send some additional information inside the body of the request to the server. The researcher used this to allow paymongo to receive orders from the website.
- Hostinger – used as a Web hosting.

CHAPTER III

METHODOLOGY, RESULTS AND DISCUSSIONS

This chapter provides a comprehensive overview of the methodology that can be used to complete and test this project. It is utilized to meet the projects goal of producing a flawless outcome.

RESEARCH METHODOLOGY

This study employed the descriptive research design as its primary goal is to collect data to answer a variety of what, when, and how questions concerning about a certain population or group. The method and tool of the data collection were presented in this chapter.

SUBJECTS / RESPONDENTS

A total of 17 respondents were randomly selected to participate in the process. (10) customers , (5) employees and (2) web developers randomly regardless of age and gender.

SAMPLING TECHNIQUE USED

In this study, the simple random sampling technique was used. This process also used a procedure that is randomly used and a non-biased type of sampling with everyone having a chance to be one of the respondents.

RESEARCH INSTRUMENT

The researchers have given a specific set of questions to collect and gather the data that is needed in the study. This set of questions elicited responses from the respondents that were both factual and opinionated.

PROCEDURE OF DATA GATHERING

In gathering the data needed, the researchers used a checklist and a structured interview style to collect the necessary data.

SYSTEM / SOFTWARE EVALUATION PLAN

The system was evaluated using the ISO 2510:2011 standard, which will aid in determining which quality features will be considered when evaluating the proposed system. The ISO 2510:2011 product quality model included functionality, efficiency, compatibility, maintainability, portability, and reliability. The data gathered was totaled, analyzed, and statistically handled. The website was graded by the respondents using the following values:

1 - Strongly Disagree; 2 - Disagree; 3 - Fairly Agree; 4 - Agree; and 5 - Strongly Agree.

The following scale was used to interpret respondents' evaluation.

The data were analyzed and interpreted using the following scales:

POINT	RANGE SCALE	DESCRIPTION	INTERPRETATION
5	4.21 – 5.00	Strongly Agree	Highly Acceptable
4	3.41 – 4.20	Agree	Acceptable
3	2.61 – 3.40	Fairly Agree	Fair
2	1.81 – 2.60	Disagree	Uncertain
1	1.00 – 1.80	Strongly Disagree	Not Acceptable

The following formula was used to calculate the weighted mean of each item in the user evaluation of the proposed system:

$$WM = \frac{5(sa) + 4(a) + 3(fa) + 2(d) + 1(sd)}{n}$$

Where:

WM = weighted mean

sa = number of evaluators who strongly agreed with the item

a = number of evaluators who agreed with the item

fa = number of evaluators who fairly agreed with the item

d = number of evaluators who disagreed with the item

sd = number of evaluators who strongly disagreed with the item

n = number of evaluators

THEORETICAL FRAMEWORK

There are 3 theories shown below that is related to Korean Style Buffet

Official Website

Web Theory is a comprehensive and critical introduction to the theories of the internet and the world wide web. Robert Burnett and P. David Marshall examine the key debates which surround internet culture, from issues of globalization, political economy and regulation, to ideas about communication, identity and aesthetics. Web Theory explore the shifts in society, culture and the media which have been brought about by the growth of the world wide web.

The widespread popularity of online shopping in current times has undoubtedly enhanced the efficiency of the entire buying process. It has also posed to digital marketers the threat of losing to the competition. This is why marketers keep on trying novel tactics to fascinate new customers as well as retain existing ones. One of the many tactics includes encouraging customers to buy impulsively

“Shopping Continuum Theory (SCT)” in order to understand the consumers choice for purchasing online; to examine relationships between online shopping environments and shopping tasks from both cognitive and affective aspects; and to provide meaningful managerial implications to online retailing.

Figure 1.0 Theoretical Framework showing 3 theories related to Korean
Style Buffet Website

CONCEPTUAL FRAMEWORK

This study also determine on how the chosen proposed system could develop a better process to the Korean Style Buffet.




Figure 2.0 Conceptual Framework showing the proposed system's content / functionality. The process used as a guide of the researchers in conducting the research was presented through Input-Process-Output (IPO) approach.

SOFTWARE DESIGN, PRODUCTS AND / OR PROCESSES

The Software creation Life Cycle refers to the application of standard business practices to the creation of software applications. The SDLC is a technique for assessing and enhancing the development process. It permits a fine-grained examination of each process phase.

PLANNING

The project leaders are responsible for going over the project terms during the planning phase. Calculating labor and material expenses, creating a timeline with specific targets, and assembling the project's teams and leadership structure are all part of this process. Stakeholder feedback can be incorporated into the planning process. They are the folks who will profit from the application. Collect feedback from prospective customers, developers, subject matter experts, and sales people. The scope and aim of the application should be clearly established during planning. It establishes a strategy and prepares the team to efficiently produce software. It also establishes boundaries to prevent the project from expanding or deviating from its original goal.

DEFINE REQUIREMENTS

In order to determine the functions and needs of the application, the planning includes defining the requirements. For instance, a social media software would require the capacity to connect with a friend. A program that manages inventories might need a search function.

DESIGN AND PROTOTYPING

The design phase influences a software program's behavior. Some of the design aspects are as follows:

Architecture - It defines the programming language, industry standards, overall design, and template usage.

User Interface - Defines how customers interact with software and how the program responds to input.

Platforms - The platforms on which the software will run are defined, such as Apple, Android, Windows, Linux, or even game consoles.

Programming - Not only the programming language, but also the problem-solving and task-completion strategies of the application.

Communications - Methods for connecting with extra assets, such as a central server or other instances of the software, as stated below.

Security - Defines the security measures for the program. Prototyping is a step in the design process. Under the iterative software development approach, a prototype is equivalent to an early version of software. It gives a general picture of how the program appears and functions. Stakeholders will be able to interact with this "hands-on" design. Use user feedback to help you improve your software. Making changes in the Prototype phase costs less than rewriting code in the Development phase.

SOFTWARE DEVELOPMENT

The software development process is the stage where the actual software is created. This phase can encompass both small projects that a single developer can handle and larger projects that require collaboration among multiple teams. Using an Access Control or Source Code Management system to keep track of code modifications is critical during this time. These tools facilitate seamless collaboration among developers, ensuring compatibility among different team efforts and achieving the desired project objectives.

The coding process involves various tasks that contribute to the project's progression. Developers often need to enhance their skills and collaborate with teammates. Identifying and rectifying defects and issues is a critical aspect. Common hindrances to development progress include waiting for test outcomes and writing code for an application's functionality. A well-structured Software Development Life Cycle (SDLC) can predict and manage such delays, effectively reallocating developers to other tasks.

Documentation holds significant value for software engineers. It serves as a guide and reference, providing clarity and insights. Documentation can range from user guides that simplify app usage to more technical aspects like comments in source code explaining the rationale behind certain techniques. Documentation is beneficial for both developers and firms aiming to create user-friendly products.

Documentation can take various forms, from a brief introductory walkthrough when launching the application to comprehensive video tutorials. Written materials, such as user guides, troubleshooting instructions, and FAQs, can also assist users in resolving issues and addressing technical queries.

TESTING

Thorough testing of a program before its release to users is of utmost importance. Various testing methods, such as security testing, can be automated for efficiency. However, some testing procedures are context-specific, necessitating the creation of simulated production environments, especially for intricate deployments.

During testing, each function within the program should undergo verification to ensure accurate functionality. Additionally, different components of the application need to be assessed to ascertain their seamless integration and flawless operation as a whole. Performance testing is crucial to identify and rectify any processing delays or interruptions.

The testing phase serves as a preventive measure to minimize the occurrence of problems and glitches encountered by end-users. As a direct outcome, the quality of the final product is heightened, resulting in increased customer satisfaction and improved utilization rates.

DEPLOYMENT

The deployment phase marks the stage at which the application becomes accessible for use by its intended users. Many organizations opt to automate this phase to ensure a streamlined and efficient process. Deployment can range from a straightforward setup involving a payment portal and a download link on the company's website to more complex scenarios.

However, deployment can be difficult. Migrating a complete company-wide database, for example, to a freshly designed application is a difficult undertaking. The complexities originate from the database's interdependence with multiple other systems. Because of the extensive relationships involved, integrating this upgrade may necessitate a significant expenditure of time and work.

OPERATIONS AND MAINTENANCE

The development cycle is practically finished at this stage. The application is now complete and in use in the field. However, the period of operation and maintenance remains crucial. Users uncover flaws that were missed during testing during this phase. These issues must be addressed, which may necessitate the beginning of new development cycles. In addition to delivering fixes, iterative development approaches, for example, provide more functionality in future versions. A new Development Cycle can be started for each new release.

SOFTWARE DEVELOPMENT LIFE CYCLE MODEL

The researchers will use the Agile Software Development Life Cycle model as it illustrates in figure 7.

The Agile software development process was conceived to empower developers in designing projects that can swiftly accommodate evolving requirements. Hence, the core objective of formulating the Agile model is to streamline and expedite project completion. Achieving this aim necessitates maintaining a high level of agility throughout the development lifecycle.

The Agile approach was specifically devised to assist developers in crafting projects that can readily adapt to changing demands. This adaptability is achieved by optimizing the project's progression and eliminating activities that may not be pertinent to the specific project requirements.

In essence, the fundamental goal of introducing the Agile model is to enhance the simplicity and speed of project delivery. Sustaining agility throughout the development process involves adjusting the project's trajectory and trimming extraneous tasks. Each iteration within the Agile framework engages a cross-functional team of developers who collaborate on various aspects of product development simultaneously, enabling them to:

Planning - Agile planning is a project management process that employs a step-by-step, iterative methodology rather than to start a project thorough a plan,

which is frequently product-related, Agile allows for need changes as the project develops and focuses on continual feedback from end users.

Requirements Analysis - The Agile Manifesto is a collection of straightforward yet effective guidelines that underpin much of what we do in software development.

Design - Any software development endeavor would be incomplete without design. Despite this, agile teams frequently struggle with the question "what should we do about design?" because of four factors:

- During the planning phase, many teams focus on high-fidelity designs, resulting in a waterfall culture during implementation.
- Designers are frequently shifted between teams and only have a limited amount of time to dedicate to any one of them.
- Designers don't always have a simple means to communicate with the technical team.
- The logic and presentation layers in the code base are frequently not adequately separated, making style changes difficult.

Development - Agile product development refers to the process of developing a product using the Agile methodology. The project is divided into sprints, which are short development cycles in agile product development.

SYSTEM ARCHITECTURE




Figure 3.0 Use Case Diagram.

CONCEPTUAL DESIGN

User Interface Design




Figure 4.0 Navigation Menu Bar

It shows the different features of the website such as Home, About Us, Menu, Order and Contact. Also, the Search Bar, Shopping Cart and User Profile icon.



Figure 4.1 Homepage

In this figure, you can see the overview of the website. It also contains different parts of the website including the About us page, Menu page, Order page and Contact page.


Cjzave BBQ & GRILL

[Home](#)
[About Us](#)
[Menu](#)
[Order](#)
[Contact](#)






1st Samgyupsal in Bicol since 2014

Unlimited Korean BBQ!

A Korean-style BBQ buffet that is now serving Bicolanos to enjoy their food, cooked in front of their table.




Cjzave BBQ & GRILL

[Home](#)
[About Us](#)
[Menu](#)
[Order](#)
[Contact](#)





Want to Celebrate your Birthday or any Occasion?

We OFFER!!!

The best and cheapest deals where you can eat all the meats and seafood you want. You will also get unlimited lettuce, pajori salad, kimchi, fruits (3 varieties), and dipping sauces such as melted cheese, saamjang paste, sweet bbq sauce, and mayonnaise (all home-made) for only 249 php per head.






Figure 4.2 Homepage Center Part

In this figure shows the Cjzave BBQ & GRILL short advertisement such as its offers/deals, locations and discounts.




Figure 4.3 About Us Page

This is the About Us Page, where you can see the deals and the short history of the restaurant.




Figure 4.4 Review Page

This figure shows the review page which contains the different review of the customers.




Figure 4.5 Footer

In this part, you can see the social media accounts, opening and closing hours, it's location and the contact information of the restaurant.




Figure 4.6. Menu Page

This is where you can see the menu, available and not available dishes of the restaurant. To proceed with ordering, you are asked to log in/register by just clicking the cart icon of your preferred order and it will automatically be added to your cart.




Figure 4.7 Order Page

This figure shows the order page, wherein you can see the record of your past and current order.




Figure 4.8 Contact Us Page

This page is where you can leave your inquiries, reviews and suggestions to the restaurant. You can also fill up your needed information / messages and it will have received by them. It also has a live chat support wherein the customers can easily contact the admin of the restaurant.

Admin Interface Design




Figure 4.9 Admin Panel Navigation Menu Bar

It shows the different features of the admin panel such as Home, Products, Pending Orders, Out for Delivery, Complete Orders, Users, Messages and the Admin Profile icon.




Figure 4.10 Dashboard

In this figure shows the homepage wherein you can see the dashboard. You can see the Total Pending Orders, Total Out for Delivery, Total Complete Orders, Total Orders, Products Added, User Accounts, Admin Accounts and Messages.




Figure 4.11 Products

Under products, the admin can Add a Product wherein they can enter the Products Name, Product Part, Price, select its category according to its availability, add an image that describe to the new product and it can also be updated and deleted.

Pending Orders

User Id : 69
 Transaction Id : pay_CyhcUqa8hpNgbXNXivoUkfpE
 Placed On : 2023-08-03
 Name : Ivan B. Collantes
 E-mail : icollantes86@gmail.com
 Contact Number : +639155941309
 Address : 99,Magsaysay Ave.,Balatas,in-front of seoul 199
 Total Products : Marinated Beef 500g (100 x 1) - .00
 Total Price : Php100.00
 Special Instruction : /-
 Payment Method : G-cash

preparing

Update Delete

Your order is out for del
 preparing
 Your order is out for delivery!

Figure 4.12 Pending Orders

In this figure, it shows all of the customers pending orders. The admin will update its status once the **“Product is out for Delivery”**.

Out For Delivery

User Id : 69
 Transaction Id : pay_CyhcUqa8hpNgbXNXivoUkfpE
 Placed On : 2023-08-03
 Name : Ivan B. Collantes
 E-mail : icollantes86@gmail.com
 Contact Number : +639155941309
 Address : 99,Magsaysay Ave.,Balatas,in-front of seoul 199
 Total Products : Marinated Beef 500g (100 x 1) - .00
 Total Price : Php100.00
 Special Instruction : /-
 Payment Method : G-cash

Your order is out for del

Update Delete

Your order is out for del
 Your order is out for delivery!
 Delivered

Figure 4.13 Out for Delivery

This figure shows the orders that is out for delivery. The admin will update its status as **“Delivered”** once the product is already deliver to the customer.




Figure 4.14 Completed Orders

In this figure shows all the completed orders. The admin can also **“Delete”** the completed order if necessary.




Figure 4.15 Users

In this figure shows all the users accounts that access the Cjzave BBQ & GRILL Official Website.





Figure 4.16 Messages

It shows the customers inquiries, reviews and suggestions according to its date, name, contact number, e-mail number and the admin will also receive the customers needed information and messages.






Figure 4.17 Tawk.To Account (Live Chat Support)

In this figure, it shows the live chat support wherein the admin and the client will easily interact with each other especially with regards of their inquiries and suggestions.

COST BENEFIT ANALYSIS

In this section, it shows the procedure for estimating all costs involved like software, hardware and labor that are required for the application of the proposed system. This will also compare the cost to implement such an application with the benefits delivered by the application and demonstrate the values to the given institution by the application of the project.

- I. Hardware Cost (Source: easypc.com)

Recommended Requirements	Specifications	Unit	Quantity Price	Cost
Processor	AMD Ryzen 5 4500 Socket Am4 3.6GHz with wraith stealth cooler MPK processor	1	P4,745	P4,745
Motherboard	ASUS Prime A3204M-K Socket Am4 Ddr4 Motherboard	1	P2,950	P2,950
Monitor	Nvision N190HD 19 Inch LED Monitor	1	P1,999	P1,999
RAM	Team Elite Plus 8gb 1x8 3200Mhz Black Red/Black Gold Ddr4 Memory	1	P1,140	P1,140
Keyboard w/ Mouse	RAKK Aptas V2 Laser- etched ABS Keycaps, Gaming keyboard, Anti- flex plate, Soft braided cable Keyboard and Mouse Bundle	1	P395	P395

Table 5.1 Hardware Cost

Total: ₱11,229.00

II. Software Development Cost

Personnel	No. of Personnel	Salary
Programmer	1	20,000
Researcher	1	20,000
System Analyst	1	39,000

Table 5.2 Software Development Cost Total: ₱79,000.00

Source: www.glassdoor.com

Personnel Salary for 60 Days:

Programmer: $20,000.00/60 = ₱333.33$

Researcher: $20,000.00/60 = ₱333.33$

System Analyst: $39,000.00/60 = ₱650.00$

III. Operational Cost

A. System Cost

Items	Specifications	Cost
Operating System	Windows 10 Home	Free
Front End	-Single Web Hosting -.COM Domain	P249/monthly P429.09/yearly
Back End	MySQL Database	Free

Table 5.3 System Cost Total: ₱678.09.00

Source: hostinger.com

B. Stationeries and Supplies

Items	Quantity	Price	Total
Bond Paper Letter	1 Ream	255.00	255.00
Ink Cartridge Set	1	707.00	707.00

Table 5.4 Stationeries and Supplies Total: ₱962.00

Source: nationalbookstore.com

C. Utility Expenses

Particulars	Cost
Electricity	900.00
Internet	1500.00

Table 5.5 Utility Expenses Total: ₱2,400.00

Source: casureco1.com and convergeict.com

Computer usage cost ₱3.00 per day for 10 hours used in 30 days

Printer usage cost ₱15.00 per day for 10 hours used in 30 days

The cost of usage was based and estimated using the Casureco 1

D. Training Cost

Personnel	Amount per day	Days	Hours	Total
Administrator	400.00	1	8	400.00
Employee	350.00	1	9	350.00

Table 5.6 Training Cost

Total: ₱750.00

IV. Summary Cost

Cost	Amount
Hardware Cost	11,229.00
Software Development Cost	79,000.00
System Cost	678.09.00
Stationeries and Supplies	962.00
Utility Expenses	2,400.00
Training Cost	750.00

Table 5.7 Summary Cost

Total: ₱95,019.09

Estimated Benefits:

Accuracy and efficiency of the software at approximately 85%

Total estimated Benefits = 95,019.09* 85%

Total = ₱ 80,766.2265

Payback Period

Payback Period = (Total Cost / Total Estimated Benefits) * 12 =

(95,019.09/80,766.2265) *12

Total = 14 months or 1 year and 2 months

Return of Investment

Return of Investment = (Total Estimated Benefits / Total Cost) *

100 = (80,766.2265/95,019.09) * 100

Total = 85%

REQUIREMENT ANALYSIS

A software need is one that must be implemented in the system, regardless of whether it is functional or non-functional. A "functional" service is one that is delivered to the user. A software need might be either non-functional or a performance requirement. For example, a non-functional need is that every page of the system be visible..

Requirement Quality	Example of Bad Requirement	Example of Good Requirement
Complete	A user will log into the system using his or her username, password, and other pertinent information.	A user will log into the system by providing only his username and password.
Testable	Each system page will load in a reasonable amount of time.	The system's pages will load in a matter of seconds.

Table 6. Requirement Analysis (software)

HARDWARE REQUIREMENTS

A computer that is less than 5 years old is strongly recommended by the researchers.

Operating System: Windows 10 Pro

Processor: Processor Manufacturer Intel / Processor Model i3

- Hard Drive: Minimum 32 GB; Recommended 64 GB or more
- Memory (RAM): Minimum 1 GB; Recommended 4 GB or above
- Ethernet connection (LAN) OR a wireless adapter (Wi-Fi)
- A camera and microphone are required in some cases.

SYSTEM FLOW



Figure 7. Agile Software Development Life Cycle Model

BLOCK DIAGRAM




Figure 8.1 Block Diagram of the System




Figure 8.2. Customer Data Flow Diagram





Figure 8.3 Admin Data Flow Diagram

**Figure 9.0 Admin Database ERD**

DEVELOPMENT AND TESTING

The development of the system was acquired through the interviewing technique, which served as the requirements on creating the system. Additionally, the researchers looked at the manual procedures and the flow of the restaurant. When the gathered information was acquired, the developers studied it to come up with a solution and take the necessary steps to finish the official website and satisfy the needs of the beneficiary. The development of the prototype after the data had been analyzed. The user interface utilized to assess the system's general atmosphere and identify the functionalities that is needed to be prioritized.

The beneficiaries has been assessed the finished prototype, and the developers were open to any improvements, suggestions or any recommendations for the development of the system. The development team, collected data once more in order to improve the prototype they had to built. Until the recipient was happy and gave his or her approval to the provided prototype. The developer team finished the prototype and then incorporated the logical parts of the system to make it useful and functionable, starting with the software itself. The official website were finally combined and developed that serves as the logging in and sign-up portal for the users so that they may work together as one. The testing was also conducted to identify any faults and make any necessary modifications based on the beneficiary's suggestions.

INPUT AND OUTPUT REPORTS AND ANALYSIS

The official website of the restaurant, which is called the Cjzave BBQ & GRILL Official Website, will satisfy the needs of the customers and beneficiary. Online ordering with regards on delivery system will be a big help to the restaurant on managing orders. The customers can access the website anytime and anywhere and can view the available dishes/products and get to know more about the restaurant's services that been offered. They also view and purchase the products according to their needs. The administrator also can easily access, add and modify its products availability, manage its inventory and sales and can easily replace/change the details if it is needed to be updated.

The system shows how the official website works through its flows and functions. It also show its effectivity and on how it may benefit the recipient of the finished system or product. Since the system was successfully works and used, the client and the customers will be able to know about the services, answer their queries and can easily order the dish that they needed.

DESCRIPTION OF PROTOTYPE

Cjzave BBQ & GRILL Official Website is a web-based system that focuses on online ordering, online payment, monitoring of inventory and sales. This web-based system is implemented to the restaurant and able to manage by the owner and used by the staffs and customers. Since, the possible outcome of this web-based system was to implement and use as the requirement on the proposed systems functionality upon online processing. The researchers created a prototype on the users interface, homepage, about us page, menu page, navigation bar, order page, contact page, footer, and the review page. While in the admin panel, shows the home dashboard, product shop, placed orders, admin account, user account, messages that shows the requested or additional needs of the customers and adding registered accounts.

IMPLEMENTATION PLAN

In this outline, it shows how the project will be carried out, what is the project's strategic objectives and phases, as well as listing the resources needed for the project's success.

Proposal Presentation

On implementing of this project, the researchers conducted a project proposal to the selected beneficiary. It also obtained the general objective that the

beneficiary wanted to achieve. For some reasons, the fulfillment of this project is for the improvement and betterment of the restaurant.

Consent of Beneficiary

In this study, the proponents ask a consent to the beneficiary in order to proceed the proposed system/project.

Identifying Problems

When the proponents was conducted an interview, it was easy to identify what was the problems that the restaurant was facing that is needed to be solved.

Recommendations

The manual process of the restaurant was recommended to have a web-based system in order to process it online and to lessen the staffs workloads, so that it is needed to be implemented.

Planning

Upon the in-progress project of the system development, the beneficiary is intended to make a feedback and gave some suggestions with regards the system. On this step, the proponents plan to overcome the needs of the beneficiary.

Prototyping

On this process, the researchers takes place of the concept design and discuss it to the beneficiary on how it will be used to make Cjzave BBQ & GRILL Official

Website effectively, efficiently and functional.

Modifications

In this step, the proponents managed the planned designs and features of Cjzave BBQ & GRILL Official Website. The beneficiary will be able to give some suggestions with regards the system.

Development

During the development of web-based system, it shows on how the proponents satisfy the beneficiaries need by the use of local host. It also meets its goal and general objective to make the system works and make it possible.

Testing

On this process, the implementation of the web-based system will takes place. It will also detect some errors and fixed lags. The beneficiary will check the system if it is functioning properly. Hence, the proponents will be able to evaluate the outcome of the produced system.

Release

When deploying/releasing of Cjzave BBQ & GRILL official website, it requires that the whole system is functioning so well. The beneficiary will show the systems interpretation which is highly acceptable about the said system and the products that was shown etc.

IMPLEMENTATION RESULTS

System/Software Evaluation Results

In this study, the respondents answers an evaluation from Cjzave BBQ & GRILL, 17 respondents participated in the survey. (10) customers, (5) employees and (2) web developer. It is evaluated based on its functionality, efficiency, compatibility, maintainability, portability, and reliability of ISO 2510:2011.




Figure 10.0. Functionality

In this figure, it shows the result of Functionality. In Functional Appropriateness, it was evaluated as Highly Acceptable with a weighted mean score of 4.82. In Functional Completeness, it was evaluated as Highly Acceptable with a weighted mean score of 4.71. While, in Functional Correctness, it was

evaluated as Highly Acceptable with a weighted mean score of 4.71. The overall functionality has a total weighted mean of 4.74 evaluated as Highly Acceptable.



Figure 10.1. Efficiency

In this figure, it shows the result of Efficiency. In Capacity, it was evaluated as Highly Acceptable with a weighted mean score of 4.71. In Time Behavior, it was evaluated as Highly Acceptable with a weighted mean score of 4.53. While, in Resource Utilization, it was evaluated as Highly Acceptable with a weighted mean score of 4.71. The overall efficiency has a total weighted mean of 4.65 evaluated as Highly Acceptable.




Figure 10.2. Compatibility

In this figure, it shows the result of Compatibility. In Co-Existence, it was evaluated as Highly Acceptable with a weighted mean score of 4.65. While in Interoperability, it was evaluated as Highly Acceptable with a weighted mean score of 4.65. The overall compatibility has a total weighted mean of 4.65 evaluated as Highly Acceptable.




Figure 10.3. Usability

In this figure, it shows the result of Usability. In Operability, it was evaluated as Highly Acceptable with a weighted mean score of 4.59. In Appropriate Recognizability, it was evaluated as Highly Acceptable with a weighted mean of 4.71. In Learnability, it was evaluated as Highly Acceptable with a weighted mean of 4.65. While in Accessibility, it was evaluated as Highly Acceptable with a weighted mean score of 4.71. The overall usability has a total weighted mean of 4.67 evaluated as Highly Acceptable.




Figure 10.4. Maintainability

In this figure, it shows the result of Maintainability. In Modifiability, it was evaluated as Highly Acceptable with a weighted mean score of 4.65. While in Analyzability, it was evaluated as Highly Acceptable with a weighted mean score of 4.71. The overall maintainability has a total weighted mean of 4.68 evaluated as Highly Acceptable.




Figure 10.5. Portability

In this figure, it shows the result of Portability. In Adaptability, it was evaluated as Highly Acceptable with a weighted mean score of 4.65. So that, the overall portability was Highly Acceptable.




Figure 10.6. Reliability

In this figure, it shows the result of Reliability. In Recoverability, it was evaluated as Highly Acceptable with a weighted mean score of 4.65. In Availability, it was evaluated as Highly Acceptable with a weighted mean score of 4.65. While in Fault-Tolerance, it was evaluated as Highly Acceptable with a weighted mean score of 4.65. The overall maintainability has a total weighted mean of 4.65 evaluated as Highly Acceptable.




Figure 10.7. Security

In this figure, it shows the result of Security. In Integrity, it was evaluated as Highly Acceptable with a weighted mean score of 4.76. In Confidentiality, it was evaluated as Highly Acceptable with a weighted mean score of 4.76. While in Non-Repudiation, it was evaluated as Highly Acceptable with a weighted mean score of 4.59. The overall security has a total weighted mean of 4.70 evaluated as Highly Acceptable.

CHAPTER IV

SUMMARY OF FINDINGS, CONCLUSION & RECOMMENDATIONS

This chapter represents the research key findings wherein the discussion section analyzes the findings, represents summary and conclusion derived in the conduct of the study which is Cjzave BBQ & GRILL Official Website. It also provides recommendations that can be pursued by the researchers.

SUMMARY OF FINDINGS

The findings of the study were summarized according to the statement of the problem provided in the first chapter of the study. Cjzave BBQ & GRILL Official Website currently uses the manual process in terms of ordering, payment process, inventory, and sales management. The researchers conducted an interview with the owner of the restaurant to provide some of their experiences with the current procedure of the restaurant. According to the owner, they did experience some hardships with manual processing which may cause too much workload for their staff, loss of records and conflict of additional orders. Due to the known problems of the restaurant, the researchers proposed a system which will aid better process by providing an official website for the restaurant which is open to a broader target audience and highlighted features such as online ordering that will allow customers to view the actual photos of the menus offered in the

restaurant, online payment (G-cash) which allows the customer to easily pay with just a few touch, proper inventory and sales management which will help the staff to manage their records easily and will be accessible only to authorized personnel of the restaurant.

For the survey summary report, Functionality was evaluated as Highly Acceptable with a total weighted mean of 4.75; Efficiency was evaluated as Highly Acceptable with a total weighted mean of 4.65; Compatibility was evaluated as Highly Acceptable with a total weighted mean of 4.65. Usability was evaluated as Highly Acceptable with a total weighted mean of 4.67; Maintainability was evaluated as Highly Acceptable with a total weighted mean of 4.68; Portability was evaluated as Highly Acceptable with a total weighted mean of 4.65; Reliability was evaluated as Highly Acceptable with a total weighted mean 4.65 and lastly, Security was evaluated as Highly Acceptable with a total weighted mean of 4.70.

CONCLUSION

Based on the findings, the researchers concluded that Cjzave BBQ & GRILL Korean Style Buffet may rely on the web-based system in this modern age as it will be a big help with their workloads. As the results of the evaluation conducted by the researchers, the web-based system was highly acceptable with the total weighted mean of 4.68.

The proposed system received great feedback from the respondents.

RECOMMENDATIONS

The researchers came up with the following recommendations after some thorough evaluation:

1. To include a reservation form and list when the restaurant is open to dine-in customers.
2. To add a poster of possible rewards (e.g. coupons) for customers in the home page of the website to attract more customers.
3. To add a sales generator feature, which will automatically sum all records of orders daily to make recording of everyday sales easy.
4. To improve the security of the account of the customers upon registration by providing verification..

REFERENCES

Int J Environ Res Public Health. *"Use of Online Food Delivery Services to Order Food Prepared Away-From-Home and Associated Sociodemographic Characteristics: A Cross-Sectional, Multi-Country Analysis"* National Library of Medicine <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7400536/> (cited July 17, 2020).

IJCSN *"Design and Implement an Online Restaurant Reservation System"* International Journal of Computer Science and Network <http://ijcsn.org/IJCSN-2018/7-4/Design-and-Implement-An-Online-Restaurant-Reservation-System.pdf> (cited August 4, 2018).

Andreea Dobrila *"Advance of having a Website for a restaurant"* Oracle Gloria Food <https://www.restaurant-website-builder.com/advantages-of-having-a-website-for-a-restaurant> (cited August 15, 2019).

T.Deepa *" The ONLINE FOOD ORDER SYSTEM"* JETIR1812018 <https://www.jetir.org/papers/JETIR1812018.pdf> (cited December 12, 20108).

Jack Collison “*The Impact of Online Food Delivery Services on Restaurant Sales*” Collison.pdf

<https://web.stanford.edu/~leinav/teaching/Collison.pdf?fbclid=IwAR2U0WEbLEKd3klwoJbtecnbhqcJIWzOLJpIExjrhkhVz1cCmqomHAENwhk> (cited 2020).

L.Taek Chai et.al., “*Online Food Delivery*” Journal of Marketing Advances and Practices https://www.researchgate.net/profile/Teck-Chai-Lau-2/publication/334050513_Online_Food_Delivery_Services_Making_Food_Delivery_the_New_Normal/links/5d148043458515c11cfb6d5e/Online-Food-Delivery-Services-Making-Food-Delivery-the-New-Normal.pdf (cited January 2019).

Dr. Mitali Gupta “*A Study on Impact of Online Food delivery app on Restaurant Business special reference to zomato and swiggy*” [ijrar_issue_20542895.pdf http://ijrar.com/upload_issue/ijrar_issue_20542895.pdf](http://ijrar.com/upload_issue/ijrar_issue_20542895.pdf) (cited January-March 2019).

Adriatico et al, “*Service Quality and Customer Satisfaction in Dining Restaurants: Inputs for Tourism and Hospitality Curriculum Enhancement*” Academic Journal of InterdisciplinaryStudies

https://www.google.com/url?sa=t&source=web&rct=j&url=https://www.richtmann.org/journal/index.php/ajis/article/view/12900/12496&ved=2ahUKEwiCkqi-n_8AhXBSGwGH0CC5wQFnoECBIQAQ&usq=AOvVaw17qrHqUS0JAopE_FMApyr (cited May 2022).

Baylen, L. N. L. “Analysis of Inventory Management Systems of Selected Small-Sized Restaurants in Quezon Province: Basis for an Inventory System Manual “ Journal of Business and Management Studies <https://www.google.com/url?sa=t&source=web&rct=j&url=https://al-kindipublisher.com/index.php/jbms/article/view/852&ved=2ahUKEwiWqpK9vbb4AhUJxpQKHxbxCEMQFnoECBIQAQ&usq=AOvVaw2alpMxjzxnC1On9aGl1N55> (cited December 8, 2020).

Louella D. Desiderio “Businesses urged to use internet to push products“ Philstar Global <https://www.google.com/amp/s/www.philstar.com/business/2012/08/07/835558/businesses-urged-use-internet-push-products/amp/> (cited August 7, 2018).

Andal et al., “Food Delivery Services: A study of impacts on consumers in Lipa City, Batangas” <https://www.studocu.com/ph/document/sti-college/bsba->

[operations-management/thesis-about-food-delivery-services-in-lipa-city-batangas/23609351](#) (cited August 7, 2018).

Amit Shankar et.al. *“Online food delivery: A systematic synthesis of literature and a framework development”* International Journal of Hospitality Management

[https://www.sciencedirect.com/science/article/abs/pii/S0278431922001025](#)

(cited July 2022).

W.B.A.C. Piyatissa *“Web Based Restaurant Management System”* Digital Library of University of Colombo School of Computing

[https://dl.ucsc.cmb.ac.lk/jspui/handle/123456789/4501](#) (cited August 9, 2022).

APPENDICES A

Relevant Source Codes

Index.php

```
<?php
include 'components/connect.php';

session_start();

if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};

include 'components/add_cart.php';
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">

    <link rel="stylesheet" href="css/style.css">

</head>

<Body>
    <!-- header section starts-->
```

```

<?php include 'components/user_header.php'; ?>
<!-- header section ends-->

<!-- home section starts-->
<section class="homerun" id="home"></section>
<section class="home" id="home">

    <div class="swiper mySwiper home-slider">

        <div class="swiper-wrapper wrapper">

            <div class="swiper-slide slide">
                <div class="content">
                    <span>1st Samgyupsal in Bicol since 2014</span>
                    <h3>Unlimited Korean BBQ!</h3>
                    <p>A Korean-style BBQ buffet that is now serving Bicolanos to
enjoy their food, cooked in front of their table.</p>

                </div>
                <div class="image">
                    
                </div>

            </div>
            <div class="swiper-slide slide">
                <div class="content">
                    <span>Want to Celebrate your Birthday or any
Occasion?</span>
                    <h3>We OFFER!!!</h3>
                    <p>The best and cheapest deals where you can eat all the meats
and seafood you want. You will also get unlimited lettuce, pajori salad, kimchi,
fruits (3 varieties), and dipping sauces such as melted cheese, saamjang paste,
sweet bbq sauce, and mayonnaise (all home-made) for only 249 php per head.
                    </p>

                </div>
                <div class="image">
                    
                </div>
            </div>
        </div>
    </div>

```

```

<div class="swiper-slide slide">
  <div class="content">
    <span>Come and Visit us at</span>
    <h3>Magsaysay Avenue.</h3>
    <p>In front of Tapsi Terminal </p>
    <h1>We are Open at 9:00 am to 9:00 pm (cut off time of
accepting customer)</h1>
    <h2>NOTE: Temporarily Closed for Dine-in Customers, we are
only accepting deliveries.</h2>

  </div>
  <div class="image">
    
  </div>
</div>

<div class="swiper-slide slide">
  <div class="content">
    <h3>Children below 3 feet: FREE!
    <h3>Children below 4 feet: 50%!</h3>
    <h3>Senior Citizen and PWD: 20%!</h3>

  </div>
  <div class="image">
    
  </div>
</div>

</div>
<div class="swiper-pagination"></div>

</div>
</section>
<!-- home section ends-->

<h1 class="title">latest dishes</h1>
<section class="menu" id="">

  <div class="box-container">
    <?php

```

```

        $select_products = $conn->prepare("SELECT * FROM `products` LIMIT
6");
        $select_products->execute();
        if($select_products->rowCount() > 0){
            while($fetch_products = $select_products-
>fetch(PDO::FETCH_ASSOC)){
                ?>
                <form action="" method="post" class="box">
                <input type="hidden" name="pid" value="<?= $fetch_products['id']; ?>">
                <input type="hidden" name="name" value="<?= $fetch_products['name'];
?>">
                <input type="hidden" name="price" value="<?= $fetch_products['price'];
?>">
                <input type="hidden" name="image" value="<?= $fetch_products['image'];
?>">
                <a href="quick_view.php?pid=<?= $fetch_products['id']; ?>" class="fas fa-
eye"></a>
                <button type="submit" class="fas fa-shopping-cart <?php
if($fetch_products['category'] == 'Not Available'){echo 'disabled';} ?>"
name="add_to_cart"></button>
                
                <a class="cat"><?= $fetch_products['category']; ?></a>
                <div class="name"><?= $fetch_products['name']; ?></div>
                <div class="flex">
                    <div class="price"><span>Php</span><?= $fetch_products['price'];
?>.00</div>
                    <input type="number" name="qty" class="qty" min="1" max="99"
value="1" maxlength="2">
                </div>
                </form>
                <?php
                }
            }else{
                echo '<p class="empty">no products added yet!</p>';
            }
        }
        ?>

</div>
<div class="more-btn">
    <a href="menu.php" class="btn">veiw all</a>

```

```

</div>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
<script>
    var swiper = new Swiper(".home-slider", {
        spaceBetween: 30,
        centeredSlides: true,
        autoplay: {
            delay: 7500,
            disableOnInteraction: false,
        },
        pagination: {
            el: ".swiper-pagination",
            clickable: true,
        },
        loop: true,
    });
</script>
</Body>

</html>

```

About.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};

?>
<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta charset="UTF -8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="Viewport" content="width=device-width, initial-scale=1.0">
  <title>Cjzave BBQ & GRILL Official Website</title>
  <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
  <link rel="stylesheet" href="css/style.css">
</head>
<Body>
  <!-- header section starts-->
  <?php include 'components/user_header.php'; ?>
  <!-- header section ends-->
  <div class="heading">
    <h3>About Us</h3>
    <p><a href="index.php">Home</a> <span> / About Us</span></p>
  </div>
  <section class="about" id="about">
<div class="row">
  <div class="image">
    

  </div>
  <div class="content">
    <h3>We OFFER!!!</h3>
    <p>The best and cheapest deals, where you can eat all the
meats and seafood you want. You will also get Free for every worth of 500:
    pajori 100g, lettuce 100g, kimchi 100g
    and dipping sauces such as Saamjang sauce, melted cheese
    & Sweet Bbq sauce, all home-made.
    You can enjoy the best tasting Cjzave BBQ & GRILL authentic
    Korean food at the comfort of your home!
    <h3 class="sub-heading "> Price Starts at 249php.</h3>
  </p>
  <div class="icons-container">
    <div class="icons">
      <i class="fas fa-peso-sign"></i>
      <span>Affordable</span>

```

```

    </div>
    <div class="icons">
        <i class="fas fa-utensils"></i>
        <span>Good quality</span>
    </div>
</div>
</div>
</div>
</section>
<!-- About section starts-->
<section class="about" id="about">
<h1 class="ulo"> Our History</h1>
    <div class="row">
        <div class="image">
            
        </div>
        <div class="content">
            <h3>Cjzave BBQ & GRILL</h3>
            <p>The first Korean-style buffet here in Bicol. Its mission is to serve
fresh, quality food that is healthy for a reasonable price wherein all Bicolanos
can appreciate how Korean dishes taste, and their vision is to serve longer than
15 years. It may be challenging but we will continue to provide excellent service
and maintain our food quality. It was established on November 20, 2014.
Located at Zone 15, Magsaysay Avenue, Naga City. Cjzave BBQ & GRILL
Korean Style Buffet was owned by Mr. Allan Francis O. Alano. The word
"Cjzave" actually comes from the names of his three children: Cj, Zander, and
Xavier, and this idea came from his wife.</p>
            <div class="icons-container">
                <div class="icons">
                    <i class="fas fa-shipping-fast"></i>
                    <span>Fast Delivery</span>
                </div>
                <div class="icons">
                    <i class="fas fa-peso-sign"></i>
                    <span>Affordable</span>
                </div>
                <div class="icons">
                    <i class="fas fa-utensils"></i>
                    <span>Good quality</span>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
</div>
</section>
<!-- About section ends-->
<!-- review section starts -->
<section class="review " id="review ">
    <h3 class="ulo"> Customer's Review </h3>
    <h1 class="sub-heading"> What they say: </h1>
    <div class="swiper-container review-slider ">
        <div class="swiper-wrapper ">
            <div class="swiper-slide slide ">
                <i class="fas fa-quote-right "></i>
                <div class="user ">
                    
                    <div class="user-info ">
                        <h3>Mary Dianne</h3>
                        <div class="stars ">
                            <i class="fas fa-star "></i>
                            <i class="fas fa-star "></i>
                            <i class="fas fa-star "></i>
                            <i class="fas fa-star "></i>
                            <i class="fas fa-star-half-alt "></i>
                        </div>
                    </div>
                    <p>Absolutely amazing! 10/10 for every single aspect of this meal,
and this is coming from the people who knows and loves to eat great food!</p>
                </div>
            <div class="swiper-slide slide ">
                <i class="fas fa-quote-right "></i>
                <div class="user ">
                    
                    <div class="user-info ">
                        <h3>Ivan</h3>
                        <div class="stars ">
                            <i class="fas fa-star "></i>
                            <i class="fas fa-star "></i>
                            <i class="fas fa-star "></i>
                            <i class="fas fa-star "></i>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <i class="fas fa-star-half-alt "></i>
    </div>
</div>
</div>
</div>
<p>The service is unmatched. The staff truly cares about the
experience. The food is absolutely amazing and everything we tasted melted in
our mouths. Highly recommend!</p>
</div>
<div class="swiper-slide slide ">
    <i class="fas fa-quote-right "></i>
    <div class="user ">
        
        <div class="user-info ">
            <h3>Gabby</h3>
            <div class="stars ">
                <i class="fas fa-star "></i>
                <i class="fas fa-star "></i>
                <i class="fas fa-star "></i>
                <i class="fas fa-star "></i>
                <i class="fas fa-star-half-alt "></i>
            </div>
        </div>
    </div>
</div>
</div>
<p>The menu options are an excellent value. The overall
experience was very pleasant. I highly recommend this restaurant!
</p>
</div>
</div>
</div>
</section>
<!-- review section ends -->
<!--Start of Tawk.to Script-->
<script type="text/javascript">
var Tawk_API=Tawk_API||{}, Tawk_LoadStart=new Date();
(function(){
var
s1=document.createElement("script"),s0=document.getElementsByTagName("s
cript")[0];
s1.async=true;
s1.src='https://embed.tawk.to/648c54bccc26a871b022f331/1h322m0vj';

```

```

s1.charset='UTF-8';
s1.setAttribute('crossorigin','*');
s0.parentNode.insertBefore(s1,s0);
})();
</script>
<!--End of Tawk.to Script-->
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->=
<script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
<script src="js/script.js "></script>
<script>
    var swiper = new Swiper(".review-slider", {
        spaceBetween: 20,
        centeredSlides: true,
        autoplay: {
            delay: 7500,
            disableOnInteraction: false,
        },
        loop: true,
        breakpoints: {
            0: {
                slidesPerView: 1,
            },
            640: {
                slidesPerView: 2,
            },
            768: {
                slidesPerView: 2,
            },
            1024: {
                slidesPerView: 3,
            },
        },
    });
</script>
</Body>
</html>

```

Cart.php

```
<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('location:index.php');
};
if(isset($_POST['delete'])){
    $cart_id = $_POST['cart_id'];
    $delete_cart_item = $conn->prepare("DELETE FROM `cart` WHERE id = ?");
    $delete_cart_item->execute([$cart_id]);
    $message[] = 'cart item deleted!';
}
if(isset($_POST['delete_all'])){
    $delete_cart_item = $conn->prepare("DELETE FROM `cart` WHERE user_id
= ?");
    $delete_cart_item->execute([$user_id]);
    // header('location:cart.php');
    $message[] = 'deleted all from cart!';
}
if(isset($_POST['update_qty'])){
    $cart_id = $_POST['cart_id'];
    $qty = $_POST['qty'];
    $qty = filter_var($qty, FILTER_SANITIZE_STRING);
    $update_qty = $conn->prepare("UPDATE `cart` SET quantity = ? WHERE id =
?");
    $update_qty->execute([$qty, $cart_id]);
    $message[] = 'cart quantity updated';
}
$grand_total = 0;
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
```

```

<title>Cjzave BBQ & GRILL Official Website</title>
<link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
<link rel="stylesheet" href="css/style.css">
</head>
<Body>
<!-- header section starts-->
<?php include 'components/user_header.php'; ?>
<!-- header section ends-->
<div class="heading">
    <h3>Shopping Cart</h3>
    <p><a href="index.php">Home</a> <span> / Cart</span></p>
</div>
<!-- shopping cart section starts -->
<section class="menu">
    <h1 class="title">Your Cart</h1>
<div class="box-container">
    <?php
        $grand_total = 0;
        $select_cart = $conn->prepare("SELECT * FROM `cart` WHERE user_id =
?");
        $select_cart->execute([$user_id]);
        if($select_cart->rowCount() > 0){
            while($fetch_cart = $select_cart->fetch(PDO::FETCH_ASSOC)){
                ?>
                <form action="" method="post" class="box">
                    <input type="hidden" name="cart_id" value="<?=$fetch_cart['id']; ?>">
                    <a href="quick_view.php?pid=<?=$fetch_cart['pid']; ?>" class="fas fa-
eye"></a>
                    <button type="submit" class="fas fa-times" name="delete" onclick="return
confirm('delete this item?');"></button>
                    
                    <div class="name"><?=$fetch_cart['name']; ?></div>
                    <div class="flex">
                        <div class="price"><span>Php</span><?=$fetch_cart['price'];
?><span>.00</span></div>
                        <input type="number" name="qty" class="qty" min="1" max="99"
value="<?=$fetch_cart['quantity']; ?>" maxlength="2">

```

```

        <button type="submit" class="fas fa-edit" name="update_qty"></button>
    </div>
    <div class="sub-total"> sub total : <span>Php<?= $sub_total =
($fetch_cart['price'] * $fetch_cart['quantity']); ?>.00</span> </div>
</form>
<?php
    $grand_total += $sub_total;
}
}else{
    echo ' <p class="empty">your cart is empty</p>';
}
?>
</div>
<div class="cart-total">
    <p>cart total : <span>Php<?= $grand_total; ?>.00</span></p>
    <a href="checkout.php" class="btn <?= ($grand_total > 1)?":'disabled';
?>">proceed to checkout</a>
</div>
<div class="more-btn">
    <form action="" method="post">
        <button type="submit" class="delete-btn <?= ($grand_total >
1)?":'disabled'; ?>" name="delete_all" onclick="return confirm('delete all from
cart?');">delete all</button>
    </form>
    <a href="menu.php" class="btn">continue shopping</a>
</div>
</section>
<!-- shopping cart section ends -->
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>

    <script src="js/script.js "></script>
</Body>
</html>

```

Category.php

```
<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};
include 'components/add_cart.php';
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>category</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="css/style.css">
</head>
<body>
<?php include 'components/user_header.php'; ?>
<section class="menu">
    <h1 class="title">food category</h1>
    <div class="box-container">
        <?php
            $category = $_GET['category'];
            $select_products = $conn->prepare("SELECT * FROM `products` WHERE
category = ?");
            $select_products->execute([$category]);
            if($select_products->rowCount() > 0){
                while($fetch_products = $select_products-
>fetch(PDO::FETCH_ASSOC)){
                    ?>
                    <form action="" method="post" class="box">
                        <input type="hidden" name="pid" value="<?= $fetch_products['id']; ?>">
```

```

        <input type="hidden" name="name" value="<?= $fetch_products['name'];
?>">

        <input type="hidden" name="price" value="<?= $fetch_products['price'];
?>">

        <input type="hidden" name="image" value="<?= $fetch_products['image'];
?>">

        <a href="quick_view.php?pid=<?= $fetch_products['id']; ?>" class="fas fa-
eye"></a>
        <button type="submit" class="fas fa-shopping-cart"
name="add_to_cart"></button>
        
        <div class="name"><?= $fetch_products['name']; ?></div>
        <div class="flex">
            <div class="price"><span>Php</span><?= $fetch_products['price'];
?></div>
            <input type="number" name="qty" class="qty" min="1" max="99"
value="1" maxlength="2">
        </div>
    </form>
    <?php
    }
    }else{
        echo '<p class="empty">no products added yet!</p>';
    }
    ?>
</div>

</section>
<?php include 'components/footer.php'; ?>
<script src="https://unpkg.com/swiper@8/swiper-bundle.min.js"></script>
<!-- custom js file link -->
<script src="js/script.js"></script>
</body>
</html>

```

Checkout.php

```
<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('!location:index.php');
};
if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $number = $_POST['number'];
    $number = filter_var($number, FILTER_SANITIZE_STRING);
    $email = $_POST['email'];
    $email = filter_var($email, FILTER_SANITIZE_STRING);
    $method = $_POST['method'];
    $method = filter_var($method, FILTER_SANITIZE_STRING);
    $address = $_POST['address'];
    $address = filter_var($address, FILTER_SANITIZE_STRING);
    $total_products = $_POST['total_products'];
    $amount = $_POST['amount'];
    $msg = $_POST['msg'];
    $msg = filter_var($msg, FILTER_SANITIZE_STRING);
    $check_cart = $conn->prepare("SELECT * FROM `cart` WHERE user_id=? ");
    $check_cart->execute([$user_id]);
    if($check_cart->rowCount() > 0){

        if($address == ""){
            $message[] = 'please add your address!';
        }else{
            $insert_order = $conn->prepare("INSERT INTO `orders`(user_id, name,
number, email, method, address, total_products, amount, message)
VALUES(?,?,?,?,?,?,?,?,?)");
            $insert_order->execute([$user_id, $name, $number, $email, $method,
$address, $total_products, $amount, $msg]);
            $delete_cart = $conn->prepare("DELETE FROM `cart` WHERE user_id =
?");
            $delete_cart->execute([$user_id]);
```

```

        $message[] = 'Order Placed Successfully!';
        header("Location: process.php");
    }
    }else{
        $message[] = 'Your Cart is Empty';
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>

<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <div class="heading">
        <h3>checkout</h3>
        <p><a href="index.php">Home</a> <span> / Checkout</span></p>
    </div>
    <!-- header section starts-->
    <section class="checkout">
        <h1 class="title">Order Summary</h1>
        <form action="" method="post">
            <div class="cart-items">
                <h3>Cart items:</h3>
                <?php
                $grand_total = 0;
                $cart_items[] = "";
                $select_cart = $conn->prepare("SELECT * FROM `cart` WHERE user_id =

```

```

?");
    $select_cart->execute([$user_id]);
    if($select_cart->rowCount() > 0){
        while($fetch_cart = $select_cart->fetch(PDO::FETCH_ASSOC)){
            $cart_items[] = $fetch_cart['name'].' ('.$fetch_cart['price'].' x ' .
$fetch_cart['quantity'].' ) - ';
            $total_products = implode($cart_items);
            $amount += ($fetch_cart['price'] * $fetch_cart['quantity']);
        }
        <p><span class="name"><?= $fetch_cart['name']; ?></span><span
class="price"><?= $fetch_cart['price']; ?> x <?= $fetch_cart['quantity'];
?></span></p>
        <?php
        }
        }else{
            echo ' <p class="empty">your cart is empty!</p>';
        }
    }
    <p><span class="name">Grand total :</span><span class="amount"
id="currency" data-type="currency"><?= $amount; ?>.00</span></p>
    <a href="cart.php" class="btn">veiw cart</a>
</div>

    <input type="hidden" name="total_products" value="<?= $total_products;
?>.00">

    <input type="hidden" name="amount" id="currency" data-type="currency"
value="<?= $amount; ?>.00" >
    <input type="hidden" name="name" value="<?= $fetch_profile['name'] ?>">
    <input type="hidden" name="number" value="<?= $fetch_profile['number']
?>">

    <input type="hidden" name="email" value="<?= $fetch_profile['email'] ?>">
    <input type="hidden" name="address" value="<?= $fetch_profile['address']
?>">

    <div class="user-info">
        <h3>your info</h3>
        <p><i class="fas fa-user"></i><span><?= $fetch_profile['name']
?></span></p>

```

```

        <p><i class="fas fa-phone"></i><span><?= $fetch_profile['number']
?></span></p>
        <p><i class="fas fa-envelope"></i><span><?= $fetch_profile['email']
?></span></p>
        <a href="update_profile.php" class="btn">update info</a>
        <h3>delivery address</h3>
        <p><i class="fas fa-map-marker-alt"></i><span><?php
if($fetch_profile['address'] == ""){echo 'Please Enter your Address';}else{echo
$fetch_profile['address'];} ?></span></p>
        <a href="update_address.php" class="btn">update address</a>
        <select name="method" class="box" required>
            <option value="G-cash">G-cash</option>

        </select>

        <h3>Special Instruction</h3>
        <h1>Please let us know if you are allergic to anything or if we need to avoid
anything</h1>
        <textarea name="msg" class="box" placeholder="e.g no peanut"
maxlength="300" cols="20" rows="10"></textarea>
        <h3>Strictly No Refund!</h3>
        <h1>To avoid hassle on both ends, Please double check your order and
correct information before placing your order. Thank you !</h1>

        <input type="submit" value="place order" class="btn <?php
if($fetch_profile['address'] == ""){echo 'disabled';} ?>" style="width:100%;
background:var(--darkred); color:var(--white);" name="submit">
    </div>
    </form>

    </section>
    <!-- footer section starts -->
    <?php include 'components/footer.php'; ?>
    <!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>

    <script src="js/script.js "></script>
</Body>
</html>

```

Confirm.php

```
<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('location:index.php');
};
if(isset($_POST['submit'])){
    $empty_pass = 'da39a3ee5e6b4b0d3255bfef95601890afd80709';
    $select_prev_pass = $conn->prepare("SELECT password FROM `users`
WHERE id = ?");
    $select_prev_pass->execute([$user_id]);
    $fetch_prev_pass = $select_prev_pass->fetch(PDO::FETCH_ASSOC);
    $new_pass = sha1($_POST['new_pass']);
    $new_pass = filter_var($new_pass, FILTER_SANITIZE_STRING);
    $confirm_pass = sha1($_POST['confirm_pass']);
    $confirm_pass = filter_var($confirm_pass, FILTER_SANITIZE_STRING);
    if($new_pass != $confirm_pass){
        $message[] = 'confirm password not matched!';
    }else{
        if($new_pass != $empty_pass){
            $update_pass = $conn->prepare("UPDATE `users` SET password = ?
WHERE id = ?");
            $update_pass->execute([$confirm_pass, $user_id]);
            $message[] = 'password updated successfully!';
        }else{
            $message[] = 'please enter a new password!';
        }
    }
    header('location:index.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```

    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">

    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->

    <section class="form-container">
        <form action="" method="post">
            <label for="psw"></label>
            <input type="password" id="psw" name="new_pass" required
placeholder="enter your new password" class="box" pattern="(?!.*\d)(?!.*[a-
z])(?!.*[A-Z]).{8,}" title="Must contain at least one number and one uppercase
and lowercase letter, and at least 8 or more characters" required>
            <div id="message">
                <h2>Password must contain the following:</h2>
                <h1 id="letter" class="invalid">A <b>lowercase</b> letter</h1>
                <h1 id="capital" class="invalid">A <b>capital (uppercase)</b> letter</h1>
                <h1 id="number" class="invalid">A <b>number</b></h1>
                <h1 id="length" class="invalid">Minimum <b>8 characters</b></h1>
            </div>
            <input type="password" name="confirm_pass" required
placeholder="confirm your new password" class="box" maxlength="50"
oninput="this.value.replace(/\s/g, "")">

            <input type="submit" value="update now" name="submit" class="btn"
href="index.php">
        </form>
    </section>
    <!-- footer section starts -->
    <?php include 'components/footer.php'; ?>

```

```

<!-- footer section ends -->
<script>
var myInput = document.getElementById("psw");
var letter = document.getElementById("letter");
var capital = document.getElementById("capital");
var number = document.getElementById("number");
var length = document.getElementById("length");

// When the user clicks on the password field, show the message box
myInput.onfocus = function() {
    document.getElementById("message").style.display = "block";
}
// When the user clicks outside of the password field, hide the message box
myInput.onblur = function() {
    document.getElementById("message").style.display = "none";
}

// When the user starts to type something inside the password field
myInput.onkeyup = function() {
    // Validate lowercase letters
    var lowerCaseLetters = /[a-z]/g;
    if(myInput.value.match(lowerCaseLetters)) {
        letter.classList.remove("invalid");
        letter.classList.add("valid");
    } else {
        letter.classList.remove("valid");
        letter.classList.add("invalid");
    }
}

// Validate capital letters
var upperCaseLetters = /[A-Z]/g;
if(myInput.value.match(upperCaseLetters)) {
    capital.classList.remove("invalid");
    capital.classList.add("valid");
} else {
    capital.classList.remove("valid");
    capital.classList.add("invalid");
}

// Validate numbers

```

```

var numbers = /[0-9]/g;
if(myInput.value.match(numbers)) {
    number.classList.remove("invalid");
    number.classList.add("valid");
} else {
    number.classList.remove("valid");
    number.classList.add("invalid");
}

// Validate length
if(myInput.value.length >= 8) {
    length.classList.remove("invalid");
    length.classList.add("valid");
} else {
    length.classList.remove("valid");
    length.classList.add("invalid");
}
}
</script>
<script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
<script src="js/script.js "></script>
</Body>
</html>

```

Contact.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};
if(isset($_POST['send'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $email = $_POST['email'];
    $email = filter_var($email, FILTER_SANITIZE_STRING);
}

```

```

$number = $_POST['number'];
$number = filter_var($number, FILTER_SANITIZE_STRING);
$msg = $_POST['msg'];
$msg = filter_var($msg, FILTER_SANITIZE_STRING);
$select_message = $conn->prepare("SELECT * FROM `messages` WHERE
name = ? AND email = ? AND number = ? AND message = ?");
$select_message->execute([$name, $email, $number, $msg]);
if($select_message->rowCount() > 0){
    $message[] = 'already sent message!';
}else{
    $insert_message = $conn->prepare("INSERT INTO `messages`(user_id,
name, email, number, message) VALUES(?,?,?,?,?)");
    $insert_message->execute([$user_id, $name, $email, $number, $msg]);
    $message[] = 'sent message successfully!';
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <div class="heading">
        <h3>contact us</h3>
        <p><a href="index.php">Home</a> <span> / Contact</span></p>
    </div>
    <!-- contact section starts -->
    <section class="contact">

```

```

<div class="row">
  <div class="image">
    
  </div>
  <form action="" method="post">
    <h3>tell us something!</h3>
    <input type="text" name="name" maxlength="50" class="box"
placeholder="Enter your Name" required>
    <input type="number" name="number" min="0" max="9999999999"
class="box" placeholder="Enter your Number" required maxlength="10">
    <input type="email" name="email" maxlength="50" class="box"
placeholder="Enter your E-mail" required>
    <textarea name="msg" class="box" required placeholder="Enter your
Message" maxlength="500" cols="30" rows="10"></textarea>
    <input type="submit" value="send message" name="send"
class="btn">
  </form>
</div>
</section>
<!-- contact section ends -->
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
<!--Start of Tawk.to Script-->
<script type="text/javascript">
var Tawk_API=Tawk_API||{}, Tawk_LoadStart=new Date();
(function(){
var
s1=document.createElement("script"),s0=document.getElementsByTagName("s
cript")[0];
s1.async=true;
s1.src='https://embed.tawk.to/648c54bccc26a871b022f331/1h322m0vj';
s1.charset='UTF-8';
s1.setAttribute('crossorigin','*');
s0.parentNode.insertBefore(s1,s0);
})();
</script>
<!--End of Tawk.to Script-->
<script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
<script src="js/script.js "></script>

```

```
</Body>
</html>
```

Forgot.php

```
<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};
if(isset($_POST['submit'])){
    $mother = $_POST['mother'];
    $mother = filter_var($mother, FILTER_SANITIZE_STRING);
    $select_user = $conn->prepare("SELECT * FROM `users` WHERE mother =
? ");
    $select_user->execute([$mother]);
    $row = $select_user->fetch(PDO::FETCH_ASSOC);
    if($select_user->rowCount() > 0){
        $_SESSION['user_id'] = $row['id'];
        header('location:confirm.php');
    }else{
        $message[] = 'incorrect mothers name!';
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
```

```

    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <!-- header section ends-->
    <section class="form-container">
        <form action="" method="post">
            <h3>Forgot password?</h3>
            <input type="text" name="mother" required placeholder="enter your
mother's name" class="box" maxlength="50"
oninput="this.value.replace(/\s/g,")">
            <br style="clear: both;">
            <input type="submit" value="confirm" name="submit" class="btn"
href="confirm.php">
        </form>
    </section>
    <!-- footer section starts -->
    <?php include 'components/footer.php'; ?>
    <!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
</Body>
</html>

```

Login.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};
if(isset($_POST['submit'])){
    $email = $_POST['email'];
    $email = filter_var($email, FILTER_SANITIZE_STRING);
    $pass = sha1($_POST['pass']);

```

```

    $pass = filter_var($pass, FILTER_SANITIZE_STRING);
    $select_user = $conn->prepare("SELECT * FROM `users` WHERE email = ?
AND password = ?");
    $select_user->execute([$email, $pass]);
    $row = $select_user->fetch(PDO::FETCH_ASSOC);
    if($select_user->rowCount() > 0){
        $_SESSION['user_id'] = $row['id'];
        header('location:index.php');
    }else{
        $message[] = 'incorrect username or password!';
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <!-- header section ends-->
    <section class="form-container">
        <form action="" method="post">
            <h3>login now</h3>
            <input type="email" name="email" required placeholder="enter your
email" class="box" maxlength="50" oninput="this.value.replace(/s/g,")">
            <input type="password" name="pass" required placeholder="enter your
password" class="box" maxlength="50" oninput="this.value.replace(/s/g,")">
            <br style="clear: both;">
            <input type="submit" value="login now" name="submit" class="btn">

```

```

        <a href="forgot.php" class="btn">Forgot Password</a>
    </form>
</section>
<?php include 'components/footer.php'; ?>
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
</Body>
</html>

```

Menu.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};
include 'components/add_cart.php';
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <div class="heading">

```

```

        <h3>Our Menu</h3>
        <p><a href="index.php">Home</a> <span> / Menu</span></p>
    </div>
    <!-- take out section starts-->
    <section class="menu" id="menu">
        <h1 class="ulo">"You will get Free for every worth of 500 pesos: Pajori
100g, Lettuce 100g, Kimchi 100g and Dipping Sauces such as Saamjang
Sauce, Melted Cheese & Sweet BBQ sauce are all home-made."</h1>
        <div class="box-container">
            <?php
                $select_products = $conn->prepare("SELECT * FROM `products`");
                $select_products->execute();
                if($select_products->rowCount() > 0){
                    while($fetch_products = $select_products-
>fetch(PDO::FETCH_ASSOC)){
                        ?>
                        <form action="" method="post" class="box">
                            <input type="hidden" name="pid" value="<?= $fetch_products['id']; ?>">
                            <input type="hidden" name="name" value="<?= $fetch_products['name'];
?>">
                            <input type="hidden" name="price" value="<?= $fetch_products['price'];
?>">
                            <input type="hidden" name="image" value="<?= $fetch_products['image'];
?>">
                            <a href="quick_view.php?pid=<?= $fetch_products['id']; ?>" class="fas fa-
eye"></a>
                            <button type="submit" class="fas fa-shopping-cart <?php
if($fetch_products['category'] == 'Not Available'){echo 'disabled';} ?>"
name="add_to_cart"></button>
                            
                            <a class="cat"><?= $fetch_products['category']; ?></a>
                            <div class="name"><?= $fetch_products['name']; ?></div>
                            <div class="flex">
                                <div class="price"><span>Php </span><?= $fetch_products['price'];
?><span>.00</span></div>
                                <input type="number" name="qty" class="qty" min="1" max="10"
value="1" maxlength="2">
                            </div>
                        </form>
                    <?php

```

```

    }
    }else{
        echo '<p class="empty">no products added yet!</p>';
    }
    ?>
</div>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
</Body>
</html>

```

Orders.php

```

<?php
include 'components/connect.php';
//require_once('vendor/autoload.php');
//$client = new \GuzzleHttp\Client();
//$response = $client->request('GET',
'https://api.paymongo.com/v1/payments?limit=1', [
    //'headers' => [
        //'Accept' => 'application/json',
        //'Authorization' => 'Basic
c2tfbGl2ZV9HVnRSbTQ1NFA1c2s2NmYyTGRjS2EyMk46', // secret live
        //'Authorization' => 'Basic
c2tfbGVzdF9Qb1k1VnNFR3djdU4zREdjanJTOWtCd2Q6', // secret not live
    // ],
    //]);
//$data = json_decode($response->getBody(), true);
//$hello = $data['data']['0']['id'];
//$hi = $data['data']['0']['attributes']['source']['id'];
//$r = $conn->prepare("UPDATE orders SET paid_transaction= ? WHERE
transaction_id= ?");
//$r->execute([$hello, $hi]);
session_start();

```

```

if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('location:index.php');
};
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <div class="heading">
        <h3>Orders</h3>
        <p><a href="index.php">Home</a> <span> / Orders</span></p>
    </div>
    <section class="orders">
        <h1 class="title">Your orders</h1>
        <div class="box-container">
            <?php
            if($user_id == ""){
                echo '<p class="empty">Please ogin to see your orders</p>';
            }else{
                $select_orders = $conn->prepare("SELECT * FROM `orders` WHERE
user_id = ?");
                $select_orders->execute([$user_id ]);
                if($select_orders->rowCount() > 0){
                    while($fetch_orders = $select_orders->fetch(PDO::FETCH_ASSOC)){

```

```

?>
<div class="box">
    <p>Placed on : <span><?= $fetch_orders['placed_on']; ?></span></p>
    <p>Name : <span><?= $fetch_orders['name']; ?></span></p>
    <p>E-mail : <span><?= $fetch_orders['email']; ?></span></p>
    <p>Contact Number : <span><?= $fetch_orders['number']; ?></span></p>
    <p>Address : <span><?= $fetch_orders['address']; ?></span></p>
    <p>Payment Method : <span><?= $fetch_orders['method']; ?></span></p>
    <p>Orders : <span><?= $fetch_orders['total_products']; ?></span></p>
    <p>Total Price : <span>Php<?= $fetch_orders['amount']; ?></span></p>
    <p>Special Instruction : <span><?= $fetch_orders['message']; ?>/-
</span></p>
    <p>Order Status : <span style="color:<?php
if($fetch_orders['payment_status'] == 'Preparing'){ echo 'red'; }else{ echo 'green';
}; ?>"><?= $fetch_orders['payment_status']; ?></span> </p>
</div>
<?php
    }
    }else{
        echo '<p class="empty">No orders placed yet!</p>';
    }
}
?>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
</Body>
</html>

```

Process.php

```

<?php
include 'components/connect.php';
session_start();
$user_id = $_SESSION['user_id'];
$conn->prepare("SELECT amount FROM orders WHERE user_id= ?");

```

```

$x->execute([$user_id]);
if($x->rowcount(>0){
    while($fetch = $x->fetch(PDO ::FETCH_ASSOC)){
        $price=$fetch['amount'];
    }
}
require_once('vendor/autoload.php');
$client = new \GuzzleHttp\Client();
function clean($string){
    $string = str_replace(' ', '', $string);
    $string = str_replace('.', '', $string);
    return preg_replace('/[^A-Za-z0-9\-\_]/', '', $string);
}
try {
    $value = $price;
    $amount = clean($value);
    $response = $client->request('POST', 'https://api.paymongo.com/v1/sources', [
        'body' => '{"data":{"attributes":{"amount":'.
    $amount.'},"redirect":{"success":"https://cjzave.com/success.php","failed":"https://
    cjzave.com/failed.php"},"type":"gcash","currency":"PHP"}}',
        'headers' => [
            'accept' => 'application/json',
            'authorization' => 'Basic
    cGtfbGl2ZV9FNUNiMXICYnITYmZnR0NwSkxYUE55Sjl6', // public live
            //'authorization' => 'Basic
    cGtfdGVzdF90eThXVERRU0xneFFxWnRtU1VSUHJhQjg6', // public not live
            'content-type' => 'application/json',
        ],
    ]);
    $data = json_decode($response->getBody() , true);
    $hello=$data['data']['id'];
    $user_id=$_SESSION['user_id'];
    $hi = $conn->prepare("UPDATE orders SET transaction_id= ? WHERE
    user_id= ?");
    $hi->execute([$hello, $user_id]);
    $redirect = $data['data']['attributes']['redirect']['checkout_url'];
    echo "Redirecting in 3 seconds..";
    header('Refresh: 3;URL='.$redirect);
} catch (GuzzleHttp\Exception\ClientException $e) {
    $response = $e->getResponse();
}

```

```

$responseBodyAsString = $response->getBody()->getContents();
$error = json_decode($responseBodyAsString, true);
print_r($error['errors'][0]['detail']);
}

```

Profile.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('location:index.php');
};
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
<!-- header section starts-->
<?php include 'components/user_header.php'; ?>
<!-- header section ends-->
<!-- header section ends-->
<section class="user-details">
    <div class="user">
        <?php
        ?>

```

```

        
        <p><i class="fas fa-user"></i><span><span><?= $fetch_profile['name'];
?></span></span></p>
        <p><i class="fas fa-phone"></i><span><?= $fetch_profile['number'];
?></span></p>
        <p><i class="fas fa-envelope"></i><span><?= $fetch_profile['email'];
?></span></p>
        <a href="update_profile.php" class="btn">update info</a>
        <p class="address"><i class="fas fa-map-marker-alt"></i><span><?php
if($fetch_profile['address'] == ""){echo 'please enter your address';}else{echo
$fetch_profile['address'];} ?></span></p>
        <a href="update_address.php" class="btn">update address</a>
    </div>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
</Body>
</html>

```

Quick_view.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};
include 'components/add_cart.php';
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>quick view</title>
<!-- font awesome cdn link -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
<!-- custom css file link -->
<link rel="stylesheet" href="css/style.css">
</head>
<body>
<?php include 'components/user_header.php'; ?>
<section class="quick-view">
    <h1 class="title">quick view</h1>
    <?php
        $pid = $_GET['pid'];
        $select_products = $conn->prepare("SELECT * FROM `products` WHERE
id = ?");
        $select_products->execute([$pid]);
        if($select_products->rowCount() > 0){
            while($fetch_products = $select_products->fetch(PDO::FETCH_ASSOC)){
                ?>
                <form action="" method="post" class="box">
                    <input type="hidden" name="pid" value="<?=$fetch_products['id']; ?>">
                    <input type="hidden" name="name" value="<?=$fetch_products['name'];
?>">
                    <input type="hidden" name="price" value="<?=$fetch_products['price']; ?>">
                    <input type="hidden" name="image" value="<?=$fetch_products['image'];
?>">
                    
                    <a class="cat"><?=$fetch_products['category']; ?></a>
                    <div class="name"><?=$fetch_products['name']; ?></div>
                    <div class="name"><span>-</span><?=$fetch_products['parts']; ?></div>
                    <div class="flex">
                        <div class="price"><span>Php</span><?=$fetch_products['price'];
?></div>
                        <input type="number" name="qty" class="qty" min="1" max="10" value="1"
maxlength="2">
                    </div>
                    <button type="submit" name="add_to_cart" class="cart-btn <?php
if($fetch_products['category'] == 'Not Available'){echo 'disabled';} ?>">add to
cart</button>

```

```

</form>
<?php
    }
    }else{
        echo '<p class="empty">no products added yet!</p>';
    }
?>
</section>
<?php include 'components/footer.php'; ?>
<script src="https://unpkg.com/swiper@8/swiper-bundle.min.js"></script>
<!-- custom js file link -->
<script src="js/script.js"></script>
</body>
</html>

```

Register.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
};
if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $email = $_POST['email'];
    $email = filter_var($email, FILTER_SANITIZE_STRING);
    $number = $_POST['number'];
    $number = filter_var($number, FILTER_SANITIZE_STRING);
    $psw = sha1($_POST['psw']);
    $psw = filter_var($psw, FILTER_SANITIZE_STRING);
    $cpass = sha1($_POST['cpass']);
    $cpass = filter_var($cpass, FILTER_SANITIZE_STRING);
    $mother = $_POST['mother'];
    $mother = filter_var($mother, FILTER_SANITIZE_STRING);
    $select_user = $conn->prepare("SELECT * FROM `users` WHERE email = ?

```

```

OR number = ?");
$select_user->execute([$email, $number]);
$row = $select_user->fetch(PDO::FETCH_ASSOC);
if($select_user->rowCount() > 0){
    $message[] = 'email or number already exists!';
}else{
    if($psw != $cpass){
        $message[] = 'confirm password not matched!';
    }else{
        $insert_user = $conn->prepare("INSERT INTO `users` (name, email,
number, password , mother) VALUES(?,?,?,?,?)");
        $insert_user->execute([$name, $email, $number, $cpass , $mother]);
        $select_user = $conn->prepare("SELECT * FROM `users` WHERE email
= ? AND password = ?");
        $select_user->execute([$email, $psw]);
        $row = $select_user->fetch(PDO::FETCH_ASSOC);
        if($select_user->rowCount() > 0){
            $_SESSION['user_id'] = $row['id'];
            header('location:index.php');
        }
    }
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
<style>
/* Chrome, Safari, Edge, Opera */
input::-webkit-outer-spin-button,
input::-webkit-inner-spin-button {

```

```

    -webkit-appearance: none;
    margin: 0;
}
/* Firefox */
input[type=number] {
    -moz-appearance: textfield;
}
</style>
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <br><br><br><br>
    <!-- header section ends-->
    <section class="form-container">
        <form action="" method="post">
            <h3>register now</h3>
            <input type="text" name="name" required placeholder="enter your
name" class="box" maxlength="50" oninput="this.value.replace(/\s/g,")">
            <input type="email" name="email" required placeholder="enter your
email" class="box" maxlength="50" oninput="this.value.replace(/\s/g,")">
            <input type="text" name="number" value="+63" required
placeholder="enter your number" class="box" minlength="13" maxlength="13"
required >
            <h4>Incase you forgot your password</h4>
            <h5>Enter your Mother's name</h5>
            <input type="text" name="mother" required placeholder="enter your
Mother's name" class="box" maxlength="50"
oninput="this.value.replace(/\s/g,")">
            </div>
            <label for="psw"></label>
            <input type="password" id="psw" name="psw" required placeholder="enter
your password" class="box" pattern="(?!.*\d)(?!.*[a-z])(?!.*[A-Z]).{8,}"
title="Must contain atleast one number and one uppercase and lowercase letter.
Have atleast 8 or more characters" required>
            <div id="message">
                <h2>Password must contain the following:</h2>
                <h1 id="letter" class="invalid">A <b>lowercase</b> letter</h1>
                <h1 id="capital" class="invalid">A <b>capital (uppercase)</b> letter</h1>

```

```

    <h1 id="number" class="invalid">A <b>number</b></h1>
    <h1 id="length" class="invalid">Minimum <b>8 characters</b></h1>
</div>
    <input type="password" name="cpass" required placeholder="confirm
your password" class="box" maxlength="50"
oninput="this.value.replace(/\s/g,")">
    <input type="submit" value="register now" name="submit" class="btn">
    <p>already have an account? <a href="login.php">login now</a></p>
</form>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
<script>
var myInput = document.getElementById("psw");
var letter = document.getElementById("letter");
var capital = document.getElementById("capital");
var number = document.getElementById("number");
var length = document.getElementById("length");
// When the user clicks on the password field, show the message box
myInput.onfocus = function() {
    document.getElementById("message").style.display = "block";
}
// When the user clicks outside of the password field, hide the message box
myInput.onblur = function() {
    document.getElementById("message").style.display = "none";
}
// When the user starts to type something inside the password field
myInput.onkeyup = function() {
    // Validate lowercase letters
    var lowerCaseLetters = /[a-z]/g;
    if(myInput.value.match(lowerCaseLetters)) {
        letter.classList.remove("invalid");
        letter.classList.add("valid");
    } else {
        letter.classList.remove("valid");
        letter.classList.add("invalid");
    }
    // Validate capital letters
    var upperCaseLetters = /[A-Z]/g;

```

```

if(myInput.value.match(upperCaseLetters)) {
    capital.classList.remove("invalid");
    capital.classList.add("valid");
} else {
    capital.classList.remove("valid");
    capital.classList.add("invalid");
}
// Validate numbers
var numbers = /[0-9]/g;
if(myInput.value.match(numbers)) {
    number.classList.remove("invalid");
    number.classList.add("valid");
} else {
    number.classList.remove("valid");
    number.classList.add("invalid");
}
// Validate length
if(myInput.value.length >= 8) {
    length.classList.remove("invalid");
    length.classList.add("valid");
} else {
    length.classList.remove("valid");
    length.classList.add("invalid");
}
}
</script>
<script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
<script src="js/script.js "></script>
</Body>
</html>

```

Search.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{

```

```

    $user_id = "";
};
include 'components/add_cart.php';
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <!-- search form-->
    <section class="search-form">
        <form method="post" action="">
            <input type="text" name="search_box" placeholder="search here..."
class="box">
            <button type="submit" name="search_btn" class="fas fa-
search"></button>
        </form>
    </section>
    <section class="menu" style="min-height: 100vh; padding-top:0;">
<div class="box-container">
    <?php
        if(isset($_POST['search_box']) OR isset($_POST['search_btn'])){
            $search_box = $_POST['search_box'];
            $select_products = $conn->prepare("SELECT * FROM `products` WHERE
name LIKE '%{$search_box}%'");
            $select_products->execute();
            if($select_products->rowCount() > 0){
                while($fetch_products = $select_products->fetch())

```

```

>fetch(PDO::FETCH_ASSOC)){
    ?>
    <form action="" method="post" class="box">
        <input type="hidden" name="pid" value="<?= $fetch_products['id']; ?>">
        <input type="hidden" name="name" value="<?= $fetch_products['name'];
?>">
        <input type="hidden" name="price" value="<?= $fetch_products['price'];
?>">
        <input type="hidden" name="image" value="<?= $fetch_products['image'];
?>">
        <a href="quick_view.php?pid=<?= $fetch_products['id']; ?>" class="fas fa-
eye"></a>
        <button type="submit" class="fas fa-shopping-cart <?php
if($fetch_products['category'] == 'Not Available'){echo 'disabled';} ?>"
name="add_to_cart"></button>
        
        <a href="category.php?category=<?= $fetch_products['category']; ?>"
class="cat"><?= $fetch_products['category']; ?></a>
        <div class="name"><?= $fetch_products['name']; ?></div>
        <div class="flex">
            <div class="price"><span>Php</span><?= $fetch_products['price'];
?></div>
            <input type="number" name="qty" class="qty" min="1" max="99"
value="1" maxlength="2">
        </div>
    </form>
    <?php
    }
    }else{
        echo '<p class="empty">No products added yet!</p>';
    }
}
?>
</div>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
<script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
<script src="js/script.js "></script>

```

```
</Body>
</html>
```

Success.php

```
<?php
header('Refresh:30;URL= wait.php');
?>
<style type="text/css">
@keyframes ldio-vu9dk0geb9 {
  0% { transform: translate(13.37px,78.31px) scale(0); }
  25% { transform: translate(13.37px,78.31px) scale(0); }
  50% { transform: translate(13.37px,78.31px) scale(1); }
  75% { transform: translate(78.31px,78.31px) scale(1); }
  100% { transform: translate(143.25px,78.31px) scale(1); }
}
@keyframes ldio-vu9dk0geb9-r {
  0% { transform: translate(143.25px,78.31px) scale(1); }
  100% { transform: translate(143.25px,78.31px) scale(0); }
}
@keyframes ldio-vu9dk0geb9-c {
  0% { background: #e15b64 }
  25% { background: #abbd81 }
  50% { background: #f8b26a }
  75% { background: #f47e60 }
  100% { background: #e15b64 }
}
.ldio-vu9dk0geb9 div {
  position: absolute;
  width: 34.379999999999995px;
  height: 34.379999999999995px;
  border-radius: 50%;
  transform: translate(78.31px,78.31px) scale(1);
  background: #e15b64;
  animation: ldio-vu9dk0geb9 2.8571428571428568s infinite cubic-
bezier(0,0.5,0.5,1);
}
.ldio-vu9dk0geb9 div:nth-child(1) {
  background: #f47e60;
```

```

    transform: translate(143.25px,78.31px) scale(1);
    animation: ldio-vu9dk0geb9-r 0.7142857142857142s infinite cubic-
bezier(0,0.5,0.5,1), ldio-vu9dk0geb9-c 2.8571428571428568s infinite step-start;
}.ldio-vu9dk0geb9 div:nth-child(2) {
  animation-delay: -0.7142857142857142s;
  background: #e15b64;
}.ldio-vu9dk0geb9 div:nth-child(3) {
  animation-delay: -1.4285714285714284s;
  background: #f47e60;
}.ldio-vu9dk0geb9 div:nth-child(4) {
  animation-delay: -2.142857142857143s;
  background: #f8b26a;
}.ldio-vu9dk0geb9 div:nth-child(5) {
  animation-delay: -2.8571428571428568s;
  background: #abbd81;
}
.loadingio-spinner-ellipsis-kl62793hx7h {
  width: 191px;
  height: 191px;
  display: inline-block;
  overflow: hidden;
  background: #ffffff;
}
.ldio-vu9dk0geb9 {
  width: 100%;
  height: 100%;
  position: relative;
  transform: translateZ(0) scale(1);
  backface-visibility: hidden;
  transform-origin: 0 0; /* see note above */
}
.ldio-vu9dk0geb9 div { box-sizing: content-box; }
/* generated by https://loading.io/ */
</style>
<div class= "py-5">
  <div class="container" align="center" >
    <div class="">
      <div class="col-md-3 ">
        <div class="display-order col-md-6 mb-3 ">
          </div>

```

```

        <div class="card">
            <div class="card-header">
                <label for="">Redirecting in 30 seconds.. Please don't close while
redirecting. Thank You!</label>
            </div>
            <div class="card-body">
                <div class=" loadingio-spinner-ellipsis-kl62793hx7h"><div class="ldio-
vu9dk0geb9">
<div></div><div></div><div></div><div></div><div></div>

```

Update_address.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('location:index.php');
};
if(isset($_POST['submit'])){
    $address = $_POST['flat']
    .','.$_POST['street'].','.$_POST['building'].','.$_POST['area'];
    $address = filter_var($address, FILTER_SANITIZE_STRING);
    $update_address = $conn->prepare("UPDATE `users` set address = ?
WHERE id = ?");
    $update_address->execute([$address, $user_id]);
    $message[] = 'address saved!';
}
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">

```

```

<title>Cjzave BBQ & GRILL Official Website</title>
<link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
<link rel="stylesheet" href="css/style.css">
</head>
<Body>
<!-- header section starts-->
<?php include 'components/user_header.php'; ?>
<!-- header section ends-->
<!-- header section starts-->
<!-- header section ends-->
<section class="form-container">
<form action="" method="post">
<h3>your address</h3>
<h1>Applicable with in Naga only!</h1>
<input type="number" class="box" placeholder="Building or House No."
maxlength="50" name="flat">
<input type="text" class="box" placeholder="Street Name" required
maxlength="50" name="street">
<select name="building" class="box" required>
<option value="" disabled selected>Barangay--</option>
<option value="Abella">Abella</option>
<option value="Bagumbayan Norte">Bagumbayan Norte</option>
<option value="Bagumbayan Sur">Bagumbayan Sur</option>
<option value="Balatas">Balatas</option>
<option value="Calauag">Calauag</option>
<option value="Cararayan">Cararayan</option>
<option value="Carolina">Carolina</option>
<option value="Concepcion Grande">Concepcion Grande</option>
<option value="Concepcion Pequeña">Concepcion Pequeña</option>
<option value="Dayangdang">Dayangdang</option>
<option value="Del Rosario">Del Rosario</option>
<option value="Dinaga">Dinaga</option>
<option value="Igualdad Interior">Igualdad Interior</option>
<option value="Lerma">Lerma</option>
<option value="Liboton">Liboton</option>
<option value="Mabolo">Mabolo</option>
<option value="Pacol">Pacol</option>

```

```

        <option value="Paniquason">Paniquason</option>
        <option value="Peñafrancia">Peñafrancia</option>
        <option value="Sabang">Sabang</option>
        <option value="San Felipe">San Felipe</option>
        <option value="San Francisco">San Francisco</option>
        <option value="San Isidro">San Isidro</option>
        <option value="Sta. Cruz">Sta. Cruz</option>
        <option value="Tabuco">Tabuco</option>
        <option value="Tinago">Tinago</option>
        <option value="Triangulo">Triangulo</option>
        <input type="text" class="box" placeholder="Land Mark" required
maxlength="50" name="area">
        <input type="submit" value="save address" name="submit" class="btn">
        <a href="checkout.php" class="btn">go back</a>
    </form>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
</Body>
</html>

```

Update_profile.php

```

<?php
include 'components/connect.php';
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('location:index.php');
};
if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $email = $_POST['email'];

```

```

$email = filter_var($email, FILTER_SANITIZE_STRING);
$number = $_POST['number'];
$number = filter_var($number, FILTER_SANITIZE_STRING);
if(!empty($name)){
    $update_name = $conn->prepare("UPDATE `users` SET name = ? WHERE
id = ?");
    $update_name->execute([$name, $user_id]);
}
if(!empty($email)){
    $select_email = $conn->prepare("SELECT * FROM `users` WHERE email =
?");
    $select_email->execute([$email]);
    if($select_email->rowCount() > 0){
        $message[] = 'Email Already Taken!';
    }else{
        $update_email = $conn->prepare("UPDATE `users` SET email = ?
WHERE id = ?");
        $update_email->execute([$email, $user_id]);
    }
}
if(!empty($number)){
    $select_number = $conn->prepare("SELECT * FROM `users` WHERE
number = ?");
    $select_number->execute([$number]);
    if($select_number->rowCount() > 0){
        $message[] = 'Number Already Taken!';
    }else{
        $update_number = $conn->prepare("UPDATE `users` SET number = ?
WHERE id = ?");
        $update_number->execute([$number, $user_id]);
    }
}
$empty_pass = 'da39a3ee5e6b4b0d3255bfef95601890afd80709';
$select_prev_pass = $conn->prepare("SELECT password FROM `users`
WHERE id = ?");
$select_prev_pass->execute([$user_id]);
$fetch_prev_pass = $select_prev_pass->fetch(PDO::FETCH_ASSOC);
$prev_pass = $fetch_prev_pass['password'];
$old_pass = sha1($_POST['old_pass']);
$old_pass = filter_var($old_pass, FILTER_SANITIZE_STRING);

```

```

$new_pass = sha1($_POST['new_pass']);
$new_pass = filter_var($new_pass, FILTER_SANITIZE_STRING);
$confirm_pass = sha1($_POST['confirm_pass']);
$confirm_pass = filter_var($confirm_pass, FILTER_SANITIZE_STRING);
if($old_pass != $empty_pass){
    if($old_pass != $prev_pass){
        $message[] = 'Old Password not Matched!';
    }elseif($new_pass != $confirm_pass){
        $message[] = 'Confirm Password not Matched!';
    }else{
        if($new_pass != $empty_pass){
            $update_pass = $conn->prepare("UPDATE `users` SET password = ?
WHERE id = ?");
            $update_pass->execute([$confirm_pass, $user_id]);
            $message[] = 'Password Updated Successfully!';
        }else{
            $message[] = 'Please Enter a New Password!';
        }
    }
}
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <section class="form-container">

```

```

        <form action="" method="post">
            <h3>update profile</h3>
            <<input type="text" name="name" placeholder="<?=
$fetch_profile['name']; ?>" class="box" maxlength="50">
            <input type="email" name="email" placeholder="<?= $fetch_profile['email'];
?>" class="box" maxlength="50" oninput="this.value = this.value.replace(/s/g,
")">
            <input type="text" name="number" value="+63" placeholder="<?=
$fetch_profile['number']; ?>"" class="box" minlength="13" maxlength="13">
            <input type="password" name="old_pass" placeholder="enter your old
password" class="box" maxlength="50" oninput="this.value =
this.value.replace(/s/g, ")">
            <input type="password" name="new_pass" placeholder="enter your new
password" class="box" maxlength="50" oninput="this.value =
this.value.replace(/s/g, ")">
            <input type="password" name="confirm_pass" placeholder="confirm your
new password" class="box" maxlength="50" oninput="this.value =
this.value.replace(/s/g, ")">
            <input type="submit" value="update now" name="submit" class="btn">
        </form>
    </section>
    <!-- footer section starts -->
    <?php include 'components/footer.php'; ?>
    <!-- footer section ends -->
    <script src="https://unpkg.com/swiper@8/swiper-bundle.min.js "></script>
    <script src="js/script.js "></script>
</Body>
</html>

```

Wait.php

```

<?php
include 'components/connect.php';
require_once('vendor/autoload.php');
$client = new \GuzzleHttp\Client();
$response = $client->request('GET',
'https://api.paymongo.com/v1/payments?limit=1', [
    'headers' => [
        'Accept' => 'application/json',

```

```

    'Authorization' => 'Basic
c2tfbGl2ZV9HVnRSbTQ1NFA1c2s2NmYyTGRjS2EyMk46', // secret live
    // 'Authorization' => 'Basic
c2tfdGVzdF9Qb1k1VnNFR3djU4zREdjanJTOWtCd2Q6', // secret not live
    ],
]);
$data = json_decode($response->getBody(), true);
$hello = $data['data']['0']['id'];
$hi = $data['data']['0']['attributes']['source']['id'];
$r = $conn->prepare("UPDATE orders SET paid_transaction= ? WHERE
transaction_id= ?");
$r->execute([$hello, $hi]);
session_start();
if(isset($_SESSION['user_id'])){
    $user_id = $_SESSION['user_id'];
}else{
    $user_id = "";
    header('location:index.php');
};
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF -8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="Viewport" content="width=device-width, initial-scale=1.0">
    <title>Cjzave BBQ & GRILL Official Website</title>
    <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-
bundle.min.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <link rel="stylesheet" href="css/style.css">
</head>
<Body>
    <!-- header section starts-->
    <?php include 'components/user_header.php'; ?>
    <!-- header section ends-->
    <div class="heading">
        <h4>We are Preparing your Order. Please wait 30-45 mins. </h4>
        <h4>THANK YOU!</h4>

```

```

        <p><a href="orders.php">See your Order Here</a></p>
    </div>
</section>
<!-- footer section starts -->
<?php include 'components/footer.php'; ?>
<!-- footer section ends -->
</Body>
</html>

```

Webhook.php

```

<?php
header('Content-Type: application/json');
$request = file_get_contents('php://input');
$payload = json_decode($request, true);
$type = $payload['data']['attributes']['type'];
//If event type is source.chargeable, call the createPayment API
if ($type == 'source.chargeable') {
    $amount = $payload['data']['attributes']['data']['attributes']['amount'];
    $id = $payload['data']['attributes']['data']['id'];
    $description = "GCash Payment Description";
    $curl = curl_init();
    $fields = array("data" => array ("attributes" => array ("amount" => $amount,
"source" => array ("id" => $id, "type" => "source"), "currency" => "PHP",
"description" => $description)));
    $jsonFields = json_encode($fields);
    curl_setopt_array($curl, [
        CURLOPT_URL => "https://api.paymongo.com/v1/payments",
        CURLOPT_RETURNTRANSFER => true,
        CURLOPT_ENCODING => "",
        CURLOPT_MAXREDIRS => 10,
        CURLOPT_TIMEOUT => 30,
        CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
        CURLOPT_CUSTOMREQUEST => "POST",
        CURLOPT_POSTFIELDS => $jsonFields,
        CURLOPT_HTTPHEADER => [
            "Accept: application/json",
            //Input your encoded API keys below for authorization
            "Authorization: Basic

```

```

c2tfbGl2ZV9HVnRSbTQ1NFA1c2s2NmYyTGRjS2EyMk46" , // secret live
    // "Authorization: Basic
c2tfdGVzdF9Qb1k1VnNFR3djdU4zREdjanJTOWtCd2Q6" , // secret not live
    "Content-Type: application/json"
],
]);
$response = curl_exec($curl);
//Log the response
$fp = file_put_contents( 'test.log', $response );
$error = curl_error($curl);
curl_close($curl);
if ($error) {
    echo "cURL Error #:" . $error;
    //Log the response
    $fp = file_put_contents( 'test.log', $error );
} else {
    echo $response;
}
}
}

```

Admin/admin_account.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');
}
if(isset($_GET['delete'])){
    $delete_id = $_GET['delete'];
    $delete_admin = $conn->prepare("DELETE FROM `admin` WHERE id = ?");
    $delete_admin->execute([$delete_id]);
    header('location:admin_accounts.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>

```

```

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Admins Accounts</title>
<!-- font awesome cdn link -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
<!-- custom css file link -->
<link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- admins accounts section starts -->
<section class="accounts">
  <h1 class="heading">Admins Account</h1>
  <div class="box-container">
    <div class="box">
      <p>Register New Admin</p>
      <a href="register_admin.php" class="option-btn">Register</a>
    </div>

    <?php
      $select_account = $conn->prepare("SELECT * FROM `admin`");
      $select_account->execute();
      if($select_account->rowCount() > 0){
        while($fetch_accounts = $select_account->fetch(PDO::FETCH_ASSOC)){
          ?>
          <div class="box">
            <p> Admin Id : <span><?= $fetch_accounts['id']; ?></span> </p>
            <p> Username : <span><?= $fetch_accounts['name']; ?></span> </p>
            <div class="flex-btn">
              <a href="admin_accounts.php?delete=<?= $fetch_accounts['id']; ?>"
class="delete-btn" onclick="return confirm('delete this account?');">Delete</a>
              <?php
                if($fetch_accounts['id'] == $admin_id){
                  echo '<a href="update_profile.php" class="option-btn">update</a>';
                }
              ?>
            </div>
          </div>
        }
      }
    </div>
  </div>

```

```

    <?php
    }
    }else{
        echo '<p class="empty">No Accounts Available</p>';
    }
    ?>
</div>
</section>
<!-- admins accounts section ends -->
<!-- custom js file link -->
<script src="../js/admin_script.js"></script>
</body>
</html>

```

Admin/admin_login.php

```

<?php
include '../components/connect.php';
session_start();
if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $pass = sha1($_POST['pass']);
    $pass = filter_var($pass, FILTER_SANITIZE_STRING);
    $select_admin = $conn->prepare("SELECT * FROM `admin` WHERE name =
? AND password = ?");
    $select_admin->execute([$name, $pass]);
    if($select_admin->rowCount() > 0){
        $fetch_admin_id = $select_admin->fetch(PDO::FETCH_ASSOC);
        $_SESSION['admin_id'] = $fetch_admin_id['id'];
        header('location:dashboard.php');
    }else{
        $message[] = 'Incorrect Username or Password!';
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">

```

```

<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>login</title>
<!-- font awesome cdn link -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
<!-- custom css file link -->
<link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php
if(isset($message)){
    foreach($message as $message){
        echo '
        <div class="message">
            <span>'. $message .'</span>
            <i class="fas fa-times" onclick="this.parentElement.remove();"></i>
        </div>

        ';}
}??>
<!-- admin login form section starts -->
<section class="form-container">
    <form action="" method="POST">
        <h3>Login Now</h3>
        <p>Default Username = <span>Admin</span> & Password =
        <span>111</span></p>
        <input type="text" name="name" maxlength="20" required
        placeholder="enter your username" class="box" oninput="this.value =
        this.value.replace(/s/g, "")">
        <input type="password" name="pass" maxlength="20" required
        placeholder="enter your password" class="box" oninput="this.value =
        this.value.replace(/s/g, "")">
        <input type="submit" value="login now" name="submit" class="btn">
    </form>
</section>
<!-- admin login form section ends -->
</body>
</html>

```

Admin/dashboard.php

```
<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Dashboard</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- admin dashboard section starts -->
<section class="dashboard">
    <h1 class="heading">Dashboard</h1>
    <div class="box-container">
<div class="box">
        <h3>welcome!</h3>
        <p><?= $fetch_profile['name']; ?></p>
        <a href="update_profile.php" class="btn">update profile</a>
    </div>
    <div class="box">
        <?php
            $total_pendings = 0;
            $select_pendings = $conn->prepare("SELECT * FROM `orders` WHERE
payment_status = ?");
            $select_pendings->execute(['preparing']);
            while($fetch_pendings = $select_pendings->
```

```

>fetch(PDO::FETCH_ASSOC)){
    $total_pendings += $fetch_pendings['amount'];
}
?>
<h3><span>Php</span><?= $total_pendings; ?><span>/-</span></h3>
<p>Total Pendings</p>
<a href="pending.php" class="btn">See Orders</a>
</div>
<div class="box">
<?php
    $total_pendings = 0;
    $select_pendings = $conn->prepare("SELECT * FROM `orders` WHERE
payment_status = ?");
    $select_pendings->execute(['Your order is out for delivery!']);
    while($fetch_pendings = $select_pendings-
>fetch(PDO::FETCH_ASSOC)){
        $total_pendings += $fetch_pendings['amount'];
    }
?>
<h3><span>Php</span><?= $total_pendings; ?><span>/-</span></h3>
<p>Out for Delivery</p>
<a href="out.php" class="btn">See Orders</a>
</div>
<div class="box">
<?php
    $total_completes = 0;
    $select_completes = $conn->prepare("SELECT * FROM `orders` WHERE
payment_status = ?");
    $select_completes->execute(['Delivered']);
    while($fetch_completes = $select_completes-
>fetch(PDO::FETCH_ASSOC)){
        $total_completes += $fetch_completes['amount'];
    }
?>
<h3><span>Php</span><?= $total_completes; ?><span>/-</span></h3>
<p>Total Completes</p>
<a href="placed_orders.php" class="btn">See Orders</a>
</div>
<div class="box">
<?php

```

```

        $select_orders = $conn->prepare("SELECT * FROM `orders`");
        $select_orders->execute();
        $numbers_of_orders = $select_orders->rowCount();
    ?>
    <h3><?= $numbers_of_orders; ?></h3>
    <p>Total Orders</p>
    <a href="placed_orders.php" class="btn">See Orders</a>
</div>
<div class="box">
    <?php
        $select_products = $conn->prepare("SELECT * FROM `products`");
        $select_products->execute();
        $numbers_of_products = $select_products->rowCount();?>
    <h3><?= $numbers_of_products; ?></h3>
    <p>Products added</p>
    <a href="products.php" class="btn">See Products</a>
</div>
<div class="box">
    <?php
        $select_users = $conn->prepare("SELECT * FROM `users`");
        $select_users->execute();
        $numbers_of_users = $select_users->rowCount(); ?>
    <h3><?= $numbers_of_users; ?></h3>
    <p>Users Accounts</p>
    <a href="users_accounts.php" class="btn">See Users</a>
</div>
<div class="box">
    <?php
        $select_messages = $conn->prepare("SELECT * FROM `messages`");
        $select_messages->execute();
        $numbers_of_messages = $select_messages->rowCount();?>
    <h3><?= $numbers_of_messages; ?></h3>
    <p>New Messages</p>
    <a href="messages.php" class="btn">See Messages</a>
</div>
</div>
</section>
<!-- admin dashboard section ends -->
<!-- custom js file link -->
<script src="../js/admin_script.js"></script>

```

```
</body>
</html>
```

Admin/message.php

```
<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');}
if(isset($_GET['delete'])){
    $delete_id = $_GET['delete'];
    $delete_message = $conn->prepare("DELETE FROM `messages` WHERE id
= ?");
    $delete_message->execute([$delete_id]);
    header('location:messages.php');}?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>messages</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- messages section starts -->
<section class="messages">
    <h1 class="heading">Messages</h1>
    <div class="box-container">
        <?php
            $select_messages = $conn->prepare("SELECT * FROM `messages`");
            $select_messages->execute();
```

```

        if($select_messages->rowCount() > 0){
            while($fetch_messages = $select_messages-
>fetch(PDO::FETCH_ASSOC)){?>
                <div class="box">
                    <p> Date : <span><?= $fetch_messages['date']; ?></span> </p>
                    <p> Name : <span><?= $fetch_messages['name']; ?></span> </p>
                    <p> Contact Number : <span><?= $fetch_messages['number']; ?></span>
</p>
                    <p> E-mail : <span><?= $fetch_messages['email']; ?></span> </p>
                    <p> Message : <span><?= $fetch_messages['message']; ?></span> </p>
                    <a href="messages.php?delete=<?= $fetch_messages['id']; ?>"
class="delete-btn" onclick="return confirm('delete this message?');">delete</a>
                </div>
                <?php
                    }
                }else{
                    echo '<p class="empty">You have no messages</p>'; }?>
                </div>
            </section>
            <!-- messages section ends -->
            <!-- custom js file link -->
            <script src="../js/admin_script.js"></script>
        </body>
    </html>

```

Admin/out.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');
};
if(isset($_POST['update_payment'])){

    $order_id = $_POST['order_id'];
    $payment_status = $_POST['payment_status'];
    $update_status = $conn->prepare("UPDATE `orders` SET payment_status =

```

```

? WHERE id = ?");
$update_status->execute([$payment_status , $order_id]);
$message[] = 'payment status updated!';
}
if(isset($_GET['delete'])){
    $delete_id = $_GET['delete'];
    $delete_order = $conn->prepare("DELETE FROM `orders` WHERE id = ?");
    $delete_order->execute([$delete_id]);
    header('location:pending.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>placed orders</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- placed orders section starts -->
<section class="placed-orders">
    <h1 class="heading">Out for Delivery</h1>
    <div class="box-container">
        <?php
            $select_orders = $conn->prepare("SELECT * FROM `orders` WHERE
payment_status = 'Your order is out for delivery!'");
            $select_orders->execute();
            if($select_orders->rowCount() > 0){
                while($fetch_orders = $select_orders->fetch(PDO::FETCH_ASSOC)){
                    ?>
                    <div class="box">
                        <p> User Id : <span><?= $fetch_orders['user_id']; ?></span> </p>
                        <p> Transaction Id : <span><?= $fetch_orders['paid_transaction'];

```

```

?></span> </p>
    <p> Placed On : <span><?= $fetch_orders['placed_on']; ?></span> </p>
    <p> Name : <span><?= $fetch_orders['name']; ?></span> </p>
    <p> E-mail : <span><?= $fetch_orders['email']; ?></span> </p>
    <p> Contact Number : <span><?= $fetch_orders['number']; ?></span> </p>
    <p> Address : <span><?= $fetch_orders['address']; ?></span> </p>
    <p> Total Products : <span><?= $fetch_orders['total_products']; ?></span>
</p>
    <p> Total Price : <span>Php<?= $fetch_orders['amount']; ?></span> </p>
    <p>Special Instruction : <span><?= $fetch_orders['message']; ?>/-
</span></p>
    <p> Payment Method : <span><?= $fetch_orders['method']; ?></span> </p>
    <form action="" method="POST">
        <input type="hidden" name="order_id" value="<?= $fetch_orders['id']; ?>">
        <select name="payment_status" class="drop-down">
            <option value="" selected disabled><?= $fetch_orders['payment_status'];
?></option>
            <option value="Delivered">Delivered</option>
        </select>
        <div class="flex-btn">
            <input type="submit" value="update" class="btn"
name="update_payment">
            <a href="placed_orders.php?delete=<?= $fetch_orders['id']; ?>"
class="delete-btn" onclick="return confirm('delete this order?');">delete</a>
        </div>
    </form>
</div>
<?php
}
}else{
    echo '<p class="empty">no orders placed yet!</p>';} ?>
</div>
</section>
<!-- placed orders section ends -->
<!-- custom js file link -->
<script src="../js/admin_script.js"></script>
</body>
</html>

```

Admin/pending.php

```
<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');
};
if(isset($_POST['update_payment'])){
    $order_id = $_POST['order_id'];
    $payment_status = $_POST['payment_status'];
    $update_status = $conn->prepare("UPDATE `orders` SET payment_status =
? WHERE id = ?");
    $update_status->execute([$payment_status , $order_id]);
    $message[] = 'payment status updated!';
}
if(isset($_GET['delete'])){
    $delete_id = $_GET['delete'];
    $delete_order = $conn->prepare("DELETE FROM `orders` WHERE id = ?");
    $delete_order->execute([$delete_id]);
    header('location:pending.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>placed orders</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- placed orders section starts -->
<section class="placed-orders">
```

```

<h1 class="heading">pending orders</h1>
<div class="box-container">
<?php
    $select_orders = $conn->prepare("SELECT * FROM `orders` WHERE
payment_status = 'Preparing'");
    $select_orders->execute();
    if($select_orders->rowCount() > 0){
        while($fetch_orders = $select_orders->fetch(PDO::FETCH_ASSOC)){
            ?>
            <div class="box">
                <p> User Id : <span><?= $fetch_orders['user_id']; ?></span> </p>
                <p> Transaction Id : <span><?= $fetch_orders['paid_transaction'];
?></span> </p>
                <p> Placed On : <span><?= $fetch_orders['placed_on']; ?></span> </p>
                <p> Name : <span><?= $fetch_orders['name']; ?></span> </p>
                <p> E-mail : <span><?= $fetch_orders['email']; ?></span> </p>
                <p> Contact Number : <span><?= $fetch_orders['number']; ?></span> </p>
                <p> Address : <span><?= $fetch_orders['address']; ?></span> </p>
                <p> Total Products : <span><?= $fetch_orders['total_products']; ?></span>
</p>
                <p> Total Price : <span>Php<?= $fetch_orders['amount']; ?></span> </p>
                <p> Special Instruction : <span><?= $fetch_orders['message']; ?>/-
</span></p>
                <p> Payment Method : <span><?= $fetch_orders['method']; ?></span> </p>
                <form action="" method="POST">
                    <input type="hidden" name="order_id" value="<?= $fetch_orders['id']; ?>">
                    <select name="payment_status" class="drop-down">
                        <option value="" selected disabled><?= $fetch_orders['payment_status'];
?></option>
                        <option value="Your order is out for delivery!">Your order is out for
delivery!</option>
                    </select>
                    <div class="flex-btn">
                        <input type="submit" value="update" class="btn"
name="update_payment">
                        <a href="placed_orders.php?delete=<?= $fetch_orders['id']; ?>"
class="delete-btn" onclick="return confirm('delete this order?');">delete</a>
                    </div>
                </form>
            </div>
        }
    }
}

```

```

<?php
}
}else{
    echo '<p class="empty">no orders placed yet!</p>';
} ?>
</div>
</section>
<!-- placed orders section ends -->
<!-- custom js file link -->
<script src="../js/admin_script.js"></script>
</body>
</html>

```

Admin/place_orders.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');
};
if(isset($_POST['update_payment'])){
    $order_id = $_POST['order_id'];
    $payment_status = $_POST['payment_status'];
    $update_status = $conn->prepare("UPDATE `orders` SET payment_status =
? WHERE id = ?");
    $update_status->execute([$payment_status , $order_id]);
    $message[] = 'payment status updated!';
}
if(isset($_GET['delete'])){
    $delete_id = $_GET['delete'];
    $delete_order = $conn->prepare("DELETE FROM `orders` WHERE id = ?");
    $delete_order->execute([$delete_id]);
    header('location:placed_orders.php');
}??
<!DOCTYPE html>
<html lang="en">
<head>

```

```

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>placed orders</title>
<!-- font awesome cdn link -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
<!-- custom css file link -->
<link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- placed orders section starts -->
<section class="placed-orders">
    <h1 class="heading">completed orders</h1>
    <div class="box-container">
        <?php
            $select_orders = $conn->prepare("SELECT * FROM `orders` WHERE
payment_status = 'Delivered' ");
            $select_orders->execute();
            if($select_orders->rowCount() > 0){
                while($fetch_orders = $select_orders->fetch(PDO::FETCH_ASSOC)){
                    ?>
                    <div class="box">
                        <p> User Id : <span><?=$fetch_orders['user_id']; ?></span> </p>
                        <p> Transaction Id : <span><?=$fetch_orders['paid_transaction'];
?></span> </p>
                        <p> Placed On : <span><?=$fetch_orders['placed_on']; ?></span> </p>
                        <p> Name : <span><?=$fetch_orders['name']; ?></span> </p>
                        <p> E-mail : <span><?=$fetch_orders['email']; ?></span> </p>
                        <p> Contact Number : <span><?=$fetch_orders['number']; ?></span> </p>
                        <p> Address : <span><?=$fetch_orders['address']; ?></span> </p>
                        <p> Total Products : <span><?=$fetch_orders['total_products']; ?></span>
</p>
                        <p> Total Price : <span>Php<?=$fetch_orders['amount']; ?></span> </p>
                        <p> Special Instruction : <span><?=$fetch_orders['message']; ?></span>
</p>
                        <p> Payment Method : <span><?=$fetch_orders['method']; ?></span> </p>
                        <form action="" method="POST">
                            <input type="hidden" name="order_id" value="<?=$fetch_orders['id']; ?>">

```

```

        <select name="payment_status" class="drop-down">
            <option value="" selected disabled><?= $fetch_orders['payment_status'];
?></option>
        </select>
        <div class="flex-btn">
            <a href="placed_orders.php?delete=<?= $fetch_orders['id']; ?>"
class="delete-btn" onclick="return confirm('delete this order?');">delete</a>
        </div>
    </form>
</div>
<?php
    }
    }else{
        echo '<p class="empty">no orders placed yet!</p>';
    }?>
</div>
</section>
<!-- placed orders section ends -->
<!-- custom js file link -->
<script src="../js/admin_script.js"></script>
</body>
</html>

```

Admin/products.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php'); };
if(isset($_POST['add_product'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $parts = $_POST['parts'];
    $parts = filter_var($parts, FILTER_SANITIZE_STRING);
    $price = $_POST['price'];
    $price = filter_var($price, FILTER_SANITIZE_STRING);
    $category = $_POST['category'];

```

```

$category = filter_var($category, FILTER_SANITIZE_STRING);
$image = $_FILES['image']['name'];
$image = filter_var($image, FILTER_SANITIZE_STRING);
$image_size = $_FILES['image']['size'];
$image_tmp_name = $_FILES['image']['tmp_name'];
$image_folder = '../uploaded_img/'.$image;

$select_products = $conn->prepare("SELECT * FROM `products` WHERE
name = ?");
$select_products->execute([$name]);
if($select_products->rowCount() > 0){
    $message[] = 'product name already exists!';
}else{
    if($image_size > 12000000){
        $message[] = 'image size is too large';
    }else{
        move_uploaded_file($image_tmp_name, $image_folder);
        $insert_product = $conn->prepare("INSERT INTO `products` (name,
category, price, parts, image) VALUES(?,?,?,?,?)");
        $insert_product->execute([$name, $category, $price, $parts, $image]);
        $message[] = 'new product added!';
    }
}
}
}
if(isset($_GET['delete'])){
    $delete_id = $_GET['delete'];
    $delete_product_image = $conn->prepare("SELECT * FROM `products`
WHERE id = ?");
    $delete_product_image->execute([$delete_id]);
    $fetch_delete_image = $delete_product_image->fetch(PDO::FETCH_ASSOC);
    unlink('../uploaded_img/'.$fetch_delete_image['image']);
    $delete_product = $conn->prepare("DELETE FROM `products` WHERE id =
?");
    $delete_product->execute([$delete_id]);
    $delete_cart = $conn->prepare("DELETE FROM `cart` WHERE pid = ?");
    $delete_cart->execute([$delete_id]);
    header('location:products.php');
}??>
<!DOCTYPE html>

```

```

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>products</title>
  <!-- font awesome cdn link -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
  <!-- custom css file link -->
  <link rel="stylesheet" href="../css/admin_style.css">
</head><body>
<?php include '../components/admin_header.php' ?>
<!-- add products section starts -->
<section class="add-products">
  <form action="" method="POST" enctype="multipart/form-data">
    <h3>Add Product</h3>
    <input type="text" required placeholder="enter product name" name="name"
maxlength="100" class="box">
    <input type="text" required placeholder="enter product part" name="parts"
maxlength="100" class="box">
    <input type="number" min="0" max="9999999999" required
placeholder="enter product price" name="price" onkeypress="if(this.value.length
== 10) return false;" class="box">
    <select name="category" class="box" required>
      <option value="" disabled selected>select category --</option>
      <option value="Available">Available</option>
      <option value="Not Available">Not Available</option>
    </select>
    <input type="file" name="image" class="box" accept="image/jpg,
image/jpeg, image/png, image/webp" required>
    <input type="submit" value="add product" name="add_product" class="btn">
  </form>
</section>
<!-- add products section ends -->
<!-- show products section starts -->
<section class="show-products" style="padding-top: 0;">
  <div class="box-container">
    <?php
      $show_products = $conn->prepare("SELECT * FROM `products`");

```

```

        $show_products->execute();
        if($show_products->rowCount() > 0){
            while($fetch_products = $show_products->fetch(PDO::FETCH_ASSOC)){
                ?>
                <div class="box">
                    
                    <div class="flex">
                        <div class="price"><span>Php</span><?=$fetch_products['price'];
                ?><span>.00</span></div>
                        <div class="category"><?=$fetch_products['category']; ?></div>
                    </div>
                    <div class="name"><?=$fetch_products['name']; ?></div>
                    <div class="name"><?=$fetch_products['parts']; ?></div>
                    <div class="flex-btn">
                        <a href="update_product.php?update=<?=$fetch_products['id']; ?>"
class="option-btn">Update</a>
                        <a href="products.php?delete=<?=$fetch_products['id']; ?>"
class="delete-btn" onclick="return confirm('delete this product?');">Delete</a>
                    </div>
                </div>
                <?php }
            }else{
                echo '<p class="empty">no products added yet!</p>';}?? </div>
</section>
<!-- show products section ends -->
<!-- custom js file link -->
<script src="../js/admin_script.js"></script>
</body>
</html>

```

Admin/ register_admin.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php'); };
if(isset($_POST['submit'])){

```

```

$name = $_POST['name'];
$name = filter_var($name, FILTER_SANITIZE_STRING);
$pass = sha1($_POST['pass']);
$pass = filter_var($pass, FILTER_SANITIZE_STRING);
$cpass = sha1($_POST['cpass']);
$cpass = filter_var($cpass, FILTER_SANITIZE_STRING);
$select_admin = $conn->prepare("SELECT * FROM `admin` WHERE name =
?");
$select_admin->execute([$name]);
if($select_admin->rowCount() > 0){
    $message[] = 'username already exists!';
}else{
    if($pass != $cpass){
        $message[] = 'Confirm passowrd not matched!';
    }else{
        $insert_admin = $conn->prepare("INSERT INTO `admin`(name,
password) VALUES(?,?)");
        $insert_admin->execute([$name, $cpass]);
        $message[] = 'New admin registered!';
    } }?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>register</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- register admin section starts -->
<section class="form-container">
    <form action="" method="POST">
        <h3>register new</h3>
        <input type="text" name="name" maxlength="20" required

```

```

placeholder="Enter your Username" class="box" oninput="this.value =
this.value.replace(/\s/g, '')">
    <input type="password" name="pass" maxlength="20" required
placeholder="Enter your Password" class="box" oninput="this.value =
this.value.replace(/\s/g, '')">
    <input type="password" name="cpass" maxlength="20" required
placeholder="Confirm your Password" class="box" oninput="this.value =
this.value.replace(/\s/g, '')">
    <input type="submit" value="register now" name="submit" class="btn">
</form>
</section>
<!-- register admin section ends -->
<!-- custom js file link -->
<script src="../../js/admin_script.js"></script>
</body>
</html>

```

Admin/update_product.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');
};
if(isset($_POST['update'])){
    $pid = $_POST['pid'];
    $pid = filter_var($pid, FILTER_SANITIZE_STRING);
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $parts = $_POST['parts'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    $price = $_POST['price'];
    $price = filter_var($price, FILTER_SANITIZE_STRING);
    $category = $_POST['category'];
    $category = filter_var($category, FILTER_SANITIZE_STRING);
    $update_product = $conn->prepare("UPDATE `products` SET name = ?,
category = ?, price = ?, parts = ? WHERE id = ?");

```

```

$update_product->execute([$name, $category, $price,$parts, $pid]);
$message[] = 'product updated!';
$sold_image = $_POST['old_image'];
$image = $_FILES['image']['name'];
$image = filter_var($image, FILTER_SANITIZE_STRING);
$image_size = $_FILES['image']['size'];
$image_tmp_name = $_FILES['image']['tmp_name'];
$image_folder = '../uploaded_img/'.$image;
if(!empty($image)){
    if($image_size > 12000000){
        $message[] = 'images size is too large!';
    }else{
        $update_image = $conn->prepare("UPDATE `products` SET image = ?
WHERE id = ?");
        $update_image->execute([$image, $pid]);
        move_uploaded_file($image_tmp_name, $image_folder);
        unlink('../uploaded_img/'.$sold_image);
        $message[] = 'image updated!';
    } }?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>update product</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- update product section starts -->
<section class="update-product">
    <h1 class="heading">update product</h1>
    <?php
        $update_id = $_GET['update'];
        $show_products = $conn->prepare("SELECT * FROM `products` WHERE id

```

```

= ?");
    $show_products->execute([$update_id]);
    if($show_products->rowCount() > 0){
        while($fetch_products = $show_products->fetch(PDO::FETCH_ASSOC)){
            ?>
            <form action="" method="POST" enctype="multipart/form-data">
                <input type="hidden" name="pid" value="<?= $fetch_products['id']; ?>">
                <input type="hidden" name="old_image" value="<?=
$fetch_products['image']; ?>">
                
                <span>Update Name</span>
                <input type="text" required placeholder="enter product name" name="name"
maxlength="100" class="box" value="<?= $fetch_products['name']; ?>">
                <span>Update Part</span>
                <input type="text" required placeholder="enter product part" name="parts"
maxlength="100" class="box" value="<?= $fetch_products['parts']; ?>">
                <span>Update Price</span>
                <input type="number" min="0" max="9999999999" required
placeholder="enter product price" name="price" onkeypress="if(this.value.length
== 10) return false;" class="box" value="<?= $fetch_products['price']; ?>.00">
                <span>Update Category</span>
                <select name="category" class="box" required>
                    <option selected value="<?= $fetch_products['category']; ?>"><?=
$fetch_products['category']; ?></option>
                    <option value="Available">Available</option>
                    <option value="Not Available">Not Available</option>
                </select>
                <span>Update Image</span>
                <input type="file" name="image" class="box" accept="image/jpg,
image/jpeg, image/png, image/webp">
                <div class="flex-btn">
                    <input type="submit" value="update" class="btn" name="update">
                    <a href="products.php" class="option-btn">Go Back</a>
                </div>
            </form>
        <?php
        }
    }else{
        echo '<p class="empty">no products added yet!</p>';
    } ?>

```

```

</section>
<!-- update product section ends -->
<!-- custom js file link -->
<script src="../../js/admin_script.js"></script>
</body>
</html>

```

Admin/update_profile.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php'); }
if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    if(!empty($name)){
        $select_name = $conn->prepare("SELECT * FROM `admin` WHERE name
= ?");
        $select_name->execute([$name]);
        if($select_name->rowCount() > 0){
            $message[] = 'username already taken!';
        }else{
            $update_name = $conn->prepare("UPDATE `admin` SET name = ?
WHERE id = ?");
            $update_name->execute([$name, $admin_id]);
        } }
        $empty_pass = 'da39a3ee5e6b4b0d3255bfef95601890afd80709';
        $select_old_pass = $conn->prepare("SELECT password FROM `admin`
WHERE id = ?");
        $select_old_pass->execute([$admin_id]);
        $fetch_prev_pass = $select_old_pass->fetch(PDO::FETCH_ASSOC);
        $prev_pass = $fetch_prev_pass['password'];
        $old_pass = sha1($_POST['old_pass']);
        $old_pass = filter_var($old_pass, FILTER_SANITIZE_STRING);
        $new_pass = sha1($_POST['new_pass']);
        $new_pass = filter_var($new_pass, FILTER_SANITIZE_STRING);

```

```

$confirm_pass = sha1($_POST['confirm_pass']);
$confirm_pass = filter_var($confirm_pass, FILTER_SANITIZE_STRING);
if($old_pass != $empty_pass){
    if($old_pass != $prev_pass){
        $message[] = 'Old Password not Matched!';
    }elseif($new_pass != $confirm_pass){
        $message[] = 'Confirm Password not Matched!';
    }else{
        if($new_pass != $empty_pass){
            $update_pass = $conn->prepare("UPDATE `admin` SET password = ?
WHERE id = ?");
            $update_pass->execute([$confirm_pass, $admin_id]);
            $message[] = 'Password Updated Successfully!';
        }else{
            $message[] = 'Please Enter a New Password!';
        }
    }
}
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>profile update</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
<?php include '../components/admin_header.php' ?>
<!-- admin profile update section starts -->
<section class="form-container">
    <form action="" method="POST">
        <h3>Update Profile</h3>
        <input type="text" name="name" maxlength="20" class="box"
oninput="this.value = this.value.replace(/s/g, '');" placeholder="<?=$
$fetch_profile['name']; ?>">
        <input type="password" name="old_pass" maxlength="20"
placeholder="enter your old password" class="box" oninput="this.value =

```

```

this.value.replace(/\s/g, "")">
    <input type="password" name="new_pass" maxlength="20"
placeholder="enter your new password" class="box" oninput="this.value =
this.value.replace(/\s/g, "")">
    <input type="password" name="confirm_pass" maxlength="20"
placeholder="confirm your new password" class="box" oninput="this.value =
this.value.replace(/\s/g, "")">
    <input type="submit" value="update now" name="submit" class="btn">
</form>
</section>
<!-- admin profile update section ends -->
<!-- custom js file link -->
<script src="../../js/admin_script.js"></script>
</body>
</html>

```

Admin/users_accounts.php

```

<?php
include '../components/connect.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
    header('location:admin_login.php');
}
if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $name = filter_var($name, FILTER_SANITIZE_STRING);
    if(!empty($name)){
        $select_name = $conn->prepare("SELECT * FROM `admin` WHERE name
= ?");
        $select_name->execute([$name]);
        if($select_name->rowCount() > 0){
            $message[] = 'username already taken!';
        }else{
            $update_name = $conn->prepare("UPDATE `admin` SET name = ?
WHERE id = ?");
            $update_name->execute([$name, $admin_id]);
        }
    }
}

```

```

    }
    $empty_pass = 'da39a3ee5e6b4b0d3255bfef95601890afd80709';
    $select_old_pass = $conn->prepare("SELECT password FROM `admin`
WHERE id = ?");
    $select_old_pass->execute([$admin_id]);
    $fetch_prev_pass = $select_old_pass->fetch(PDO::FETCH_ASSOC);
    $prev_pass = $fetch_prev_pass['password'];
    $old_pass = sha1($_POST['old_pass']);
    $old_pass = filter_var($old_pass, FILTER_SANITIZE_STRING);
    $new_pass = sha1($_POST['new_pass']);
    $new_pass = filter_var($new_pass, FILTER_SANITIZE_STRING);
    $confirm_pass = sha1($_POST['confirm_pass']);
    $confirm_pass = filter_var($confirm_pass, FILTER_SANITIZE_STRING);
    if($old_pass != $empty_pass){
        if($old_pass != $prev_pass){
            $message[] = 'Old Password not Matched!';
        }elseif($new_pass != $confirm_pass){
            $message[] = 'Confirm Password not Matched!';
        }else{
            if($new_pass != $empty_pass){
                $update_pass = $conn->prepare("UPDATE `admin` SET password = ?
WHERE id = ?");
                $update_pass->execute([$confirm_pass, $admin_id]);
                $message[] = 'Password Updated Successfully!';
            }else{
                $message[] = 'Please Enter a New Password!';
            }
        }
    }
}
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>profile update</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome/6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>

```

```

<body>
<?php include '../components/admin_header.php' ?>
<!-- admin profile update section starts -->
<section class="form-container">
    <form action="" method="POST">
        <h3>Update Profile</h3>
        <input type="text" name="name" maxlength="20" class="box"
oninput="this.value = this.value.replace(/s/g, '')" placeholder="<?=$
$fetch_profile['name']; ?>">
        <input type="password" name="old_pass" maxlength="20"
placeholder="enter your old password" class="box" oninput="this.value =
this.value.replace(/s/g, '')">
        <input type="password" name="new_pass" maxlength="20"
placeholder="enter your new password" class="box" oninput="this.value =
this.value.replace(/s/g, '')">
        <input type="password" name="confirm_pass" maxlength="20"
placeholder="confirm your new password" class="box" oninput="this.value =
this.value.replace(/s/g, '')">
        <input type="submit" value="update now" name="submit" class="btn">
    </form>
</section>
<!-- admin profile update section ends -->

<!-- custom js file link -->
<script src="../js/admin_script.js"></script>
</body>
</html>

```

Components/add_cart.php

```

<?php
if(isset($_POST['add_to_cart'])){
    if($user_id == ""){
        header('location:login.php');
    }else{
        $pid = $_POST['pid'];
        $pid = filter_var($pid, FILTER_SANITIZE_STRING);
        $name = $_POST['name'];
        $name = filter_var($name, FILTER_SANITIZE_STRING);
    }
}

```

```

$price = $_POST['price'];
$price = filter_var($price, FILTER_SANITIZE_STRING);
$image = $_POST['image'];
$image = filter_var($image, FILTER_SANITIZE_STRING);
$qty = $_POST['qty'];
$qty = filter_var($qty, FILTER_SANITIZE_STRING);
$check_cart_numbers = $conn->prepare("SELECT * FROM `cart` WHERE
name = ? AND user_id = ?");
$check_cart_numbers->execute([$name, $user_id]);
if($check_cart_numbers->rowCount() > 0){
    $message[] = 'already added to cart!';
}else{
    $insert_cart = $conn->prepare("INSERT INTO `cart`(user_id, pid, name,
price, quantity, image) VALUES(?,?,?,?,?,?)");
    $insert_cart->execute([$user_id, $pid, $name, $price, $qty, $image]);
    $message[] = 'added to cart!';
} } } ?>

```

Components/admin_header.php

```

<?php
if(isset($message)){
    foreach($message as $message){
        echo '
        <div class="message">
            <span>'.$message.'</span>
            <i class="fas fa-times" onclick="this.parentElement.remove();"></i>
        </div>
        '; } } ?>
<header class="header">
    <section class="flex">
        <a href="dashboard.php" class="logo"><i class="fas fa-fire"></i>
Admin<span>Panel</span></a>
        <nav class="navbar">
            <a href="dashboard.php">Home</a>
            <a href="products.php">Products</a>
            <a href="pending.php">Pending</a>
            <a href="out.php">Out</a>
            <a href="placed_orders.php">Complete</a>

```

```

        <a href="users_accounts.php">Users</a>
        <a href="messages.php">Messages</a>
    </nav>
    <div class="icons">
        <div id="menu-btn" class="fas fa-bars"></div>
        <div id="user-btn" class="fas fa-user"></div>
    </div>
    <div class="profile">
        <?php
            $select_profile = $conn->prepare("SELECT * FROM `admin` WHERE id
= ?");
            $select_profile->execute([$admin_id]);
            $fetch_profile = $select_profile->fetch(PDO::FETCH_ASSOC);
        ?>
        <p><?= $fetch_profile['name']; ?></p>
        <a href="update_profile.php" class="btn">Update Profile</a>
        <a href="../components/admin_logout.php" onclick="return confirm('logout
from this website?');" class="delete-btn">logout</a>
    </div>
</section>
</header>

```

Components/ admin_logout.php

```

<?php
include 'connect.php';
session_start();
session_unset();
session_destroy();
header("location:../admin/admin_login.php");
?>

```

Components/connect.php

```

<?php
$db_name = 'mysql:host=localhost;dbname=u399856170_cjzave';
$user_name = 'u399856170_cjzave';
$user_password = 'Cjzave1234';
$conn = new PDO($db_name, $user_name, $user_password);
?>

```

Components/footer.php

```
<!-- footer section starts -->
<footer class="footer ">
<section class="grid ">
  <div class="box ">
    
    <h3>Social Media</h3>
    <a href="mailto:ghanalano@gmail.com ">Email: lhanalano@gmail.com</a>
    <a href="https://www.facebook.com/cjzavebbqandgrill">Facebook: Cjzave
BBQ & GRILL</a> </div>
  <div class="box ">
    
    <h3>Opening Hours</h3>
    <p>9:00 am until 9:00 pm
    <p>Cut-off time of accepting orders</p> </p> </div>
  <div class="box ">
    
    <h3>Address</h3>
    <a href="#" "> # Zone 15 Magsaysay Avenue</a>
    <p>Naga City, Philippines</p></div>
  <div class="box ">
    
    <h3>Contact Number</h3>
    <a href="tel:09054732513">09054732513</a>
    <p>Globe Telecom</p> </div>
</section>
<div class="credit ">&copy; Copyright @ by <span>AMA BSIT Students</span>
| All Rights Reserved</div>
</footer>
<!-- footer section ends -->
```

Components/user_header.php

```
<?php
if(isset($message)){
  foreach($message as $message){
    echo '
    <div class="message">
      <span>'. $message.'</span>
```

```

        <i class="fas fa-times" onclick="this.parentElement.remove();"></i>
    </div>
    '; } } ?>
<body>
    <header>
        <section class="flex">
            <a href="index.php" class="logo"><i class="fas fa-fire"></i> Cjzave BBQ
& GRILL</a>
            <nav class="navbar">
                <a href="index.php">Home</a>
                <a href="about.php">About Us</a>
                <a href="menu.php">Menu</a>
                <a href="orders.php">Order</a>
                <a href="contact.php">Contact</a>
            </nav>
            <div class="icons">
                <?php
                    $count_cart_items = $conn->prepare("SELECT * FROM `cart` WHERE
user_id = ?");
                    $count_cart_items->execute([$user_id]);
                    $total_cart_items = $count_cart_items->rowCount(); ?>
                    <a href="search.php"><i class="fas fa-search"></i></a>
                    <a href="cart.php"><i class="fas fa-shopping-cart"></i><span>(<?=
$total_cart_items; ?>)</span></a>
                    <div id="user-btn" class="fas fa-user"></div>
                    <div id="menu-btn" class="fas fa-bars"></div>
                </div>
                <div class="profile">
                    <?php
                        $select_profile = $conn->prepare("SELECT * FROM `users`
WHERE id = ?");
                        $select_profile->execute([$user_id]);
                        if($select_profile->rowCount() > 0){
                            $fetch_profile = $select_profile->fetch(PDO::FETCH_ASSOC);
                        ?>
                            <p class="name"><?= $fetch_profile['name']; ?></p>
                            <div class="flex">
                                <a href="profile.php" class="btn">Profile</a>
                                <a href="components/user_logout.php" onclick="return
confirm('logout from this website?');" class="delete-btn">Logout</a>

```

```

        </div>
        <?php
            }else{
        ?>
        <p class="name">WELCOME!</p>
        <a href="login.php" class="btn">login</a>
        <a href="register.php" class="btn">Register</a>
        <?php
            }
        ?>
    </div>
</section>
</header>
<script src="js/script.js "></script>
</body>

```

Components/user_logout.php

```

<?php
include 'connect.php';
session_start();
session_unset();
session_destroy();
header('location:../index.php');
?>

```

Css/admin_style.css

```

@import
url('https://fonts.googleapis.com/css2?family=Montserrat:wght@100;200;300;400&display=swap');
:root {
    --main-color: darkred;
    --red: #FF7F50;
    --orange: #ff0000;
    --black: #000000;
    --white: #fff;
    --light-bg: #f5f5f5;

```

```

    --light-color: #999;
    --border: .2rem solid var(--black);
    --box-shadow: 0 .5rem 1rem rgba(0, 0, 0, .1);
  }
  * {
    font-family: 'Montserrat', sans-serif;
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    text-decoration: none;
    outline: none;
    border: none;
  }
  *::selection {
    color: var(--white);
    background-color: var(--main-color);
  }
  ::-webkit-scrollbar {
    width: 1rem;
    height: .5rem;
  }
  ::-webkit-scrollbar-track {
    background-color: none;
  }
  ::-webkit-scrollbar-thumb {
    background-color: var(--main-color);
  }
  html {
    font-size: 62.5%;
    overflow-x: hidden;
  }
  body {
    background-color: var(--light-bg);
    /* padding-bottom: 7rem; */
  }
  section {
    max-width: 1200px;
    margin: 0 auto;
    padding: 2rem;
  }

```

```

.btn,
.delete-btn,
.option-btn {
  display: block;
  margin-top: 1rem;
  border-radius: .5rem;
  cursor: pointer;
  width: 100%;
  font-size: 1.8rem;
  color: var(--white);
  padding: 1.2rem 3rem;
  text-transform: capitalize;
  text-align: center;
}
.btn {
  background-color: var(--main-color);
}
.delete-btn {
  background-color: var(--red);
}
.option-btn {
  background-color: var(--orange);
}
.btn:hover,
.delete-btn:hover,
.option-btn:hover {
  background-color: var(--black);
}
.flex-btn {
  display: flex;
  gap: 1rem;
}
.message {
  position: sticky;
  top: 0;
  max-width: 1200px;
  margin: 0 auto;
  background-color: var(--light-bg);
  padding: 2rem;
  display: flex;

```

```

    align-items: center;
    gap: 1rem;
    justify-content: space-between;
}
.message span {
    font-size: 2rem;
    color: var(--black);
}
.message i {
    font-size: 2.5rem;
    color: var(--red);
    cursor: pointer;
}
.message i:hover {
    color: var(--black);
}
.heading {
    text-align: center;
    margin-bottom: 2rem;
    text-transform: capitalize;
    color: var(--black);
    font-size: 3rem;
}
.empty {
    border: var(--border);
    border-radius: .5rem;
    background-color: var(--white);
    padding: 1.5rem;
    text-align: center;
    width: 100%;
    font-size: 2rem;
    text-transform: capitalize;
    color: var(--red);
    box-shadow: var(--box-shadow);
}
.form-container {
    display: flex;
    align-items: center;
    justify-content: center;
    min-height: 100vh;

```

```

}
.form-container form {
  background-color: var(--white);
  border-radius: .5rem;
  border: var(--border);
  box-shadow: var(--box-shadow);
  padding: 2rem;
  text-align: center;
  width: 50rem;
}
.form-container form h3 {
  font-size: 2.5rem;
  color: var(--black);
  text-transform: capitalize;
  margin-bottom: 1rem;
}
.form-container form p {
  margin: 1rem 0;
  font-size: 2rem;
  color: var(--light-color);
}
.form-container form p span {
  color: var(--main-color);
}
.form-container form .box {
  width: 100%;
  background-color: var(--light-bg);
  padding: 1.4rem;
  font-size: 1.4rem;
  color: var(--black);
  margin: 1rem 0;
  border: var(--border);
  font-size: 1.8rem;
  border-radius: .5rem;
}
.header {
  position: sticky;
  top: 0;
  left: 0;
  right: 0;

```

```

    background-color: black;
    box-shadow: var(--box-shadow);
    z-index: 1000;
    border-bottom: var(--border);
}
.header .flex {
    display: flex;
    align-items: center;
    justify-content: space-between;
    position: relative;
}
.header .flex .logo {
    font-size: 2.5rem;
    color: var(--white);
}
.header .flex .logo span {
    color: var(--main-color);
}
.header .flex .logo i {
    color: var(--main-color);
}
.header .flex .navbar a {
    margin: 0 1rem;
    font-size: 2rem;
    color: var(--white);
    border-radius: .5rem;
    padding: .5rem ;
}
.header .flex .navbar a.active,
.header .flex .navbar a:hover {
    Color: #fff;
    background: var(--main-color);
}
.header .flex .icons>* {
    font-size: 2.5rem;
    cursor: pointer;
    color: var(--light-color);
    margin-left: 1.7rem;
}
.header .flex .icons>*:hover {

```

```

    color: var(--main-color);
}
.header .flex .profile {
  position: absolute;
  top: 125%;
  right: 2rem;
  background-color: var(--white);
  box-shadow: var(--box-shadow);
  border: var(--border);
  border-radius: .5rem;
  padding: 2rem;
  padding-top: 1rem;
  width: 30rem;
  display: none;
  animation: fadeIn .2s linear;
}
@keyframes fadeIn {
  0% {
    transform: translateY(1rem);
  }
}
.header .flex .profile p {
  margin-bottom: 1rem;
  font-size: 2rem;
  text-align: center;
  color: var(--black);
}
.header .flex .profile.active {
  display: inline-block;
}
#menu-btn {
  display: none;
}
.dashboard .box-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(27rem, 1fr));
  gap: 1.5rem;
  align-items: flex-start;
}
.dashboard .box-container .box {

```

```

    text-align: center;
    background-color: var(--white);
    border: var(--border);
    box-shadow: var(--box-shadow);
    border-radius: .5rem;
    text-align: center;
    padding: 1.5rem;
}
.dashboard .box-container .box h3 {
    font-size: 2.7rem;
    color: var(--black);
}
.dashboard .box-container .box h3 span {
    font-size: 2rem;
}
.dashboard .box-container .box p {
    padding: 1.5rem;
    border-radius: .5rem;
    background-color: var(--light-bg);
    border-radius: .5rem;
    font-size: 1.8rem;
    border: var(--border);
    margin: 1rem 0;
    color: var(--light-color);
}
.add-products form {
    margin: 0 auto;
    max-width: 50rem;
    background-color: var(--white);
    border-radius: .5rem;
    box-shadow: var(--box-shadow);
    border: var(--border);
    padding: 2rem;
    text-align: center;
}
.add-products form h3 {
    margin-bottom: 1rem;
    font-size: 2.5rem;
    color: var(--black);
    text-transform: capitalize;
}

```

```

}
.add-products form .box {
  background-color: var(--light-bg);
  border: var(--border);
  width: 100%;
  padding: 1.4rem;
  font-size: 1.8rem;
  color: var(--black);
  border-radius: .5rem;
  margin: 1rem 0;
}
.show-products .box-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, 33rem);
  gap: 1.5rem;
  justify-content: center;
  align-items: flex-start;
}
.show-products .box-container .box {
  background-color: var(--white);
  border-radius: .5rem;
  box-shadow: var(--box-shadow);
  border: var(--border);
  padding: 1.5rem;
}
.show-products .box-container .box img {
  width: 100%;
  height: 20rem;
  object-fit: contain;
  margin-bottom: 1rem;
}
.show-products .box-container .box .name {
  font-size: 2rem;
  color: var(--black);
  padding: 1rem 0;
}
.show-products .box-container .box .flex {
  display: flex;
  align-items: center;
  gap: 1rem;
}

```

```

    justify-content: space-between;
}
.show-products .box-container .box .flex .stock {
    font-size: 2rem;
    color: var(--black);
    margin: .5rem 0;
}
.show-products .box-container .box .flex .stock span {
    font-size: 1.5rem;
}
.show-products .box-container .box .flex .category {
    font-size: 1.8rem;
    color: var(--main-color);
}
.show-products .box-container .box .flex .price {
    font-size: 2rem;
    color: var(--black);
    margin: .5rem 0;
}
.show-products .box-container .box .flex .price span {
    font-size: 1.5rem;
}
}
.update-product form {
    margin: 0 auto;
    max-width: 50rem;
    background-color: var(--white);
    border-radius: .5rem;
    box-shadow: var(--box-shadow);
    border: var(--border);
    padding: 2rem;
}
.update-product form img {
    height: 25rem;
    width: 100%;
    object-fit: contain;
}
.update-product form .box {
    background-color: var(--light-bg);
    border: var(--border);
    width: 100%;

```

```

padding: 1.4rem;
font-size: 1.8rem;
color: var(--black);
border-radius: .5rem;
margin: 1rem 0;
}
.update-product form textarea {
height: 15rem;
resize: none;
}
.update-product form span {
font-size: 1.7rem;
color: var(--black);
}
.placed-orders .box-container {
display: grid;
grid-template-columns: repeat(auto-fit, 33rem);
gap: 1.5rem;
justify-content: center;
align-items: flex-start;
}
.placed-orders .box-container .box {
background-color: var(--white);
border-radius: .5rem;
box-shadow: var(--box-shadow);
border: var(--border);
padding: 2rem;
padding-top: 1rem;
}
.placed-orders .box-container .box p {
padding: .5rem 0;
line-height: 1.5;
font-size: 1.8rem;
color: var(--black);
}
.placed-orders .box-container .box p span {
color: var(--main-color);
}
.placed-orders .box-container .box .drop-down {
width: 100%;

```

```

    margin: 1rem 0;
    background-color: var(--light-bg);
    padding: 1rem 1.4rem;
    font-size: 2rem;
    color: var(--black);
    border: var(--border);
    border-radius: .5rem;
}
.accounts .box-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, 33rem);
    gap: 1.5rem;
    justify-content: center;
    align-items: flex-start;
}
.accounts .box-container .box {
    background-color: var(--white);
    border-radius: .5rem;
    box-shadow: var(--box-shadow);
    border: var(--border);
    padding: 2rem;
    padding-top: 1rem;
    text-align: center;
}
.accounts .box-container .box p {
    padding: .5rem 0;
    font-size: 1.8rem;
    color: var(--black);
}
.accounts .box-container .box p span {
    color: var(--main-color);
}
.messages .box-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, 33rem);
    gap: 1.5rem;
    justify-content: center;
    align-items: flex-start;
}
.messages .box-container .box {

```

```

    background-color: var(--white);
    border-radius: .5rem;
    box-shadow: var(--box-shadow);
    border: var(--border);
    padding: 2rem;
    padding-top: 1rem;
}
.messages .box-container .box p {
    padding: .5rem 0;
    font-size: 1.8rem;
    color: var(--black);
}
.messages .box-container .box p span {
    color: var(--main-color);
}
/* media queries */
@media (max-width:991px) {
    html {
        font-size: 55%;
    }
}
@media (max-width:768px) {
    #menu-btn {
        display: inline-block;
    }
    .header .flex .navbar {
        position: absolute;
        top: 99%;
        left: 0;
        right: 0;
        border-top: var(--border);
        border-bottom: var(--border);
        background-color: var(--white);
        clip-path: polygon(0 0, 100% 0, 100% 0, 0 0);
        transition: .2s linear;
    }
    .header .flex .navbar.active {
        clip-path: polygon(0 0, 100% 0, 100% 100%, 0 100%);
    }
    .header .flex .navbar a {

```

```

        display: block;
        margin: 2rem;
    }
}
@media (max-width:450px) {
    html {
        font-size: 50%;
    }
    .flex-btn {
        flex-flow: column;
        gap: 0;
    }
    .heading {
        font-size: 3rem;
    }
    .show-products .box-container {
        grid-template-columns: 1fr;
    }
    .placed-orders .box-container {
        grid-template-columns: 1fr;
    }
    .accounts .box-container {
        grid-template-columns: 1fr;
    }
}
}

```

Css/style.css

```

@import
url('https://fonts.googleapis.com/css2?family=Nunito:wght@200;300;400;600;700&display=swap');
:root {
    --darkred: rgb(126, 3, 3);
    --black: #000000;
    --white: rgb(253, 253, 253);
    --light-color: #666;
    --box-shadow: 0.5rem 1.5rem rgba(0, 0, 0, .1);
    --border: .2rem solid var(--black);
}

```

```

* {
  font-family: 'Nunito', sans-serif;
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  text-decoration: none;
  outline: none;
  border: none;
  transition: all .2s linear;
}
*::selection {
  background-color: var(--yellow);
  color: var(--black);
}
::-webkit-scrollbar {
  height: .5rem;
  width: 1rem;
}
::-webkit-scrollbar-track {
  background-color: transparent;
}
::-webkit-scrollbar-thumb {
  background-color: var(--darkred);
}
html {
  font-size: 62.5%;
  overflow-x: hidden;
  scroll-padding-top: 5.5rem;
  scroll-behavior: smooth;
}
section {
  padding: 1rem 7%;
}
section:nth-child(even) {
  background: #eee;
}
.sub-heading {
  text-align: center;
  color: var(--darkred);
  font-size: 2rem;
}

```

```

    padding-top: 1rem;
}
.ulo {
    text-align: center;
    color: #000;
    font-size: 3rem;
    padding-top: 2rem;
}
.title {
    text-align: center;
    margin-bottom: 2.5rem;
    font-size: 4rem;
    color: #000;
    text-transform: uppercase;
    text-decoration: underline;
    text-underline-offset: 1rem;
}
.heading {
    display: flex;
    align-items: center;
    justify-content: center;
    gap: 1rem;
    flex-flow: column;
    background-color: darkred;
    min-height: 20rem;
}
.heading h3 {
    font-size: 5rem;
    color: var(--black);
    text-transform: capitalize;
}
.form-container form h2 {
    font-size: 1.5rem;
    color: var(--darkred);
    text-transform: uppercase;
    margin-bottom: 1rem;
}
.heading h4 {
    font-size: 5rem;
    color: var(--white);
}

```

```

    text-transform: capitalize;
}
.form-container form h5 {
    font-size: 1.3rem;
    color: var(--black);
    text-transform: uppercase;
    margin-bottom: 1rem;
    text-align: left;
}
.heading p {
    font-size: 2.3rem;
    color: var(--black);
}
.heading p a {
    color: lightcoral;
}
.heading p a:hover {
    text-decoration: underline;
    color: var(--white);
}
.btn,
.delete-btn {
    margin-top: 1rem;
    display: inline-block;
    font-size: 1.7rem;
    padding: 1rem 3rem;
    cursor: pointer;
    text-transform: capitalize;
    transition: .2s linear;
}
.btn {
    background-color: var(--darkred);
    color: var(--white);
}
.delete-btn {
    background-color: var(--black);
    color: var(--white);
}
.btn:hover,
.delete-btn:hover {

```

```

    letter-spacing: .2rem;
}
.disabled {
    opacity: .5;
    user-select: none;
    pointer-events: none;
}
.message {
    position: sticky;
    top: 0;
    max-width: 1200px;
    margin: 0 auto;
    padding: 2rem;
    display: flex;
    align-items: center;
    gap: 1rem;
    justify-content: space-between;
    background-color: var(--darkred);
}
.message span {
    font-size: 2rem;
    color: var(--black);
}
.message i {
    font-size: 2.5rem;
    color: var(--red);
    cursor: pointer;
}
.message i:hover {
    color: var(--black);
}
.empty {
    border: var(--border);
    padding: 1.5rem;
    text-align: center;
    width: 100%;
    font-size: 2rem;
    text-transform: capitalize;
    color: var(--red);
}

```

```

.flex-btn {
  display: flex;
  gap: 1rem;
}
header {
  position: sticky;
  top: 0;
  left: 0;
  right: 0;
  Background: rgb(0, 0, 0);
  z-index: 1000;
  box-shadow: var(--box-shadow);
}
header .flex {
  display: flex;
  align-items: center;
  justify-content: space-between;
  position: relative;
}
header .flex .logo {
  color: var(--white);
  font-size: 2.5rem;
  font-weight: bolder;
}
header .flex .logo i {
  color: var(--darkred);
}
header .flex .navbar a {
  font-size: 1.7rem;
  border-radius: .5rem;
  padding: .5rem 1.5rem;
  color: var(--white);
}
header .flex .navbar a.active,
header .flex .navbar a:hover {
  Color: #fff;
  background: var(--darkred);
}
header .flex .icons>* {
  cursor: pointer;
}

```

```

margin-left: .5rem;
height: 4.5rem;
line-height: 4.5rem;
width: 4.5rem;
text-align: center;
font-size: 1.7rem;
color: var(--black);
border-radius: 50%;
background: #eee;
}
header .flex .icons i,
header .flex .icons a {
  cursor: pointer;
margin-left: .5rem;
height: 4.5rem;
line-height: 4.5rem;
width: 4.5rem;
text-align: center;
font-size: 1.7rem;
color: var(--black);
border-radius: 50%;
background: #eee;
}
header .flex .icons>*:hover {
  Color: #fff;
  background: var(--darkred);
  transform: rotate(360deg);
}
header .flex .icons i:hover,
header .flex .icons a:hover {
  Color: #fff;
  background: var(--darkred);
  transform: rotate(360deg);
}
header .flex .icons span {
  font-size: 2rem;
}
header .flex .icons #menu-btn {
  display: none;
}

```

```

header .flex .profile {
  background-color: var(--white);
  border: var(--border);
  padding: 1.5rem;
  text-align: center;
  position: absolute;
  top: 125%;
  right: 2rem;
  width: 30rem;
  display: none;
  animation: fadeIn .2 linear;
}
header .flex .profile.active {
  display: inline-block;
}
@keyframes fadeIn {
  0% {
    transform: translateY(1rem);
  }
}
header .flex .profile .name {
  font-size: 2rem;
  color: var(--black);
  margin-bottom: .5rem;
}
header .flex .profile .account {
  margin-top: 2rem;
  font-size: 2rem;
  color: var(--light-color);
}
header .flex .profile .account a {
  color: var(--black);
}
header .flex .profile .account a:hover {
  color: var(--darkred);
  text-decoration: underline;
}
.search-form form {
  display: flex;
  gap: 1.3rem;
}

```

```

}
.search-form form .box {
  width: 100%;
  border: var(--border);
  padding: 1.4rem;
  font-size: 1.8rem;
  color: var(--black);
}
.search-form form .fa-search {
  width: 6rem;
  background-color: var(--black);
  color: var(--white);
  cursor: pointer;
  font-size: 2.5rem;
}
.search-form form .fa-search:hover {
  background-color: var(--darkred);
  color: var(--black);
}
.homerun{
  display: flex;
  align-items: center;
  justify-content: center;
  background: url(../PICTURES/Pink\ Photo\ Banner\ Facebook\ Cover\
Photo.gif) no-repeat;
  background-repeat: center;
  background-size: cover;
  padding-top: 17rem;
  padding-bottom: 25rem;
}
.home .home-slider .slide {
  display: flex;
  align-items: center;
  flex-wrap: wrap;
  gap: 2rem;
  padding-top: 9rem;
}
.home .home-slider .slide .content {
  flex: 1 1 45rem;
}

```

```

.home .home-slider .slide .image {
  flex: 1 1 45rem;
}
.home .home-slider .slide .image img {
  width: 100%;
}
.home .home-slider .slide .content span {
  color: var(--black);
  font-size: 2.5rem;
}
.home .home-slider .slide .content h3 {
  color: var(--darkred);
  font-size: 7rem;
}
.home .home-slider .slide .content p {
  color: var(--light-color);
  font-size: 2.2rem;
  padding: .5rem 0;
  line-height: 1.5;
}
.swiper-pagination-bullet-active {
  background: var(--darkred);
}
.menu .box-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax( 28rem, 1fr));
  gap: 1.5rem;
}
.menu .box-container .box {
  padding: 2.5rem;
  background: #fff;
  border-radius: .5rem;
  border: .1rem solid rgb(0, 0, 0);
  box-shadow: var(--box-shadow);
  position: relative;
  overflow: hidden;
  text-align: center;
}
.menu .box-container .box .fa-shopping-cart,
.menu .box-container .box .fa-eye {

```

```

    position: absolute;
    top: 1.5rem;
    background: #eee;
    border-radius: 50;
    height: 5rem;
    width: 5rem;
    line-height: 5rem;
    font-size: 2rem;
    color: var(--black);
}
.menu .box-container .box .fa-shopping-cart:hover,
.menu .box-container .box .fa-eye:hover {
    background: #fff;
    color: var(--darkred);
}
.menu .box-container .box .fa-shopping-cart {
    right: -15rem;
}
.menu .box-container .box .fa-eye {
    left: -15rem;
}
.menu .box-container .box:hover .fa-shopping-cart {
    right: 1.5rem;
}
.menu .box-container .box:hover .fa-eye {
    left: 1.5rem;
}
.menu .box-container .box img {
    height: 17rem;
    margin: 1rem 0
}
.menu .box-container .box .h3 {
    color: var(--black);
    font-size: 2.5rem;
}
.menu .box-container .box .stars {
    padding: 1rem 0;
}
.menu .box-container .box .stars i {
    font-size: 1.7rem;
}

```

```

        color: var(--darkred);
    }
    .menu .box-container .box .price {
        margin-right: auto;
        font-size: 2.5rem;
        color: var(--black);
    }
    .menu .box-container .box span {
        color: #000;
        font-weight: bolder;
        margin-right: 1 rem;
        font-size: 2.5rem;
    }
    .about .row {
        display: flex;
        flex-wrap: wrap;
        gap: 1.5rem;
        align-items: center;
    }
    .about .row .image {
        flex: 1 1 45rem;
    }
    .about .row .image img {
        width: 100%;
        left: 1.5rem;
    }
    .about .row .content {
        flex: 1 1 45rem;
    }
    .about .row .content h3 {
        color: #000;
        font-size: 4rem;
        padding: .5rem 0;
    }
    .about .row .content p {
        color: var(--light-color);
        font-size: 1.5rem;
        padding: .5rem 0;
        line-height: 2;
    }
}

```

```

.about .row .content .icons-container {
  display: flex;
  gap: 1rem;
  flex-wrap: wrap;
  padding: 1rem 0;
  margin-top: .5rem;
}
.about .row .content .icons-container .icons {
  background: #eee;
  border-radius: .5rem;
  border: .1rem solid rgba(0, 0, 0, .2);
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 1rem;
  flex: 1 1 17rem;
  padding: 1.5rem;
}

.about .row .content .icons-container .icons i {
  font-size: 2.5rem;
  color: var(--darkred);
}
.about .row .content .icons-container .icons span {
  font-size: 1.5rem;
  color: #000;
}
.menu .box-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(30rem, 1fr));
  gap: 1.5rem;
}
.menu .box-container .box {
  background: #fff;
  border: .1rem solid rgba(0, 0, 0, .2);
  border-radius: .5rem;
  box-shadow: var(--box-shadow);
  overflow: hidden;
}
.menu .box-container .box .image {

```

```

    height: 25rem;
    width: 100%;
    padding: 1.5rem;
    overflow: hidden;
    position: relative;
}
.menu .box-container .box .image img {
    height: 100%;
    width: 100%;
    border-radius: .5rem;
    object-fit: cover;
}
.menu .box-container .box .image .fa-shopping-cart {
    position: absolute;
    top: 2.5rem;
    right: 2.5rem;
    height: 5rem;
    width: 5rem;
    line-height: 5rem;
    text-align: center;
    font-size: 2rem;
    background: #fff;
    border-radius: 50%;
    color: var(--black);
}
.menu .box-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, 33rem);
    justify-content: center;
    align-items: flex-start;
    gap: 1.5rem;
}
.menu .box-container .box {
    border: var(--border);
    padding: 1.5rem;
    position: relative;
    overflow: hidden;
}
.menu .box-container .box img {
    height: 25rem;

```

```

    width: 100%;
    object-fit: contain;
    margin-bottom: 1rem;
}
.menu .box-container .box .fa-eye,
.menu .box-container .box .fa-shopping-cart {
    position: absolute;
    top: 1rem;
    height: 4.5rem;
    width: 4.5rem;
    line-height: 4.3rem;
    border: var(--border);
    background-color: var(--white);
    cursor: pointer;
    font-size: 2rem;
    color: var(--black);
    transition: .2s linear;
    text-align: center;
}
.menu .box-container .box .fa-eye:hover,
.menu .box-container .box .fa-shopping-cart:hover {
    background-color: darkred;
    color: var(--white);
}
.menu .box-container .box .fa-eye {
    left: -10rem;
}
.menu .box-container .box .fa-shopping-cart {
    right: -10rem;
}
.menu .box-container .box:hover .fa-eye {
    left: 1rem;
}
.menu .box-container .box:hover .fa-shopping-cart {
    right: 1rem;
}
.menu .box-container .box .cat {
    font-size: 1.8rem;
    color: var(--light-color);
}

```

```

.menu .box-container .box .cat:hover {
  color: var(--black);
  text-decoration: underline;
}
.menu .box-container .box .name {
  font-size: 3rem;
  color: var(--black);
  margin: 1rem 0;
}
.menu .box-container .box .flex {
  display: flex;
  align-items: center;
  gap: 1rem;
  margin-top: 1.5rem;
}
.menu .box-container .box .flex .price {
  margin-right: auto;
  font-size: 2.5rem;
  color: var(--black);
}
.menu .box-container .box .flex .price span {
  color: black;
  font-size: 1.8rem;
}
.menu .box-container .box .flex .qty {
  padding: 1rem;
  border: var(--border);
  font-size: 1.8rem;
  color: var(--box-shadow);
}
.menu .box-container .box .flex .fa-edit {
  width: 5rem;
  background-color: var(--darkred);
  color: var(--black);
  cursor: pointer;
  font-size: 1.8rem;
  height: 4.5rem;
  border: var(--border);
}
.menu .box-container .box .flex .fa-edit:hover {

```

```

        background-color: var(--black);
        color: var(--white);
    }
    .menu .box-container .box .fa-times {
        position: absolute;
        top: 1rem;
        right: 1rem;
        background-color: var(--red);
        color: var(--white);
        border: var(--border);
        line-height: 4rem;
        height: 4.3rem;
        width: 4.5rem;
        cursor: pointer;
        font-size: 2rem;
    }
    .menu .box-container .box .fa-times:hover {
        background-color: var(--black);
        color: var(--white);
    }
    .menu .box-container .box .sub-total {
        margin-top: 1rem;
        font-size: 1.8rem;
        color: var(--light-color);
    }
    .menu .box-container .box .sub-total span {
        color: var(--red);
    }
    .menu .more-btn {
        margin-top: 1rem;
        text-align: center;
    }
    .menu .cart-total {
        display: flex;
        align-items: center;
        gap: 1.5rem;
        flex-wrap: wrap;
        justify-content: space-between;
        margin-top: 3rem;
        border: var(--border);
    }

```

```

padding: 1rem;
}
.menu .cart-total p {
font-size: 2.5rem;
color: var(--light-color);
}
.menu .cart-total p span {
color: var(--red);
}
.menu .cart-total .btn {
margin-top: 0;
}
.steps .box-container {
display: grid;
grid-template-columns: repeat(auto-fit, minmax(30rem, 1fr));
gap: 1.5rem;
align-items: flex-start;
}
.steps .box-container .box {
text-align: center;
border: var(--border);
padding: 2rem;
}
.steps .box-container .box img {
height: 15rem;
width: 100%;
object-fit: contain;
margin-bottom: 1rem;
}
.steps .box-container .box h3 {
font-size: 2.3rem;
margin: 1rem 0;
color: var(--black);
text-transform: capitalize;
}
.steps .box-container .box p {
line-height: 2;
font-size: 1.6rem;
color: var(--light-color);
}

```

```

.review .slide {
  padding: 2rem;
  box-shadow: var(--box-shadow);
  border: .1rem solid rgba(0, 0, 0, .2);
  border-radius: .5rem;
  position: relative;
}
.review .slide .fa-quote-right {
  position: absolute;
  top: 2rem;
  right: 2rem;
  font-size: 6rem;
  color: #ccc;
}
.review .slide .user {
  display: flex;
  gap: 1.5rem;
  align-items: center;
  padding-bottom: 1.5rem;
}
.review .slide .user img {
  height: 7rem;
  width: 7rem;
  border-radius: 50%;
  object-fit: cover;
}
.review .slide .user h3 {
  color: var(--black);
  font-size: 2rem;
  padding-bottom: .5rem;
}
.review .slide .user i {
  font-size: 1.3rem;
  color: var(--darkred);
}
.review .slide p {
  font-size: 1.5rem;
  line-height: 1.8;
  color: var(--light-color);
}

```

```

.contact .row {
  display: flex;
  align-items: center;
  flex-wrap: wrap;
  gap: 1.5rem;
}
.contact .row .image {
  flex: 1 1 40rem;
}
.contact .row .image img {
  width: 100%;
}
.contact .row form {
  border: var(--border);
  flex: 1 1 40rem;
  padding: 2rem;
  text-align: center;
}
.contact .row form h3 {
  font-size: 2.5rem;
  color: var(--black);
  margin-bottom: 1rem;
  text-transform: capitalize;
}
.contact .row form .box {
  margin: 1rem 0;
  font-size: 1.8rem;
  color: var(--black);
  border: var(--border);
  padding: 1.4rem;
  width: 100%;
}
.orders .box-container {
  display: flex;
  flex-wrap: wrap;
  gap: 1.5rem;
  align-items: flex-start;
}
.orders .box-container .box {
  padding: 1rem 2rem;
}

```

```

    border: var(--border);
    flex: 1 1 40rem;
}
.orders .box-container .box p {
    line-height: 1.5;
    margin: 1rem 0;
    font-size: 2rem;
    color: var(--light-color);
}
.orders .box-container .box p span {
    color: var(--black);
}
.order form {
    max-width: 90rem;
    border-radius: .5rem;
    box-shadow: var(--box-shadow);
    border: .1rem solid rgba(0, 0, 0, .2);
    background: #fff;
    padding: 1.5rem;
    margin: 0 auto;
}
.order form .inputBox {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
}
.order form .inputBox .input {
    width: 49%;
}
.order form .inputBox .input span {
    display: block;
    padding: .5rem 0;
    font-size: 1.5rem;
    color: var(--light-color);
}
.order form .inputBox .input input,
.order form .inputBox .input textarea {
    background: #eee;
    border-radius: .5rem;
    padding: .5rem;
}

```

```

    font-size: 1.6rem;
    color: var(--black);
    text-transform: none;
    margin-bottom: 1rem;
    width: 100%;
}
.order form .inputBox .input input:focus,
.order form .inputBox .input textarea:focus {
    border: .1rem solid var(--darkred);
}
.order form .inputBox .input textarea {
    height: 20rem;
    resize: none;
}
.order form .btn {
    margin-top: 0;
}
.checkout form {
    max-width: 50rem;
    margin: 0 auto;
    border: var(--border);
    padding: 2rem;
}
.checkout form h3 {
    font-size: 2.5rem;
    text-transform: capitalize;
    padding: 2rem 0;
    color: var(--black);
}
.checkout form .cart-items {
    background-color: var(--black);
    padding: 2rem;
    padding-top: 0;
}
.checkout form .cart-items h3 {
    color: var(--white);
}
.checkout form .cart-items p {
    display: flex;
    align-items: center;

```

```

    gap: 1.5rem;
    justify-content: space-between;
    margin: 1rem 0;
    line-height: 1.5;
    font-size: 2rem;
  }
  .checkout form .cart-items p .name {
    color: var(--white);
  }
  .checkout form .cart-items .amount .name {
    color: var(--black);
  }
  .checkout form .cart-items p .price {
    color: var(--darkred);
  }
  .checkout form .cart-items .amount {
    background-color: var(--white);
    padding: .5rem 1.5rem;
  }
  .checkout form .cart-items .amount .price {
    color: var(--red);
  }
  .checkout form .user-info p {
    font-size: 2rem;
    line-height: 1.5;
    padding: 1rem 0;
  }
  .checkout form .user-info p i {
    color: var(--light-color);
    margin-right: 1rem;
  }
  .checkout form .user-info p span {
    color: var(--black);
  }
  .checkout form .user-info .box {
    width: 100%;
    border: var(--border);
    padding: 1.4rem;
    margin-top: 2rem;
    margin-bottom: 1rem;
  }

```

```

    font-size: 1.8rem;
}
.form-container form {
    border: var(--border);
    margin: 0 auto;
    max-width: 50rem;
    padding: 2rem;
    text-align: center;
}
.form-container form .form-control {
    margin: .7rem 0;
    width: 100%;
    border: var(--border);
    padding: 1.4rem;
    font-size: 1.8rem;
    color: var(--black);
}
.form-container form h3 {
    font-size: 2.5rem;
    color: var(--black);
    text-transform: uppercase;
    margin-bottom: 1rem;
}
.form-container form h4 {
    font-size: 1.5rem;
    color: var(--darkred);
    text-transform: uppercase;
    margin-bottom: 1rem;
    text-align: left;
}
.form-container form h5 {
    font-size: 1.3rem;
    color: var(--black);
    text-transform: uppercase;
    margin-bottom: 1rem;
    text-align: left;
}
.form-container form .box {
    margin: .7rem 0;
    width: 100%;

```

```

    border: var(--border);
    padding: 1.4rem;
    font-size: 1.8rem;
    color: var(--black);
}
.form-container form p {
    margin-top: 1.5rem;
    font-size: 2rem;
    color: var(--light-color);
}
.form-container form p a {
    color: var(--black);
}
.form-container form p a:hover {
    text-decoration: underline;
}
.user-details .user {
    max-width: 50rem;
    margin: 0 auto;
    border: var(--border);
    padding: 2rem;
}
.user-details .user img {
    width: 100%;
    height: 20rem;
    object-fit: contain;
    margin-bottom: 1rem;
}
.user-details .user p {
    padding: 1rem 0;
    line-height: 1.5;
    font-size: 2rem;
}
.user-details .user p span {
    color: var(--black);
}
.user-details .user p i {
    margin-right: 1rem;
    color: var(--light-color);
}

```

```

.user-details .user .address {
  margin-top: 1rem;
}
.quick-view form {
  max-width: 40rem;
  padding: 2rem;
  border: var(--border);
  position: relative;
  margin: 0 auto;
}
.quick-view form img {
  height: 25rem;
  width: 100%;
  object-fit: contain;
  margin-bottom: 1rem;
}
.quick-view form .cat {
  font-size: 1.8rem;
  color: var(--light-color);
}
.quick-view form .cat:hover {
  color: var(--black);
  text-decoration: underline;
}
.quick-view form .name {
  font-size: 2rem;
  margin: .5rem 0;
}
.quick-view form .flex {
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 1.5rem;
  margin: 1rem 0;
}
.quick-view form .flex .price {
  font-size: 2.5rem;
  color: var(--black);
}
.quick-view form .flex .price span {

```

```

    font-size: 2rem;
    color: var(--light-color);
}
.quick-view form .flex .qty {
    border: var(--border);
    padding: 1rem;
    font-size: 1.8rem;
    color: var(--black);
}
.quick-view form .cart-btn {
    width: 100%;
    padding: 1rem 3rem;
    text-align: center;
    border: var(--border);
    font-size: 2rem;
    color: var(--black);
    cursor: pointer;
    text-transform: capitalize;
    background: none;
    margin-top: 1rem;
}
.quick-view form .cart-btn:hover {
    background-color: var(--black);
    color: var(--white);
}
.footer .grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(27rem, 1fr));
    gap: 1.0 rem;
    align-items: flex-start;
}
.footer .grid .box {
    border: var(--border);
    padding: 1rem;
    text-align: center;
}
.footer .grid .box img {
    height: 10rem;
    width: 100%;
    object-fit: contain;
}

```

```

        margin-bottom: .5rem;
    }
    .footer .grid .box h3 {
        margin: 1rem 0;
        font-size: 2rem;
        color: var(--black);
        text-transform: capitalize;
    }
    .footer .grid .box p,
    .footer .grid .box a {
        display: block;
        font-size: 1.5rem;
        color: var(--light-color);
        line-height: 1.8;
    }
    .footer .grid .box a:hover {
        text-decoration: underline;
    }
    .credit {
        padding: 3rem 2rem;
        text-align: center;
        background-color: var(--black);
        color: var(--white);
        font-size: 2rem;
        text-transform: capitalize;
        /* padding-bottom: 10rem; */
    }
    .loader-container {
        position: fixed;
        top: 0;
        left: 0;
        height: 100%;
        width: 100%;
        z-index: 10000;
        background: #fff;
        display: flex;
        align-items: center;
        justify-content: center;
        overflow: hidden;
    }

```

```

.loader-container img {
  width: 35rem;
}
.loader-container.fade-out {
  top: -110%;
  opacity: 0;
}
/*media queries */
@media(max-width:991px) {
  html {
    font-size: 55%;
  }
  header {
    padding: 1rem 2rem;
  }
  section {
    padding: 2rem;
  }
  .homerun {
    height: auto;
    width: 100%;
    padding-top: 10rem;
    padding-bottom: 15rem;
  }
}
@media(max-width:768px) {
  header .flex .icons #menu-btn {
    display: inline-block;
  }
  header .flex .navbar {
    position: absolute;
    top: 100%;
    left: 0;
    right: 0;
    background: var(--darkred);
    border-top: .1rem solid rgb(253, 253, 253);
    border-bottom: .1rem solid rgb(253, 253, 253);
    clip-path: polygon(0 0, 100% 0, 100% 0, 0 0);
  }
  header .flex .navbar.active {

```

```

        clip-path: polygon(0 0, 100% 0, 100% 100%, 0% 100%);
    }
    header .flex .navbar a {
        display: block;
        padding: 1.5rem;
        margin: 1rem;
        font-size: 2rem;
        background: #7a3030;
    }
    #search-form #search-box {
        width: 90%;
    }
}
.home .home-slider .slide .content h3 {
    font-size: 5rem;
}
@media(max-width:991px) {
    html {
        font-size: 50%;
    }
    .menu .box-container .box img {
        height: auto;
        width: 100%;
    }
}

```

Js/admin_script.js

```

let profile = document.querySelector('.header .flex .profile');
document.querySelector('#user-btn').onclick = () => {
    profile.classList.toggle('active')
    navbar.classList.remove('active');
}
let navbar = document.querySelector('.header .flex .navbar');
document.querySelector('#menu-btn').onclick = () => {
    navbar.classList.toggle('active');
    profile.classList.remove('active');
}

```

```

window.onscroll = () => {
  profile.classList.remove('active');
  navbar.classList.remove('active');
}

subImages = document.querySelectorAll('.update-product .image-container
.sub-images img');
mainImage = document.querySelector('.update-product .image-container .main-
image img');
subImages.forEach(images => {
  images.onclick = () => {
    let src = images.getAttribute('src');
    mainImage.src = src;
  }
});

```

Js/script.js

```

navbar = document.querySelector('header .flex .navbar');
document.querySelector('#menu-btn').onclick = () => {
  navbar.classList.toggle('active');
  menu.classList.remove('fa-times');
}
profile = document.querySelector('header .flex .profile');
document.querySelector('#user-btn').onclick = () => {
  profile.classList.toggle('active');
  navbar.classList.remove('active');
}
window.onscroll = () => {
  navbar.classList.remove('active');
  profile.classList.remove('active');
}
function loader() {
  document.querySelector('.loader').style.display = 'none';
}
var swiper = new Swiper(".home-slider", {
  spaceBetween: 30,
  centeredSlides: true,
  autoplay: {

```

```

        delay: 7500,
        disableOnInteraction: false,
    },
    pagination: {
        el: ".swiper-pagination",
        clickable: true,
    },
    loop: true,
});
function fadeOut() {
    setInterval(loader, 2000);
}
window.onload = fadeOut;
document.querySelectorAll('input[type="number"]').forEach(numberInput => {
    numberInput.oninput = () => {
        if (numberInput.value.length > numberInput.maxLength) numberInput.value
        = numberInput.value.slice(0, numberInput.maxLength);
    };
});
$("input[data-type='currency']").on({
    keyup: function(){
        formatCurrency($(this))
    },
    blur: function(){
        formatCurrency($(this), "blur")
    }
})
function formatNumber(n){
    // 1000000 to 1,2334,0000
    return n.replace(/\D/g, "").replace(/\B(?=(\d{3})+(?!\d))/g, ",")
}
function formatCurrency(input, blur) {
    var input_val = input.val();
    if(input_val === "") {return ;}
    var original_len = input_val.length;
    var caret_pos = input.prop("selectionStart");
    if(input_val.indexOf(".") >= 0){
        var decimal_pos = input_val.indexOf(".");
        var left_side = input_val.substring(0, decimal_pos);
        var right_side = input_val.substring(decimal_pos);
    }

```

```

    left_side = formatNumber(left_side);
    right_side = formatNumber(right_side);
    if (blur === "blur"){
        right_side += "00";
    }
    right_side = right_side.substring(0, 2);
    input_val = "P" + left_side + "." + right_side;
} else {
    input_val = formatNumber(input_val);
    input_val = "P" + input_val;
    if (blur === "blur"){
        input_val += ".00";
    }
}
input.val(input_val);
var update_len = input_val.length;
caret_pos = update_len - original_len + caret_pos;
input[0].setSelectionRange(caret_pos, caret_pos);
}

```

APPENDICES B

Evaluation Tool

CJZAVE BBQ & GRILL OFFICIAL WEBSITE

I. Personal Information

Name: _____ (Optional) Sex: ____ Male ____ Female

II. Evaluation

Please visit the website that was sent to your email address. Then, after using the system, assess the proposed system's features. Please rate the level by placing a checkmark (✓) in the appropriate column of your assessment. Use the scale below:

Point Range	Scale	Description	Interpretation
5	4.21-5.00	Strongly Agree	Highly Acceptable
4	3.41-4.20	Agree	Acceptable
3	2.61-3.40	Fairly Disagree	Fair
2	1.81-2.60	Disagree	Uncertain
1	1.00-1.80	Strongly Disagree	Not Acceptable

A. Functionality

Evaluation Criteria	5	4	3	2	1
1. Functional Appropriateness The system facilitates and makes an easier way to carry out particular tasks.					
2. Functional Completeness Every responsibility and users goal are included in the system.					
3. Functional Correctness The technology generates an accurate outcome.					

B. Efficiency

Evaluation Criteria	5	4	3	2	1
1. Capacity The system's possible parameter restrictions adhere to the requirements.					
2. Time Behavior When performing it's functions, the reaction of the system and processing periods, meets the criteria.					

3. Resource Utilization The quantity and types of the resources was utilized by the system to complete its tasks and satisfy the requirements.					
--	--	--	--	--	--

C. Compatibility

Evaluation Criteria	5	4	3	2	1
1. Co-Existence The system is capable in operating successfully while sharing a common phase and resources with other					
2. Interoperability The system has the ability to use and exchange information.					

D. Usability

Evaluation Criteria	5	4	3	2	1
1. Operability The system includes features that make it easy to use and control.					

2. Appropriateness Recognizability Users can use the system to check if it is suited to their requirements					
3. Learnability The system can be used by specific users to accomplish specific goals, such as learning to use the program successfully, quickly, safely, and satisfactorily in a particular environment.					
4. Accessibility The system can be used by people with the widest range of characteristics and capabilities to achieve a specified goal in a specified context of use.					

E. Maintainability

Evaluation Criteria	5	4	3	2	1
1. Modifiability The system might be modified immediately and efficiently fixed without losing any of its quality and data.					

2. Analyzability Whenever a user signs up their data, then the log-in credentials doesn't match, the system can easily analyze it.					
--	--	--	--	--	--

F. Portability

Evaluation Criteria	5	4	3	2	1
1. Adaptability The product or system's services can work efficiently and effectively modified for new or changing hardware applications or other operational use.					

G. Reliability

Evaluation Criteria	5	4	3	2	1
1. Recoverability The system is capable of recovering the desired condition and recovers immediately data that was affected.					

2. Availability The system is functioning properly and generates easily when it is needed.					
3. Fault Tolerance Even if there are software or hardware flaws, the system will work as planned.					

H. Security

Evaluation Criteria	5	4	3	2	1
1. Integrity The system protects computer programs and data from illegal access or change.					
2. Confidentiality The system makes sure that only people who has the rights would be access the data.					.
3. Non-Repudiation The system can be verified, therefore the events or actions cannot be denied.					

APPENDICES C

Summary of Results

CJZAVE BBQ & GRILL OFFICIAL WEBSITE

Point Range	Scale	Description	Interpretation
5	4.21-5.00	Strongly Agree	Highly Acceptable
4	3.41-4.20	Agree	Acceptable
3	2.61-3.40	Fairly Disagree	Fair
2	1.81-2.60	Disagree	Uncertain
1	1.00-1.80	Strongly Disagree	Not Acceptable

A. Functionality

Evaluation Criteria	5	4	3	2	1
1. Functional Appropriateness	14	3	0	0	0
2. Functional Completeness	12	5	0	0	0
3. Functional Correctness	12	5	0	0	0

B. Efficiency

Evaluation Criteria	5	4	3	2	1
1. Capacity	12	5	0	0	0
2. Time Behavior	9	8	0	0	0
3. Resource Utilization	12	5	0	0	0

C. Compatibility

Evaluation Criteria	5	4	3	2	1
1. Co-Existence	11	6	0	0	0
2. Interoperability	11	6	0	0	0

D. Usability

Evaluation Criteria	5	4	3	2	1
1. Operability	10	7	0	0	0
2. Appropriateness Recognizability	12	5	0	0	0
3. Learnability	11	6	0	0	0
4. Accessibility	12	5	0	0	0

E. Maintainability

Evaluation Criteria	5	4	3	2	1
1. Modifiability	11	6	0	0	0
2. Analyzability	12	5	0	0	0

F. Portability

Evaluation Criteria	5	4	3	2	1
1. Adaptability	11	6	0	0	0

G. Reliability

Evaluation Criteria	5	4	3	2	1
1. Recoverability	11	6	0	0	0
2. Availability	11	6	0	0	0
3. Fault Tolerance	11	6	0	0	0

H. Security

Evaluation Criteria	5	4	3	2	1
1. Integrity	13	4	0	0	0
2. Confidentiality	13	4	0	0	0
3. Non-Repudiation	10	7	0	0	0

APPENDICES D

Survey Data Summary

In this study, the researchers of Cjzave BBQ & GRILL Official website conducted an interview to gather the data needed. The proposed system was evaluated by using the ISO 2510:2011 standard. The data was gathered, totaled, analyzed and statistically handled. The scale below was used to interpret the respondents' evaluation:

POINT	RANGE SCALE	DESCRIPTION	INTERPRETATION
5	4.21 – 5.00	Strongly Agree	Highly Acceptable
4	3.41 – 4.20	Agree	Acceptable
3	2.61 – 3.40	Fairly Agree	Fair
2	1.81 – 2.60	Disagree	Uncertain
1	1.00 – 1.80	Strongly Disagree	Not Acceptable

Table 1. Point Scale

- ✚ 5 (Highly Acceptable) Refers to the evaluators who strongly agree
- ✚ 4 (Acceptable) Refers to the evaluators who agree
- ✚ 3 (Fair) Refers to the evaluators who fairly disagree
- ✚ 2 (Uncertain) Refers to the evaluators who disagree
- ✚ 1 (Not Acceptable) Refers to the evaluators who strongly disagree

CRITERIA	WEIGHTED MEAN	INTERPRETATION
Functionality	4.75	Highly Acceptable
Efficiency	4.65	Highly Acceptable
Compatibility	4.65	Highly Acceptable
Usability	4.67	Highly Acceptable
Maintainability	4.68	Highly Acceptable
Portability	4.65	Highly Acceptable
Reliability	4.65	Highly Acceptable
Security	4.70	Highly Acceptable

Table 2. Survey Data Summary

In this table shows the proposed system data report of Cjzave BBQ & GRILL OFFICIAL WEBSITE. The total weighted mean was 4.68 calculated in the survey also interpreted as Highly Acceptable.

APPENDICES E

System Manual

INTRODUCTION

The Cjzave BBQ & GRILL Official Website manual is only applicable and limited only to the management and customers of the restaurant. This manual will show on how to properly use the website.

If you have any concerns and questions with regards with this sytem manual, feel free to contact us at this email; icollantes86@gmail.com

CONTENT OF THIS WEBSITE

Official website of Cjzave BBQ & GRILL displays and offers so many features such as having a short background of how the restaurant started, advertisement page wherein you can see different deals and offers, menu page which shows the products with its availability, contact us page, live chat, customer's login, online ordering, online payment method and customer's review.

USE OF SYSTEM MANUAL


The system manual will be a big help to customers and staffs as it will serve as a guide on how to properly use and manage the website.

User's Guide


ACCESSING WEBSITE

To access the website, go to your **Google Chrome/Browser** >> type **“cjzave.com”** and press enter/search. Once you pressed search, you will automatically be directed to the official website.


Step 1.



Step 2.



Step 3.




LOG IN/REGISTER

How to Login/Register? Click the **profile icon** located at the upper right corner of the website and click **login or register**.

- a. To **Login**, fill out the needed information such as **E-mail Address and Password** and click **login** if done.
- b. To **Register**, click the **register** and fill out the needed information such as **Name, Email Address, Mobile Number, Mother's Name** incase you forgot your password, **Password** and then proceed to **Register Now**.

Step 1.



Step 2.

A login form titled 'LOGIN NOW'. It contains two input fields: 'enter your email' and 'enter your password'. Below the input fields are two buttons: 'Login Now' and 'Forgot Password'. A red arrow points from the top right towards the 'Login Now' button.


Step 3.

A registration form titled 'REGISTER NOW'. It contains several input fields: 'enter your name', 'enter your email', a phone number field with '+63' as a prefix, 'INCASE YOU FORGOT YOUR PASSWORD ENTER YOUR MOTHER'S NAME', 'enter your Mother's name', 'enter your password', and 'confirm your password'. Below the input fields is a 'Register Now' button. A red arrow points from the top right towards the 'Register Now' button. There is also a link at the bottom that says 'already have an account? login now'.

FORGOT PASSWORD

Simply click **Forgot Password** >> Enter mother's name >> Click **Confirm** button >> Enter your New Password and Confirm your New Password then click **Update Now**.

Step 1.




LOGIN NOW

enter your email

enter your password

Login Now Forgot Password

Step 2.




FORGOT PASSWORD?

enter your mother's name

Confirm

Step 3.



enter your new password

PASSWORD MUST CONTAIN THE FOLLOWING:

- A lowercase letter
- A capital (uppercase) letter
- A number
- Minimum 8 characters


confirm your new password

Update Now


EDIT PROFILE

To **Edit Profile**, click the **profile icon** after logging in >> click **profile**. Your current information will show such as your **Name, Mobile Number, Email Address and Address**. Next is to click **Update Info** or **Update Address**.

Step 1.




Step 2.




KNOWING ABOUT THE RESTAURANT

To know about the restaurant, go to “**About Us Page**” located at the upper part of the website. You will then see here the different deals and offers, and if you **scroll down** there is a short history of the website and the customer's review.


Step 1.




Step 2.



Step 3.



Step 4.




VIEWING OF PRODUCTS

There are 2 ways to view products;


a. Menu Page - click the **“Menu Page”**. After clicking the **Menu Navigation Bar**, all available and not available products will be shown. You can choose your desired product based on its availability. To see the details of each product, point your cursor to your desired product and a **Quick View** icon will show at the upper left part of the product.

b. **Search bar** - click the navigation bar “**Search Bar**” so that you can easily find the products. After clicking the “**Search Bar**” you can type the name of the products that you wanted to search and it will automatically display.

Step 1.0



Step 1.1



Step 1.2


QUICK VIEW



Available
Pork Galbi 500g
-either kasim or pique part

Php250


Step 2.0



Step 2.1



Step 2.2



PLACING AN ORDER


To place an order, you need to **add your desired products to your cart.**

a. **Add to Cart** - Go to **“Menu Page”** >> point your cursor to the product that you want and click the **cart icon** located at the upper right corner, and it will automatically be added to your cart.


b. **Shopping Cart** - click the **shopping cart icon** and all your added to cart products will display. If you want to **delete your excess order**, point your cursor to the box >> click **“x”** icon. And if you want to **delete all your orders**, simply click the **Delete All**.

c. **Proceed to Checkout** - To proceed with your order >> click **Proceed To Checkout** >> double check your **order summary** and your **information**, once done >> click **place order**.


Step 1.0




Step 1.1




Step 2.0




Step 2.1



Step 2.2



Step 3.0



Step 3.1

ORDER SUMMARY

Cart Items:

Marinated Beef 500g	100 x 1
Pork Gochujang 500g	250 x 1
Grand total :	350.00

[View Cart](#)

Your Info

 Ivan B. Coliantes
 +639155941309
 icoliantes86@gmail.com

[Update Info](#)

Delivery Address

 99,Magsaysay Ave.,Balatas,in-front of seoul 199

[Update Address](#)

Payment Method

Special Instruction

Please let us know if you are allergic to anything or if we need to avoid anything

Strictly No Refund!


To avoid hassle on both ends, Please double check your order and correct information before placing your order. Thank you!

[Place Order](#)


ONLINE PAYMENT

To proceed with online payment, the system will require you to log in your G-cash account. Log in **G-cash number** and press next >> type in your **MPIN** and press next >> type the **OTP**, and once you finished all the needed information you will be redirected to the website with the confirmation of your order.

Step 1.




Step 2.




VIEWING OF ORDERS

To access order page, after the payment transaction click the “See your Order Here”.

Step 1.



Step 2.



RAISING CONCERNS, SUGGESTIONS AND ADDING OF REVIEW

How to raise a concern, suggestion and how to add a review?

In the upper part of the website, click the **“Contact Page”** >> fill out the **short form** with your **Name, Phone Number, E-mail Address** and your **desired message** >> click **send message**. In connection with the **“Contact Page”** you can also access the live chat support, click the **floating icon** >> fill out the form > click **submit**.

Step 1.0




Step 1.1

A screenshot of a contact form titled 'Tell Us Something!'. The form has four input fields: 'Enter your Name', 'Enter your Number', 'Enter your E-mail', and 'Enter your Message'. A red arrow points from the top right of the form down to the 'Send Message' button at the bottom right.


Step 1.2




Step 2.0



Step 2.1




Step 2.2




OTHER WAYS TO CONTACT THE RESTAURANT

HOW TO CONTACT THE RESTAURANT VIA E-MAIL, FACEBOOK, OR MOBILE NUMBER? To see the different contact details of the restaurant, **scroll down >> look for Social Media and Contact Number.**

Step 1.




Step 2.




LOG OUT

To **Log Out**, go to the **Profile** icon located at the upper right corner of the website. Click the “**Log out**”.

Step 1.



Step 2.




Admin's Guide


ACCESSING WEBSITE

To access the admin portal, **Go to your browser >> type the link**
https://cjzave.com/admin/admin_login.php >> press enter and it will automatically
direct you to the admin's Log in page.

Step 1.



Step 2.



Step 3.

Login Now


Default Username = Admin & Password = 111

Login Now

LOG IN

How to Login? To log in, simply fill out the needed information from the log in page >> click **Login Now** if done.

Step 1.




The image shows a login form titled "Login Now". Below the title, it says "Default Username = Admin & Password = 111". There are two input fields: "enter your username" and "enter your password". At the bottom of the form is a red button labeled "Login Now". A large red arrow points from the top right towards the "Login Now" button.

ADMINS ACCESS

What are the different privileges an admin can do with their account?

To access the overview of all features of the portal, the **Admin** should Log in first and a dashboard will reflect from the homepage of the portal which shows all the features of the website.

Step 1.




The image shows the AdminPanel dashboard. At the top is a navigation bar with the logo "AdminPanel" and links: Home, Products, Pending, Out, Complete, Users, Messages, and a user icon. Below the navigation bar is the title "Dashboard". The dashboard contains eight widgets arranged in a 2x4 grid. Each widget has a title, a value, a description, and a "See Orders" button.

Widget	Title	Value	Description	Action
1	welcome!	admin		Update Profile
2	Php0/-	Total Pendings		See Orders
3	Php0/-	Out for Delivery		See Orders
4	Php100/-	Total Completes		See Orders
5	1	Total Orders		See Orders
6	8	Products added		See Products
7	34	Users Accounts		See Users
8	7	New Messages		See Messages

EDITING PROFILE

To **Edit your Profile**, click the **Profile icon >>** tap the **Update Profile >>** fill out the needed information and click **Update Now**.

Step 1.



Step 2.

The screenshot shows the 'Update Profile' form. It contains four input fields: 'admin', 'enter your old password', 'enter your new password', and 'confirm your new password'. Below the input fields is a red button labeled 'Update Now'. A red arrow points from the 'enter your new password' field to the 'Update Now' button.

ADDING/REMOVING OF PRODUCTS


How to add/update/remove products?

a. **Add Products** - To **Add Products**, Go to **Products Page** >> fill out the **Add Products** form with the needed information >> click **Add Product**.


b. **Update Products** - To **Update Products**, go to **Products Page** >> click **Update** button on your desired product >> fill out the **Update Product** form and press **Update**.

c. **Remove Products** - To **Remove Products**, go to **Products Page** >> click the **Delete** button on your desired product >> a display will flash on your screen “**Delete this Product?**” then **press ok**.

Step 1.0




Step 2.0




The screenshot shows the 'AdminPanel' interface with a navigation bar containing 'Home', 'Products' (highlighted), 'Pending', 'Out', 'Complete', 'Users', and 'Messages'. A user profile icon is on the right. The main content area features a white 'Add Product' form with the following fields: 'enter product name', 'enter product part', 'enter product price', 'select category --' (a dropdown menu), and 'Choose File' (a file upload button) with the text 'No file chosen' next to it. A red 'Add Product' button is at the bottom of the form.

Step 3.0




Step 3.1




The screenshot shows the 'Update Product' form, which is a white box with a red border. It contains a product image at the top, followed by fields for 'Update Name' (Marinated Beef 500g), 'Update Part' (near thigh part of the beef), 'Update Price' (250.00), 'Update Category' (Available), and 'Update Image' (Choose File) with the text 'No file chosen' next to it. At the bottom are two red buttons: 'Update' and 'Go Back'. A red arrow points from the 'Update' button of the 'Pork Gochujang 500g' card in the previous step to the 'Update' button in this form.

Step 4.0



Step 4.1



PROCESSING OF ORDERS

How to process an order?

a. **Pending Orders** - To access pending orders, go to **Pending Page** to view orders and start preparing the order.


a.1 **Update Preparing Order** - To update **Preparing Order**, click the “v” arrow? >> click **Out for Delivery** once the order is prepared >> click **Update**.

b. **Out for Delivery** - To access **Out for Delivery** orders, go to **Out for Delivery page**.

b.1 **Update Out for Delivery** - To update **Out for Delivery order**, click the “v” arrow >> click **Delivered** once the order is delivered to the customer >> click **Update**.

c. **Completed Orders** - To access **Completed Orders**, go to **Complete Order Page** to view **Complete/Delivered Orders**.

Step 1.0



Step 1.1

Pending Orders

User Id : 69
Transaction Id : pay_CyhcUqa8hpNgbXNXivoUkfp
Placed On : 2023-08-03
Name : Ivan B. Collantes
E-mail : icollantes86@gmail.com
Contact Number : +639155941309
Address : 99,Magsaysay Ave.,Balatas,in-front of seoul 199
Total Products : Marinated Beef 500g (100 x 1) - .00
Total Price : Php100.00
Special Instruction : /-
Payment Method : G-cash

preparing

Update Delete

<https://cizave.com/admin/pending.php>

Step 1.1

Your order is out for del

preparing

Your order is out for delivery!

Step 1.2

Your order is out for del

Update Delete

Step 2.0

AdminPanel Home Products Pending **Out** Complete Users Messages

Dashboard

welcome! admin Update Profile	Php0/- Total Pending See Orders	Php0/- Out for Delivery See Orders	Php100/- Total Completes See Orders
1 Total Orders See Orders	8 Products added See Products	34 Users Accounts See Users	7 New Messages See Messages

Step 2.1

Out For Delivery

User Id : 69
Transaction Id : pay_CyhcUqa8hpNgbXNXivcUktp
Placed On : 2023-08-03
Name : Ivan B. Coliantes
E-mail : icoliantes06@gmail.com
Contact Number : +63955941309
Address : 99, Magpayday Ave., Balutay, In front of scoul 199
Total Products : Marinated Beef 500g (100 x 1) - .00
Total Price : Php100.00
Special Instruction : /-
Payment Method : G cash

Your order is out for del ▾

Update **Delete**

Activate Windows
Go to Settings to activate Windows

Step 2.1

Your order is out for del ▾

Your order is out for delivery!

Delivered

Step 2.2

Delivered ▾

Delete

Step 3.0

AdminPanel Home Products Pending Out **Complete** Users Messages

Dashboard

welcome! admin Update Profile	Php0/- Total Pending See Orders	Php0/- Out for Delivery See Orders	Php100/- Total Completes See Orders
1 Total Orders See Orders	8 Products added See Products	34 Users Accounts See Users	7 New Messages See Messages

Step 3.1

Completed Orders


User Id : 69
Transaction Id : pay_CyhcUqa8hpNgbXNXivoUkfpE
Placed On : 2023-08-03
Name : Ivan B. Collantes
E-mail : icollantes86@gmail.com
Contact Number : +639155941309
Address : 99,Magsaysay Ave,Balatas,in-front of seoul 199
Total Products : Marinated Beef 500g (100 x 1) - .00
Total Price : Php100.00
Special Instruction : /-
Payment Method : G-cash
Delivered
Delete

Activate Windows
Go to Settings to activate.

USERS ACCOUNT

To see all **User's Account**, go to **User's Page** and you will see here all the **Registered Accounts** of the customers in the Official Website with their **User id and User name**.

Step 1.



Step 2.

Username : Nicole Castro Delete	Username : Dana Delete	Username : Brian Dela Cruz Delete
User Id : 56 Username : Charla Mae Delete	User Id : 57 Username : Aldrin Reyes Delete	User Id : 58 Username : Alyssa Bulan Delete
User Id : 59 Username : Jennifer Delete	User Id : 60 Username : Marco Delete	User Id : 61 Username : Nina Teodoro Delete
User Id : 62 Username : Sarah Aguirre Delete	User Id : 63 Username : Joey Paradela Delete	User Id : 64 Username : Joseph Alcana Delete
User Id : 65 Username : Bea Bernadette Marti Delete	User Id : 66 Username : Mayvelyn Anotay Delete	User Id : 69 Username : Ivan B. Collantes Delete

CUSTOMERS MESSAGE

There are two ways to access customer's messages;


a. **Contact Page** - To access customer's message from the customer page form, go to Messages and all the message will display.

b. **Tawk.To Account** - To access the live chat, **Go to your browser >> type the link “<https://dashboard.tawk.to/login>” >> press enter** and it will automatically direct you to the **Tawk.To Account admin's Log in page**.


b1. **TAWK.TO LOGIN - How to Login?** To log in, simply fill out the needed information from the log in page >> click **Login Now** if done then the homepage of the Tawk.To Account will display.

b2. **VIEWING INBOX** – Go to the **Inbox icon >> move your cursor to Cjzave BBQ & GRILL navigation bar**, then all the received messages from the users will display.


Step 1.0




Step 1.1




Step 2.0




Step 2.1




Step 2.2




Step 2.3



Step 2.4




Step 2.5




LOG OUT

To **Log out** your account, click the **Profile icon >>** press **Log out**.

Step 1.



Step 2.



APPENDICES F

Turnitin Originality Report

Turnitin Originality Report

Processed on: 15-Aug-2023 11:24 AM EDT
ID: 2145584782
Word Count: 11267
Submitted: 5

CJZAVE BBQ & GRILL OFFICIAL WEBSITE By Ruzz Ruzz

Similarity Index	Similarity by Source	
	Internet Sources:	13%
19%	Publications:	2%
	Student Papers:	15%

1% match (Internet from 23-Dec-2021)
<https://www.coursehero.com/file/111681160/Article1docx/>

1% match (Internet from 18-Feb-2023)
https://www.researchgate.net/publication/227367795_Assurance_on_the_Reliability_of_Mobile_Payment_System_and_Its_Effects_on_Its_Use_An_Empirical_Examination

1% match (Internet from 25-Jan-2023)
https://www.researchgate.net/publication/355106524_Service_quality_and_servicescape_of_the_restaurants_in_Las_Pinas_City

1% match (Internet from 10-Oct-2022)
<https://www.restaurant-website-builder.com/advantages-of-having-a-website-for-a-restaurant>

1% match (student papers from 11-Feb-2022)
[Submitted to Our Lady of Fatima University on 2022-02-11](#)

1% match (Internet from 28-Oct-2022)
<https://journals.indexcopernicus.com/api/file/viewByFileId/1352679.pdf>

1% match (student papers from 16-Nov-2022)
[Submitted to Adamson University on 2022-11-16](#)

1% match (student papers from 20-Jan-2023)
[Submitted to tup on 2023-01-20](#)

1% match (student papers from 28-Apr-2023)
[Submitted to smci on 2023-04-28](#)

< 1% match (Internet from 11-Apr-2023)
<https://www.coursehero.com/file/12494113/BSBA31-GROUP-4-FINAL-PAPEKDOI/>

< 1% match (Internet from 19-Apr-2022)
<https://www.coursehero.com/file/136229224/Template-of-Researchdocx/>

< 1% match (Internet from 13-May-2020)
<https://www.coursehero.com/file/26079039/CBApptx/>

< 1% match (Internet from 28-Dec-2021)
<https://www.coursehero.com/file/116015935/03-APPLICATION-1-ARGdocx/>

< 1% match (Internet from 14-Nov-2022)
https://www.researchgate.net/publication/220627228_Initial_trust_and_the_adoption_of_B2C_e-commerce

< 1% match (student papers from 19-Jan-2022)
[Submitted to Our Lady of Fatima University on 2022-01-19](#)

< 1% match (student papers from 30-Mar-2017)
[Submitted to Lyceum of the Philippines University on 2017-03-30](#)

< 1% match (student papers from 24-Oct-2016)
[Submitted to Lyceum of the Philippines University on 2016-10-24](#)

< 1% match (student papers from 27-Mar-2017)
[Submitted to Lyceum of the Philippines University on 2017-03-27](#)

< 1% match (student papers from 02-Mar-2016)
[Submitted to Manuel S. Enverga University on 2016-03-02](#)

< 1% match (student papers from 12-Mar-2012)
[Submitted to Manuel S. Enverga University on 2012-03-12](#)

< 1% match (student papers from 24-Dec-2021)
[Submitted to Open University of Mauritius on 2021-12-24](#)

< 1% match (student papers from 15-May-2022)
[Submitted to University of Wales Institute, Cardiff on 2022-05-15](#)

< 1% match (student papers from 01-Feb-2022) Submitted to University of Wales Institute, Cardiff on 2022-02-01
< 1% match (student papers from 23-Feb-2018) Submitted to Technological University Of The Philippines on 2018-02-23
< 1% match (student papers from 09-Oct-2022) Submitted to Colorado Technical University on 2022-10-09
< 1% match (student papers from 18-May-2020) Submitted to University of Mumbai on 2020-05-18
< 1% match (student papers from 01-Jul-2023) Submitted to Victoria University on 2023-07-01
< 1% match (student papers from 13-May-2022) Submitted to Southport College on 2022-05-13
< 1% match (Amit Shankar, Charles Jebarajakirthy, Preeti Nayal, Haroon Iqbal Maseeh, Aman Kumar, Achchuthan Sivapalan. "Online food delivery: A systematic synthesis of literature and a framework development", International Journal of Hospitality Management, 2022) Amit Shankar, Charles Jebarajakirthy, Preeti Nayal, Haroon Iqbal Maseeh, Aman Kumar, Achchuthan Sivapalan. "Online food delivery: A systematic synthesis of literature and a framework development", International Journal of Hospitality Management, 2022
< 1% match (student papers from 04-Sep-2022) Submitted to The University of Manchester on 2022-09-04
< 1% match (student papers from 29-Jun-2022) Submitted to Wawasan Open University on 2022-06-29
< 1% match (student papers from 19-Feb-2022) Submitted to Wawasan Open University on 2022-02-19
< 1% match (Internet from 03-Dec-2021) https://www.toolsqa.com/postman/post-request-in-postman/
< 1% match (student papers from 14-Apr-2021) Submitted to University of Westminster on 2021-04-14
< 1% match (student papers from 04-Oct-2019) Submitted to ICL Education Group on 2019-10-04
< 1% match (student papers from 21-Jul-2022) Submitted to ALC College on 2022-07-21
< 1% match (student papers from 19-May-2022) Submitted to Quezon City University on 2022-05-19
< 1% match (Internet from 15-Jan-2023) https://www.viirj.org/specialissues/SP10/Part%207.pdf
< 1% match (student papers from 11-Jun-2022) Submitted to Gulf College Oman on 2022-06-11
< 1% match (Internet from 18-Dec-2022) https://www.atatus.com/glossary/software-development-life-cycle-sdlc/amp/
< 1% match (student papers from 29-Oct-2022) Submitted to Jose Rizal University on 2022-10-29
< 1% match (student papers from 07-Sep-2015) Submitted to Mae Fah Luang University on 2015-09-07
< 1% match (student papers from 05-Jun-2022) Submitted to The British College on 2022-06-05
< 1% match (Internet from 14-Aug-2020) http://web.stanford.edu/~leinau/teaching/Collison.pdf
< 1% match (student papers from 14-May-2023) Submitted to Southern New Hampshire University - Continuing Education on 2023-05-14
< 1% match (student papers from 02-Mar-2022) Submitted to University of Adelaide on 2022-03-02
< 1% match (student papers from 28-Jun-2022) Submitted to Institute of Rural Management on 2022-06-28
< 1% match (student papers from 30-Jan-2007) Submitted to United States Sports Academy on 2007-01-30

< 1% match (Internet from 12-Jan-2023) https://www.docstity.com/en/a-capstone-project-presented-to-the-faculty-of-the-college-of-computer-studies/7204462/
< 1% match (student papers from 21-Feb-2023) Submitted to University of San Agustin on 2023-02-21
< 1% match (student papers from 08-May-2022) Submitted to Global Banking Training on 2022-05-08
< 1% match (student papers from 09-Mar-2022) Submitted to NCC Education on 2022-03-09
< 1% match (student papers from 31-Aug-2021) Submitted to American InterContinental University on 2021-08-31
< 1% match (student papers from 29-Nov-2022) Submitted to University of Greenwich on 2022-11-29
< 1% match (student papers from 28-Aug-2022) Submitted to Fayetteville State University on 2022-08-28
< 1% match (student papers from 13-Jan-2023) Submitted to University of Bedfordshire on 2023-01-13
< 1% match (student papers from 28-Jun-2018) Submitted to Polytechnic University of the Philippines - Sta. Mesa on 2018-06-28
< 1% match (student papers from 26-Aug-2018) Submitted to Rosebank College on 2018-08-26
< 1% match (student papers from 03-Feb-2023) Submitted to Temasek Polytechnic on 2023-02-03
< 1% match (student papers from 24-May-2022) Submitted to Tower Hamlets College on 2022-05-24
< 1% match (Internet from 05-Oct-2022) http://consortiacademia.org/wp-content/uploads/2021/m_v9i4/m7737_ijrsm_final.pdf
< 1% match (Internet from 02-Dec-2022) https://www.acer.com/my-en/laptops/nitro/nitro-5/pdp/NH.QEQSM.002
< 1% match (Internet from 03-Jan-2022) https://www.loot.co.za/browse/15-?cat=iqj&offset=50
< 1% match (Internet from 09-Oct-2022) https://www.slideshare.net/ahmedshehata133/graduation-project-book-selfdriving-car
< 1% match (student papers from 10-Aug-2020) Submitted to Universiti Teknologi MARA on 2020-08-10
< 1% match (Internet from 31-Oct-2019) https://gamesystemrequirements.com/game/fornite
< 1% match (student papers from 15-May-2022) Submitted to Ghana Technology University College on 2022-05-15
< 1% match (Internet from 12-Jan-2023) https://pdfcoffee.com/library-management-systempdf-pdf-free.html
< 1% match (Melih Coskun, Ebru Saygili, Mehmet Oguz Karahan. "Exploring Online Payment System Adoption Factors in the Age of COVID-19—Evidence from the Turkish Banking Industry", International Journal of Financial Studies, 2022) Melih Coskun, Ebru Saygili, Mehmet Oguz Karahan. "Exploring Online Payment System Adoption Factors in the Age of COVID-19—Evidence from the Turkish Banking Industry". International Journal of Financial Studies, 2022

APPENDICES G

CERTIFICATIONS



AMA COMPUTER COLLEGE - NAGA

ELS Building, Panganiban Drive

Naga City, Camarines Sur

GRAMMARIAN'S CERTIFICATION

This is to certify that the undersigned has reviewed and went through all the pages of the Capstone Project Study Manuscript entitled **“CJZAVE BBQ & GRILL OFFICIAL WEBSITE”** developed by **Ivan B. Collantes, Gaebrielle Antonette A. Enriquez and Mary Dianne M. Tipay** aligned with the set of structural rules that govern the composition of sentences, phrases, and words in the English language.

Given this 16th day of August 2023, at Gainza National High School, Poblacion 1, Gainza, Camarines Sur.

Signed;


JOSIE V. TULIAO
Grammarian/Editor
Teacher III
Gainza National High School



AMA COMPUTER COLLEGE - NAGA

ELS Building, Panganiban Drive

Naga City, Camarines Sur

STATISTICIAN'S CERTIFICATION

This is to certify that the Capstone Project entitled “**CJZAVE BBQ & GRILL OFFICIAL WEBSITE**” has employed appropriate statistical treatment as validated and analyzed by the undersigned

This certification is issued upon the request of **Ivan B. Collantes, Gaebrielle Antonette A. Enriquez and Mary Dianne M. Tipay** taking Bachelor of Science in Information Technology students from AMA Computer College-Naga for whatever purpose it may serve them.

Given this 18th day of August 2023, at Gainza National High School, Poblacion 1, Gainza, Camarines Sur.

Signed;

A handwritten signature in black ink, appearing to read 'Eric Reyes Araki', is written over a horizontal line.

ERIC REYES ARAKI

Statistician

Teacher I

Mansalaya National High School

APPENDICES H

CURRICULUM VITAE

